

The Plants
of the

Selous Game Reserve
Tanzania

A Preliminary Checklist of Plants Recorded from: SELOUS GAME RESERVE, Tanzania

Prepared by W.R.Q. LUKE on 17/11/97 based on VOLLESEN (1980)

Habitat abbreviations: T = Coastal Forest and thicket on sand; RT = Coastal thicket in rocky areas; TC = Coastal thicket on clay
 LF = Lowland evergreen forest; R = Riverine forest & thicket; GWF = Ground-water forest
 RBE = Sandbanks & dry riverbeds; RBA = Riverbanks; W = Woodland on sand; WG = Wooded grassland
 G = Grassland; A = Termite mounds; AW = Termite mounds in woodland; SE = Alkaline seepages
 SEW = Seepages in woodland; WH = Waterholes; RV = Fast-flowing rivers; WE = Weedy communities

Comment (frequency) abbrev : c = common; d = dominant; ld = locally dominant; lc = locally common; o = occasional; r = rare

WRQL - Selous Checklist(not for citation)

Page 1

No.	Species	Synonym	Area	Habitat	Description	Comment
FAMILY :						
4302	indet		T6		Shrub 3m	
FAMILY : 0 BRYO						
4466	moss		T6			
4467			T6			
FAMILY : 00 ACTI						
	<i>Actiniopteris radiata</i> (Sw.)Link		T6	R,RT	Fern 0.1m, tufted	o
FAMILY : 00 ADIA						
3704	<i>Adiantum capillus-veneris</i> L.		T6		Forest on R Fern 30cm on vertical seep	New for Selous List
	<i>Adiantum comorense</i> (Tard.)Verdc. ined	<i>A.confine</i>	T6	R,RT	Fern 0.2m, tufted	o
	<i>Adiantum incisum</i> Forssk.		T6	R	Fern 0.1m, tufted	o
3701			T6		Forest on R Fern 30cm	
4465	<i>Adiantum philippense</i> L.		T6			New for Selous List
4672	<i>Doryopteris concolor</i> (Langsd. & Fisch.)Kuhn var <i>nicklesii</i> (Tard.)Schelpe		T6		Steep rocky Clumped fern 15cm	
	<i>Doryopteris nicklesii</i> Tard.	<i>D.concolor</i> var <i>nicklesii</i>	T6	RBA	Fern 0.1m, tufted	r
	<i>Pellaea doniana</i> Hook.		T6	R	Fern 0.2m, tufted	r
3700	<i>Pellaea viridis</i> (Forssk.)Prantl		T6,8	Forest on R T,RT	Fern 40cm Fern 0.2m, tufted	o
FAMILY : 00 ASPL						
	<i>Asplenium gemiferum</i> Schrad.		T6	LF	Fern 0.3m, tufted	r
FAMILY : 00 AZOL						
	<i>Azolla africana</i> R.Br. var <i>africana</i> (Desv.)Bak.	<i>A.pinnata</i> R.Br. var <i>africana</i> (Desv.)Bak.	T6	WH	Fern, free floating	o
	<i>Azolla nilotica</i> Mett.		T6	WH	Fern, free floating	r
FAMILY : 00 EQUI						
	<i>Equisetum ramosissimum</i> Desf.		T8	SEW	Fern 0.3m, creeping branch	r
FAMILY : 00 ISOE						
	<i>Isoetes rhodesiana</i> Alston		T6	WH	Perennial fern 0.4m, in sh	r
FAMILY : 00 MARS						
	<i>Marsilea macrocarpa</i> C.Presl		T8	WH	Fern 0.1m, creeping & root	r
	<i>Marsilea minuta</i> L.		T6,8	RBE	Fern 0.05m, creeping & roo	r
FAMILY : 00 OPHI						
	<i>Ophioglossum reticulatum</i> L.		T8	W	Fern 0.1m, short vert rhiz	r
FAMILY : 00 PARK						
sr	<i>Ceratopteris thalictroides</i> (L.)Brongn.		T6	Drying Seas		
FAMILY : 00 PTER						

No.	Species	Synonym	Area	Habitat	Description	Comment
3703	<i>Acrostichum aureum</i> L.		T6	Forest on R	Fern 1.2m	New for Selous List
3702	<i>Pteris vittata</i> L.		T8 T6	SEW Forest on R	Fern 0.5m, tufted Fern 1m	r
FAMILY : 00 SELA						
	<i>Selaginella eublepharis</i> A.Br.		T6	R,RT	Fern 0.1m, erect from bran	lc
	<i>Selaginella mittenii</i> Bak.		T6	R,RBA	Fern, creeping and rooting	r
FAMILY : 00 THEL						
	<i>Amelopteris prolifera</i> (Retz.)Copel.		T6	R,RBA	Fern, short rhizome with l	o
	<i>Christella dentata</i> (Forssk.)Brownsley & Jermy	<i>Thelypteris dentata</i>	T6 T6	SEW	Fern, 0.3m, creeping rhizo	r
FAMILY : 008 ANNO						
	<i>Annona senegalensis</i> Pers. ssp <i>senegalensis</i>		T6,8	W	Shrub 5m	c
	<i>Artabotrys brachypetalus</i> Benth.		T8	R,GWF	Woody climber 10m	c
	<i>Asteranthe asterias</i> (S.Moore)Engl. & Diels ssp <i>triangularis</i> Verdc.		T6	RT	Shrub 2m	r
3705	<i>Asteranthe lutea</i> Vollesen		T6	Forest on R	Shrub 1.5m	
	<i>Cleistochlamys kirkii</i> (Benth.)Oliv.		T8 T6,8	R R,GWF,A	Shrub 4m Shrub 5m	r d
3651	<i>Dielsiothamnus divaricatus</i> (Diels)R.E.Fries		T6	Rocky River	Scandent shrub 4m	Kew conf
	<i>Hexalobus monopetalus</i> (A.Rich.)Engl. var <i>obovatus</i> Brenan		T8 T6,8	T W,SEW	Tree 5m	o o
	<i>Isolona heinsenii</i> Engl. & Diels		T6	LF	Shrub	r
	<i>Lettowianthus stellatus</i> Diels		T6,8	LF,R,GWF	Tree 15m	ld
	<i>Monanthes b Buchananii</i> (Engl.)Verdc.		T6,8	R	Scandent shrub 5m	o
	<i>Monanthes faulknerae</i> Verdc.		T8	W	Suffrutex 0.3m	o
	<i>Monanthes trichocarpa</i> (Engl. & Diels)Verdc.		T6,8	R	Scandent shrub 3m	r
	<i>Monodora grandidieri</i> Baill.		T6,8	R,GWF	Shrub 2m	c
	<i>Monodora junodii</i> Engl. & Diels var <i>junodii</i>		T6,8	R,GWF,T	Shrub 4m	d
	<i>Monodora junodii</i> Engl. & Diels var <i>macrantha</i> J.Paiva		T8	R,GWF,T	Shrub 4m	c
	<i>Ophrypetalum odoratum</i> Diels		T6,8	R,RT,T	Shrub 3m	lc
	<i>Polyalthia tanganyikensis</i> Vollesen		T6,8	T	Shrub 5m	d
	<i>Polyalthia verdcourtii</i> Vollesen		T6	LF	Tree 10m	r
	<i>Sphaerocoryne gracilis</i> (Engl. & Diels)Verdc.		T6,8	R	Scandent shrub 5m	c
	<i>Uvaria acuminata</i> Oliv.		T6,8	T	Scandent shrub 3m	o
	<i>Uvaria faulknerae</i> Verdc.		T8	R	Scandent shrub 5m	r
	<i>Uvaria kirkii</i> Hook.f.		T6,8	R,GWF,T	Shrub 2m	c
	<i>Uvaria lucida</i> Benth.		T8	T	Shrub, often scandent 3m	o
	<i>Uvaria lungonyana</i> Vollesen		T8	R	Scandent shrub 5m	o
	<i>Uvariadendron kirkii</i> Verdc.		T6,8	R	Shrub 5m	c/d
	<i>Xylopi odoratissima</i> Oliv.		T8	W	Tree 10m	o
	<i>Xylopi parviflora</i> (A.Rich.)Benth.		T6,8	LF,R	Tree 25m	ld
FAMILY : 011 LAUR						
	<i>Cassytha filiformis</i> L.		T6,8	R	Parasite 10m	o
FAMILY : 013 HERN						
	<i>Gyrocarpus americanus</i> Jacq. ssp <i>africanus</i> Kubitzki		T6	RT	Tree 5m	lc
FAMILY : 015 RANU						
	<i>Clematis brachiata</i> Thunb.	<i>C.hirsuta</i> Guill. & Perr.	T6	R	Scandent shrub	r
	<i>Clematis chrysoarpa</i> (Oliv.)Hutch.	<i>C.scabiosifolia</i> sensu FTEA	T8	W	Suffrutex 0.5m	r
FAMILY : 017 CERA						
	<i>Ceratophyllum demersum</i> L. var <i>demersum</i>		T6,8	WB	Free floating annual herb	o
FAMILY : 018 NYMP						
	<i>Nymphaea lotus</i> L.		T6,8	WB	Perennial aquatic herb	o
	<i>Nymphaea nouchali</i> Burm.f. var <i>caerulea</i> (Savigny)Verdc.	<i>N.capensis</i> Thunb.	T6,8	WB	Perennial aquatic herb	c

No.	Species	Synonym	Area	Habitat	Description	Comment
	<i>Nymphaea nouchali</i> Burm.f. var?	N.sp aff capensis Thunb.	T6	WH	Perennial aquatic herb	r
FAMILY : 023 MENI						
	<i>Albertisia undulata</i> (Hiern)Forman	<i>Epinetrum undulatum</i>	T8	T	Scandent shrub 2m	r
	<i>Anisocycla blepharosepala</i> Diels ssp tanzaniensis Vollesen	A.sp aff blepharosepala	T6,8	R	Woody climber 10m	o
	<i>Cissampelos mucronata</i> A.Rich.		T6	R	Herbaceous climber 2m	r
	<i>Cissampelos pareira</i> L. var <i>hirsuta</i> (DC.)Forman	C.pareira var orbiculata	T6,8	R,A,T	Herbaceous climber 4m	c
	<i>Cocculus hirsutus</i> (L.)Diels		T6,8	R,A	Herbaceous climber 5m	c
	<i>Dioscoreophyllum volkensii</i> Engl. var <i>volkensii</i>		T6	LF	Herbaceous climber 3m	o
	<i>Jateorhiza palmata</i> (Lam.)Miers		T6	LF	Herbaceous climber 5m	r
	<i>Tiliacora funifera</i> (Miers)Oliv.		T6	RT	Woody climber 5m	r
	<i>Tinospora caffra</i> (Miers)Troupin		T6,8	R	Woody climber 4m	r
	<i>Trichlisia sacleurii</i> (Pierre)Diels		T6,8	R	Woody climber 5m	o
FAMILY : 024 ARIS						
	<i>Aristolochia albida</i> Duchartre	<i>A.petersiana</i> Klotzsch	T6,8	W,R,G	Perennial herbaceous climb	o
	<i>Aristolochia hockii</i> De Wild. ssp <i>hockii</i>		T8	W	Erect perennial herb 0.1m	r
FAMILY : 026 HYDN						
4303	<i>Hydnora johannis</i> Becc.?	<i>H.abysinnica</i> Schweinf.	T6			New for Selous List
FAMILY : 034 TURN						
4430	<i>Streptopetalum wittei</i> Staner		T6 T6	W,WGS	Perennial herb 0.5m	o (= MRC 3827)
	<i>Tricliceras bivinianum</i> (Tul.)R.Fernand.		T8	G,RBE	Annual herb 0.3m	r
	<i>Tricliceras brevicaule</i> (Urb.)R.Fernand. var <i>brevicaule</i>		T6,8	W,WG	Acaulescent perennial herb	c
3623	<i>Tricliceras brevicaule</i> (Urb.)R.Fernand. var <i>rosulatum</i> (Urb.)R.Fernand.		T6 T8	Wooded Gras W	Herb 20cm, flws yellow Acaulescent perennial herb	r
	<i>Tricliceras lobatum</i> (Urb.)R.Fernand.		T6,8	WGS	Annual herb 0.1m	o
	<i>Tricliceras longepedunculatum</i> (Mast.)R.Fernand.		T6,8	W,WGS,G	Perennial herb 0.3m	c
FAMILY : 036 CAPP						
	<i>Boscia angustifolia</i> A.Rich. var <i>corymbosa</i> (Gilg)De Wolf		T6,8	T,W,AW	Tree 10m	o
	<i>Boscia salicifolia</i> Oliv.		T6,8	W,WGS,WG	Tree 10m	c
	<i>Cadaba carneo-viridis</i> Gilg & Bened.		T8	R,GWF,A	Scandent shrub 3m	o
	<i>Cadaba farinosa</i> Forssk. ssp <i>adenotricha</i> (Gilg & Bened.)R.A.Graham		T6,8	WGS,A	Shrub 1m	r
	<i>Capparis erythrocarpus</i> Isert var <i>rosea</i> (Klotzsch)DeWolf		T6	R	Scandent shrub 2m	r
3728	<i>Capparis fascicularis</i> DC. var <i>scheffleri</i> (Gilg & Bened.)DeWolf		T6 T8	Thicket aro R,GWF,A	Liane 6m, flws cream Scandent shrub 5m	o
	<i>Capparis sepiaria</i> L. var <i>stuhmannii</i> (Gilg)DeWolf		T8	R,GWF,A	Scandent shrub 3m	c
	<i>Capparis tomentosa</i> Lam.		T6,8	R,GWF,A,WG	Scandent shrub 3m	c
	<i>Capparis viminea</i> Oliv. var <i>viminea</i>		T6,8	R,GWF	Scandent shrub 4m	o
	<i>Cladostemon kirkii</i> (Oliv.)Pax & Gilg		T6,8	R,T,RT	Shrub 5m	o
	<i>Cleome hirta</i> (Klotzsch)Oliv.		T8	W	Annual herb 0.4m	r
	<i>Cleome monophylla</i> L.		T6,8	W,WG	Annual herb 0.4m	c
	<i>Maerua angolensis</i> DC.		T8	A	Shrub 4m	o
	<i>Maerua bussei</i> (Gilg & Bened.)Wilczek		T8	T	Shrub 4m	r
3716	<i>Maerua edulis</i> (Gilg & Bened.)De Wolf		T6,8	W,WG,G	Suffrutex 0.3m	c
	<i>Maerua grantii</i> Oliv.		T6	Wooded Gras	Shrub 70cm	
	<i>Maerua holstii</i> Pax		T6,8	W,WG	Suffrutex 0.3m	o
	<i>Maerua kirkii</i> (Oliv.)F.White		T6,8	R,GWF,A,TC	Scandent shrub 6m	c
4437			T6,8	R,GWF,A,T	Shrub 5m	c
	<i>Maerua triphylla</i> A.Rich. var <i>pubescens</i> (Klotzsch)DeWolf		T6,8	R,GWF,T	Shrub 2m	o
	<i>Ritchiea pygmaea</i> (Gilg)De Wolf		T8	W,AW	Suffrutex 0.05m	o
	<i>Thriplachium africanum</i> Lour.		T6,8	R,GWF,A,W	Shrub 2m	c

No.	Species	Synonym	Area	Habitat	Description	Comment
3691	<i>Thilachium alboviolaceum</i> Gilg ? <i>Thilachium macrophyllum</i> Gilg	? <i>T.alboviolaceum</i> Gilg & <i>T.densiflorum</i> Gilg & Bened.	T6 T6	Forest on R RF	Shrub 1m Shrub 0.5m	r
FAMILY : 037 MORI						
	<i>Moringa pterygosperma</i> Gaertn.	<i>M.oleifera</i>	T8	W,CR?	Shrub 4m	r
FAMILY : 039 CRUC						
3631	<i>Rorippa madagascariensis</i> (DC.)Hara		T6 T6	RBE Riverbank	Annual herb 0.05m Herb 5cm	r No T mat in EAH
3634	<i>Rorippa micrantha</i> (Roth)Jonsell		T6,8 T6	G,WH,RBE Dry Swamp	Annual herb 0.3m Herb 20cm	c
FAMILY : 040 VIOL						
	<i>Hybanthus enneaspermus</i> (L.)F.Muell. var <i>enneaspermus</i>		T6,8	W,WG,WE	Annual or perennial herb	0 c
	<i>Hybanthus enneaspermus</i> (L.)F.Muell. var <i>latifolius</i> (De Wild.)Eagl.	No T6 FTEA	T6	R	Shrub 0.3m	r
	<i>Hybanthus enneaspermus</i> (L.)F.Muell. var <i>nyassensis</i> (Engl.)Robson		T6	W	Perennial herb 0.1m	lc
728	<i>Rinorea elliptica</i> (Oliv.)Kuntze		T6,8 T6	R,GWF Tree	Shrub 3m	c
	<i>Rinorea ferruginea</i> Engl.		T6	LF	Shrub 4m	c
	<i>Rinorea ilicifolia</i> (Oliv.)Kuntze var <i>ilicifolia</i>		T6,8	R,T,RT	Shrub 1m	r
FAMILY : 042 POLY						
	<i>Polygala arenaria</i> Willd.		T6,8	WGS	Annual herb 0.1m	o
	<i>Polygala capillaris</i> Harv.		T6	SEW	Annual herb 0.1m	r
	<i>Polygala erioptera</i> DC.		T6,8	W,WGS,WG	Annual herb 0.1m	c
	<i>Polygala goetzei</i> Guerke		T6,8	W,T	Perennial herb 0.1m	r
	<i>Polygala kilimandscharica</i> Chod.		T6,8	G	Perennial herb 0.2m	o Check spelling
	<i>Polygala liniflora</i> Chod.	<i>P.amboniensis</i> Guerke. Author?	T6,8	W	Annual herb 0.4m	o
	<i>Polygala macrostigma</i> Chod.		T6	RBe	Annual herb 0.5m	r
	<i>Polygala petitiana</i> A.Rich.		T6	WGS,SEW	Annual herb 0.3m	r
	<i>Polygala sadebeckiana</i> Guerke		T8	G	Perennial herb 0.1m	r
	<i>Polygala senensis</i> Klotzsch		T6	RBe	Annual herb 0.1m	r
3664	<i>Polygala sphenoptera</i> Fresen.		T6,8 T6	T,W,WGS Riverbank	Prostrate annual herb	o
	<i>Polygala stenopetala</i> Klotzsch		T6,8	W	Annual herb 0.4m	c
	<i>Polygala usafuensis</i> Guerke		T6	SEW	Annual herb 0.3m	r
FAMILY : 045 CRAS						
	<i>Kalanchoe crenata</i> (Andrews)Haw.		T6,8	R,T,WG	Succulent perennial herb	0 o
	<i>Kalanchoe lanceolata</i> (Forssk.)Pers.		T8	W,WG	Succulent perennial herb	r
	<i>Kalanchoe lateritia</i> Engl. var <i>lateritia</i>		T6,8	W,T	Succulent perennial herb	0 o
3708	<i>Kalanchoe</i> sp aff <i>citriina</i> Schweinf.	(? = <i>K. sp B</i> of FTEA)	T6	Forest on R	Succulent herb 40cm	New for Selous List. Kew diff (<i>K.lateritia</i>)
FAMILY : 047 VAHL						
	<i>Vahlia dichotoma</i> (Murray)Kuntze		T6,8	G,RBE	Annual herb 0.3m	o
	<i>Vahlia digyna</i> (Retz.)Kuntze		T6,8	G	Annual herb 0.1m	o
FAMILY : 048 DROS						
	<i>Drosera indica</i> L.		T6	SEW	Annual herb 0.1m	r
FAMILY : 050 PODO						
	<i>Tristicha trifaria</i> (Bory)Spreng.		T6,8	RV	Aquatic herb	o
FAMILY : 051 HYDR						
	<i>Hydrostachys insignis</i>		T6,8	RV	Aquatic	o
FAMILY : 052 ELAT						

No.	Species	Synonym	Area	Habitat	Description	Comment
	<i>Bergia capensis</i> L.		T6,8	WH	Annual herb 0.1m	o
	<i>Bergia decumbens</i> Harv.		T8	SEW	Perennial herb with ascend	r
FAMILY : 053 CARY						
4442	<i>Polycarpaea corymbosa</i> (L.)Lam.		T8 T6	W	Annual herb 0.1m	r
	<i>Polycarpaea eriantha</i> A.Rich. var <i>effusa</i> (Oliv.)Turrill		T6,8	W,WG	Annual herb 0.1m	c
	<i>Polycarpaea eriantha</i> A.Rich. var <i>eriantha</i>		T6	W	Annual herb 0.1m	r
	<i>Polycarpon prostratum</i> (Forssk.)Aschers. & Schweinf.		T6,8	RBA,RBE	Annual herb 0.1m	o
FAMILY : 054 AIZO						
	<i>Trianthema portulacastrum</i> L.		T6	G,WE	Prostrate annual herb	r
	<i>Trianthema triquetra</i> Willd. ssp <i>triquetra</i> var <i>triquetra</i>		T6,8	WGS,G	Prostrate annual herb	r
	<i>Zaleya pentandra</i> (L.)Jeffrey		T8	WE	Perennial herb 0.2m	r
FAMILY : 054 MOLL						
	<i>Corbichonia decumbens</i> (Forssk.)Exell		T6,8	WGS	Prostrate annual herb	o
	<i>Gisekia pharnaceoides</i> L. var		T6,8	W,WG	Prostrate annual herb	c
	<i>Glinus lotoides</i> L.		T6,8	WE,RBE	Prostrate annual herb	o
	<i>Glinus oppositifolius</i> (L.)A.DC.		T6,8	WE,RBE	Annual herb 0.1m	o
	<i>Glinus oppositifolius</i> x <i>lotoides</i>		T6,8	WE,RBE	Prostrate annual herb	c
	<i>Limnium viscosum</i> (J.Gay)Fenzl ssp <i>viscosum</i> var <i>kraussii</i> Friedr.	check ssp	T8	W	Annual herb 0.1m	o
	<i>Mollugo cerviana</i> (L.)Ser. var <i>spathulifolia</i> Fenzl		T6,8	W,WE	Annual herb 0.1m	o
	<i>Mollugo nudicaulis</i> Lam.		T6,8	W,WG,WE	Annual herb 0.1m	c
FAMILY : 056 PORT						
	<i>Portulaca foliosa</i> Ker-Gawl. forma vel sp aff		T8	T	Perennial herb 0.1m	r
	<i>Portulaca hereroensis</i> Schinz		T8	WG	Annual herb 0.05m	c
	<i>Portulaca kermesiana</i> N.E.Br.		T8	W	Annual herb 0.1m	r
	<i>Portulaca oleracea</i> L.		T6,8	RBE,WE	Annual herb 0.1m	o
	<i>Portulaca pilosa</i> L.		T6,8	W,WG	Annual herb 0.1m	c
	<i>Portulaca quadrifida</i> L.		T6,8	WGS	Prostrate annual herb	o
	<i>Talinum portulacifolium</i> (Forssk.)Schweinf.		T6,8	WG,WGS,A	Succulent perennial herb 0	o
	<i>Talinum tenuissimum</i> Dinter		T6,8	W,WG,WGS	Tuberous herb 0.2m	c
FAMILY : 057 POLY						
	<i>Oxygonum leptopus</i> Mildbr.		T6	W	Prostrate annual herb	r
	<i>Oxygonum schliebenii</i> Mildbr.		T6,8	W	Prostrate annual or perenn	c
3665	<i>Polygonum plebeium</i> R.Br.		T8	RBE	Prostrate annual herb	r
	<i>Polygonum salicifolium</i> Willd.		T6,8	RBE	Annual herb 0.3m	r
	<i>Polygonum senegalense</i> Meisn. forma		T6	RBE	Annual herb with creeping	r
FAMILY : 061 CHEN						
	<i>Chenopodium ambrosioides</i> L.		T6,8	RBE	Annual herb 0.3m	o
FAMILY : 063 AMAR						
	<i>Achyranthes aspera</i> L. var <i>pubescens</i> (Moq.)C.C.Townsend		T6,8	R,GWF,G,WG,	Annual or perennial herb 0	c
	<i>Aerva lanata</i> (L.)Schultes		T8	R,GWF,WH	Annual herb 0.3m	o
	<i>Alternanthera pungens</i> Kunth		T6,8	WE	Annual herb 0.1m	o
	<i>Alternanthera sessilis</i> (L.)DC.		T6,8	G,WH,RBE	Prostrate or ascending ann	c
	<i>Amaranthus dubius</i> Thell.		T6,8	RBE,WE	Annual herb 0.5m	o
	<i>Amaranthus graecizans</i> L. ssp <i>silvestris</i> (Vill.)Brenan		T8	G,RBE,WE	Prostrate annual herb	o
	<i>Celosia schweinfurthiana</i> Schinz		T6,8	R,GWF,RT	Perennial herb 0.5m	c
	<i>Celosia trigyna</i> L.		T8	RBA	Annual herb 0.5m	r
	<i>Centemopsis Kirkii</i> (Hook.f.)Schinz		T8	W	Perennial herb 0.3m	o
4429	<i>Cyathula lanceolata</i> Schinz		T6,8	WG	Perennial herb 0.2m	c
	<i>Cyathula prostrata</i> (L.)Blume var		T6	LF	Creeping and ascending ann	r
	<i>Gomphrena celosoides</i> Mast.		T6,8	WE	Annual herb 0.1m	o
	<i>Nothosaerva brachiata</i> (L.)Wight		T6,8	G,WH,RBE	Annual herb 0.1m	o
	<i>Pandiaka rubro-lutea</i> (Lopr.)C.C.Townsend	<i>P. andogensis</i> Hiern	T6	W	Annual herb 0.2m	r
	<i>Psilotrichum cyathuloides</i> Suesseng. & Launert		T8	WG	Perennial herb 0.1m	r
	<i>Psilotrichum majus</i> Peter		T6	LF	Scandent perennial herb 0.	r

No.	Species	Synonym	Area	Habitat	Description	Comment
	<i>Psilotrichum schimperii</i> Engl.		T8	G	Annual herb 0.3m	r
	<i>Psilotrichum scleranthum</i> Thwaites		T6,8	R,GWF,T	Perennial herb or shrub 0.4m	c
	<i>Psilotrichum sericeum</i> (Roxb.) Dalz.		T6	W	Annual herb 0.3m	r
	<i>Psilotrichum vollesenii</i> C.C.Townsend		T8	T	Perennial herb 0.1m	r
	<i>Pupalia lappacea</i> (L.) A.Juss. var <i>glabrescens</i> C.C.Townsend		T6,8	R,GWF,A	Perennial herb 0.4m	c
	<i>Pupalia lappacea</i> (L.) A.Juss. var <i>velutina</i> (Moq.) Hook.f.		T8	T	Shrubby perennial herb 0.5m	r
FAMILY : 066 ZYGO						
	<i>Tribulus terrestris</i> L.		T6,8	W,WG,WE	Prostrate annual herb	o
FAMILY : 067 GERA						
	<i>Monsonia senegalensis</i> Guill. & Perr.		T6	RBe	Annual herb 0.1m	r
FAMILY : 069 OXAL						
	<i>Biophytum umbraculum</i> Welw.	<i>B. petersianum</i> Klotzsch	T6,8	W,SEW	Perennial herb 0.2m	o
	<i>Oxalis semiloba</i> Sond.		T8	W	Perennial herb 0.2m	r
FAMILY : 071 BALS						
	<i>Impatiens walleriana</i> Hook.f.		T6	R	Annual herb 0.3m	r
FAMILY : 072 LYTH						
	<i>Ammannia auriculata</i> Willd.	<i>A. auriculata</i> var <i>elata</i> forma <i>longistamina</i> Ta	T8	G	Annual herb 0.2m	r
	<i>Ammannia baccifera</i> L.		T6	RBe	Annual herb 0.3m	r
	<i>Ammannia prieuriana</i> Guill. & Perr.		T6,8	RBe	Annual herb 0.2m	o
	<i>Nesaea aurita</i> Koehne		T6	G	Annual herb 0.3m	r
	<i>Nesaea erecta</i> Guill. & Perr. forma <i>villosa</i> A. Fernandes		T8	SEW	Annual herb 0.1m	r
	<i>Nesaea linearis</i> Hiern		T8	G	Annual herb 0.4m	r
	<i>Nesaea maxima</i> Koehne		T8	G	Perennial herb 1m	lc
	<i>Nesaea radicans</i> Guill. & Perr. var <i>radicans</i>		T6,8	SEW	Prostrate annual/perennial	c
	<i>Rotala serpiculoides</i> Hiern		T8	SEW,WH	Annual herb 0.1m	r
FAMILY : 077 ONAG						
	<i>Ludwigia erecta</i> (L.) Hara		T6,8	WH,RBe,SEW	Annual herb 0.3m	c
	<i>Ludwigia jussiaeoides</i> Desr.		T6,8	RBe	Perennial herb 1m	o
	<i>Ludwigia octovalvis</i> (Jacq.) Raven ssp		T8	SEW	Annual herb 0.2m	o
	<i>Ludwigia perennis</i> L.		T6,8	WH,RBe	Annual herb 0.2m	o
4660	<i>Ludwigia stolonifera</i> (Guill. & Perr.) Raven		T6,8	Drainage in RBe,WH	Woody herb 70cm, flws yell Annual herb	o
FAMILY : 077 TRAP						
	<i>Trapa L. natans</i> var <i>bispinosa</i> (Roxb.) Makino		T6	WH	Free floating herb	r
FAMILY : 078 HALO						
	<i>Laurembergia tetrandra</i> (Schott) Kanitz ssp <i>brachypoda</i> (Hiern) A. Raynal		T6	SEW	Perennial herb	r
FAMILY : 081 THYM						
	<i>Gnidia chrysantha</i> (Solms-Laub.) Gilg		T6	G,SEW	Perennial herb 0.2m	o
	<i>Synaptolepis longiflora</i> Gilg		T6,8	W,WGS	Suffrutex 0.4m	c
	<i>Synaptolepis alternifolia</i> Oliv.		T6,8	R	Scandent shrub 5m	o
3736			T6	Woodland w	Woody herb 40cm, flws crea	
FAMILY : 083 NYCT						
	<i>Boerhavia coccinea</i> Mill.	<i>B. coccinea</i> Mill. var <i>viscosa</i> (Lag. & Rodr.) Mosc.	T6	WGS	Prostrate perennial herb	r
		<i>B. coccinea</i> Mill. var <i>coccinea</i>	T6	WGS	Prostrate perennial herb	r

No.	Species	Synonym	Area	Habitat	Description	Comment
	Boerhavia diffusa L.		T6,8	WE	Annual herb 0.3m	o
	Boerhavia erecta L.		T6,8	WE	Annual herb 0.3m	o
	Commicarpus helenae (J.A.Schultes)Meikle	C.stellatus Berhaut	T8	A	Prostrate perennial herb	o
FAMILY : 084 PROT						
	Faurea rochetiana (A.Rich.)Pichi.Serm.	F.speciosa Welw.	T6,8	W	Tree 10m	o
	Faurea saligna Harv.		T6,8	W	Tree	r
	Protea madiensis Oliv. ssp madiensis		T6	W	Shrub	r
	Protea rupestris R.E.Fr.		T6,8	WGS	Shrub	r
FAMILY : 085 DILL						
	Tetracera boiviniana Baill.		T6,8	W	Shrub 2m	c
	Tetracera litoralis Gilg		T6	LF,AW	Scandent shrub 3m	r
FAMILY : 093 FLAC						
4434	Buchnerodendron lasiocalyx (Oliv.)Gilg		T6,8	W,R	Shrub 1m	c/r
	Caloncoba welwitschii (Oliv.)Gilg		T6			
	Dovyalis hispidula Wild		T8	GWF	Shrub 5m	r
	Flacourtia indica (Burm.f.)Merr.		T8	W,R	Shrub 5m	c
	Homalium abdessamadii Aschers. & Schweinf.		T6,8	R	Small tree 5m	ld
	Lindackeria bukobensis Gilg		T6,8	T	Tree 20m	o
	Oncoba spinosa Forssk.		T8	R	Shrub 2m	o
	Rawsonia lucida Harv. & Sond.		T6,8	LF	Tree 5m	o
	Xylothea tettensis (Klotzsch)Gilg var kirkii (Oliv.)Wild		T6	W	Shrub 3m	c
	Xylothea tettensis (Klotzsch)Gilg var macrophylla(Klotzsch)Wild		T6,8	R	Shrub 1m	o
715			T6	R,GWF	Shrub 5m	c
			T6		Shrub	
FAMILY : 101 PASS						
	Adenia dolichosiphon Harms		T8	R,GWF	Herbaceous climber 3m	r
	Adenia gummifera (Harv.)Harms var gummifera		T8	R,T	Woody climber 15m	o
	Adenia kirkii (Mast.)Engl.		T6,8	R,GWF,T	Herbaceous climber 5m	c
	Adenia lanceolata Engl. ssp		T6,8	W	Herbaceous climber 3m	r
	Adenia lindiensis Harms		T6,8	LF,T	Herbaceous climber 3m	r
	Adenia runcifolia Engl.		T6	LF	Woody climber 5m	r
	Adenia schliebenii Harms		T8	GWF	Herbaceous climber 3m	r
	Adenia stenodactyla Harms		T8	W	Erect perennial herb or wo	r
	Basananthe hanningtoniana (Mast.)de Wilde		T6	W	Prostrate or climbing annu	r
	Basananthe lanceolata (Engl.)De Wilde		T6,8	W,WG,RBE	Prostrate, erect or climbi	c
3734	Paropsia braunii Gilg		T6	Edge of swa	Herb 30cm, flws white/gree	
	Schlechterina mitostemmatoides Harms		T8	T	Shrub 2m	o
			T6,8	T,RT	Woody climber 4m	o
FAMILY : 103 CUCU						
	Coccinia adoensis (A.Rich.)Cogn.		T8	R,A,W	Herbaceous climber 3m	c
	Coccinia fernandesiana C.Jeffrey	C.senensis sensu Jeffrey	T8	R,GWF,A	Trailing or climbing peren	c
	Coccinia grandiflora Cogn.		T8	T	Herbaceous climber	r
	Coccinia grandis (L.)Voigt		T8	WH	Herbaceous climber 3m	o
	Corallocarpus epigaeus (Rottl.)C.B.Cl.		T8	AW,G	Herbaceous climber 1m	r
	Corallocarpus poissonii Cogn.	C.bainsii pp	T6	RT	Woody climber 4m	r
	Ctenolepis cerasiformis (Stocks)Hook.f.		T6,8	R,GWF,A	Herbaceous climber 3m	o
	Cucumis hirsutus Sond.		T8	W,WGS,WG	Trailing or climbing peren	o
	Cucumis metuliferus Naud.		T6,8	R,GWF,G	Trailing or climbing peren	o
	Cucumis saculeuxii Paill. & Bois		T6	R	Herbaceous climber 2m	o
	Cyclantheropsis parviflora (Cogn.)Harms		T6	R,RT	Herbaceous climber 4m	o
	Kedrostis abdallai A.Zimm.	K.leloja	T6,8	R,GWF,A	Trailing or climbing peren	o
	Kedrostis foetidissima (Jacq.)Cogn.		T6,8	R,GWF,A	Herbaceous climber 3m	o
	Lagenaria sphaerica (Sond.)Naud.		T6	R	Herbaceous climber 3m	r
	Luffa cylindrica (L.)M.J.Roem.		T6,8	R,G	Herbaceous climber 3m	r
	Momordica anigosantha Hook.f.		T6,8	R,GWF	Herbaceous climber 5m	o
	Momordica henriquesii Cogn.	M.pycnantha Harms	T8	R,GWF	Woody climber 3m	r
	Momordica trifoliolata Hook.f.		T6,8	R,GWF,A	Woody climber 3m	o
	Mukia maderaspatana (L.)M.J.Roem.		T6	SEW	Trailing perennial herb	r
	Trochomeria macrocarpa (Sond.)Hook.f. ssp		T6,8	W,WGS	Herbaceous climber 1m	o
	Trochomeria polymorpha (Welw.)Cogn.		T8	W	Erect perenaial herb 0.2m	o
	Zehneria pallidinervia (Harms)C.Jeffrey		T6	TC	Trailing perennial herb	r
	Zehneria peneyana (Naud.)Aschers. & Schweinf.		T8	G	Trailing or climbing annua	lc

No.	Species	Synonym	Area	Habitat	Description	Comment
	<i>Zehneria scabra</i> (L.f.)Sond. ssp <i>argyrea</i> (A.W.P.Zimm.)C.Jeffrey		T6	R	Herbaceous climber 4m	o
	<i>Zehneria thwaitesii</i> (Schweinf.)C.Jeffrey		T8	WG	Climbing annual herb 1m	o
FAMILY : 114 OCHR						
	<i>Brackenridgea zanguebarica</i> Oliv.		T6,8	W	Shrub 4m	c/r
	<i>Ochna holstii</i> Engl.		T6	LF	Tree 20m	c
	<i>Ochna holtzii</i> Gilg		T8	T	Shrub 3m	r
	<i>Ochna kirkii</i> Oliv.		T6	LF	Shrub 5m	r
	<i>Ochna leptoclada</i> Oliv.		T6	W	Suffrutex 0.3m	o
	<i>Ochna macrocalyx</i> Oliv.		T6,8	W	Suffrutex 0.5m	lc
739	<i>Ochna mossambicensis</i> Klotzsch		T6,8	W,R	Small tree 5m	c/r
	<i>Ochna ovata</i> F.Hoffm.		T6		Shrub 2m	
	<i>Ochna polyneura</i> Gilg		T6,8	R,GWF,TC	Shrub 5m	c
	<i>Ochna pseudoprocera</i> Sleumer		T6,8	W,T,R	Small tree 5m	d/r
	<i>Ochna rovomensis</i> Gilg		T8	T	Tree 10m	c
	<i>Ochna schweinfurthiana</i> F.Hoffm.		T8	R	Shrub 4m	o
	<i>Ochna sp nov aff O. kirkii</i>		T6	W	Shrub or tree 4m	r
	<i>Ochna sp nov aff O. macrocalyx</i>		T6,8	R,GWF	Shrub 3m	c
	<i>Ochna thomasiana</i> Engl. & Gilg		T8	R	Shrub 5m	o
	<i>Ouratea reticulata</i> (P.Beauv.)Engl.		T6	R	Shrub 2m	r
	<i>Sauvagesia erecta</i> L.		T6	LF	Shrub 5m	r
			T6	SEW	Perennial herb with creepi	o
FAMILY : 116 DIPT						
	<i>Monotes africanus</i> A.DC.		T6,8	W	Tree 15m	o
FAMILY : 118 MYRT						
	<i>Eugenia capensis</i> (Eckl. & Zeyh.)Sond. ssp <i>aschersoniana</i> (F.Hoffm.)F.White		T6	R	Shrub 3m	r
	<i>Syzygium cordatum</i> Krauss		T6,8	R,SEW	Tree 10m	r,d
	<i>Syzygium guineense</i> (Willd.)DC. ssp <i>guineense</i> Gr A of FZ		T6,8	R,GWF	Tree 15m	c
	<i>Syzygium guineense</i> (Willd.)DC. ssp <i>guineense</i> Gr B of FZ		T6	AW	Tree 10m	r
FAMILY : 120 MELA						
	<i>Antheroma debilis</i> (Sond.)Jac.Feh.	<i>Dissotis debilis</i>	T6,8	SEW	Perennial herb 0.3m	o
	<i>Heterotis rotundifolia</i> (Sm.)Jac.Feh.	<i>Dissotis rotundifolia</i>	T6	SEW	Creeping perennial herb	r
	<i>Memecylon magnifolium</i> A.&R. Fernandes		T6	LF	Shrub 4m	o
	<i>Memecylon sansibaricum</i> Taub. var <i>'melindense'</i>	<i>M.melindense</i>	T8	T	Shrub/tree 5m	d
4671	<i>Memecylon sansibaricum</i> Taub. var <i>sansibaricum</i>		T8	R	Shrub 3m	c
	<i>Memecylon sousae</i> A.&R. Fernandes		T6	Steep rocky	Tree 3m	
			T8	T	Tree 10m	o
FAMILY : 121 COMB						
	<i>Combretum adenogonium</i> A.Rich.	<i>C.fragrans</i> <i>F.Hoffm.</i>	T6,8	WGS,W,G	Tree 15m	d,o,o
	<i>Combretum apiculatum</i> Sond. ssp <i>apiculatum</i>		T6,8	WGS,WG	Tree 8m	lc
	<i>Combretum butyrosom</i> (Bertol.f.)Tul.		T6,8	R,GWF	Woody climber 10m	c
	<i>Combretum chionanthoides</i> Engl. & Diels		T6	RT	Woody climber 6m	r
	<i>Combretum collinum</i> Fres. ssp <i>sulvense</i> (Engl. & Diels)Okafor		T6,8	WGS,W	Tree 8m	c,o
	<i>Combretum collinum</i> Fres. ssp <i>taborense</i> (Engl. & Diels)Okafor		T6,8	W	Tree 15m	d
722	<i>Combretum constrictum</i> (Benth.)Laws.		T6,8	R,GWF,WH,G	Shrub 4m	c
3722	<i>Combretum goetzei</i> Engl.		T6		- Spreading shrub 3m	
			T6,8	R,GWF,A	Scandent shrub 3m	c
			T6	Seepage are	Shrub 2m	Photo. Frt size > FTEA (4.3cm)
	<i>Combretum hereroense</i> Schinz ssp <i>hereroense</i> var <i>hereroense</i>		T6,8	R,GWF,WG	Shrub/tree 10m	c
3745	<i>Combretum holstii</i> Engl.		T6	Woodland w	Tree 4m	
721			T6,8	R,GWF	Scandent shrub 7m	o
	<i>Combretum imberbe</i> Wawra		T6		Scandent shrub 6m	
713			T6,8	R,GWF,G,WG	Tree 25m	c
	<i>Combretum kirkii</i> Laws.		T6		Tree 10m	
	<i>Combretum microphyllum</i> Klotzsch		T6,8	R,WH	Woody climber 10m	c
	<i>Combretum molle</i> G.Don		T8	R	Woody climber 5m	r
	<i>Combretum padoides</i> Engl. & Diels		T6,8	T	Tree 8m	c
	<i>Combretum paniculatum</i> Vent. ssp		T6,8	T,R	Woody climber 10m	d,o
			T6,8	R,GWF	Woody climber 15m	o

No.	Species	Synonym	Area	Habitat	Description	Comment
4463	<i>Byttneria glabra</i> K.Schum. & Engl.?		T6			New for Selous List
727	<i>Cola clavata</i> Mast.		T6,8	R	Tree 8m	o
	<i>Cola clavata</i> Mast.?		T6		Tree 3m	
	<i>Cola discoglypsemnophylla</i> Brenan & Jones		T8	R,GWF	Tree 5m	d
	<i>Cola microcarpa</i> Brenan		T6,8	T,R	Tree 5m	c
4468			T6			
4470	<i>Dombeya cincinnata</i> K.Schum.		T6,8	R,T	Shrub 2m	c
	<i>Dombeya shupangae</i> K.Schum.		T6,8	R	Tree 5m	o
	<i>Hermannia glanduligera</i> K.Schum.		T6	W,WG	Perennial herb 0.4m	r
3719	<i>Hermannia tigrensensis</i> A.Rich.		T6	Wooded Gras	Woody herb 30cm, 1flws pin	spelling?
3668	<i>Hildegardia migeodi</i> (Exell)Kosterm.		T6	WGS	Annual herb 0.1m	r
			T6	Forest on R	Tree 8m, flws red	New for Selous List
	<i>Melbania ovata</i> (Cav.)Spreng.		T6,8	T	Annual herb 0.3m	r
	<i>Melbania velutina</i> Forssk.		T6,8	A,G,T	Perennial herb 0.4m	o
	<i>Melochia corchorifolia</i> L.		T6,8	WH,RBE,SEW	Annual herb 0.5m	c
	<i>Melochia melissifolia</i> Benth. var <i>bracteosa</i> (F.Hoffm.)K.Schum.		T6	RBA	Prostrate or erect perenni	r
	<i>Melochia melissifolia</i> Benth. var <i>mollis</i> K.Schum.		T6	SEW	Perennial herb 0.5m	r
	<i>Nesogordonia holtzii</i> (Engl.)Capuron	<i>N.parvifolia</i>	T8	T	Tree 20m	r
	<i>Sterculia africana</i> (Lour.)Flori		T6,8	A,WG	Tree 15m	c
	<i>Sterculia appendiculata</i> K.Schum.		T6,8	LF,R,GWF	Tree 30m	c
	<i>Sterculia quinqueloba</i> (Garcke)K.Schum.		T6,8	W,WGS	Tree 15m	c
	<i>Waltheria indica</i> L.		T6,8	W,WG	Perennial herb 0.5m	c
FAMILY : 131 BOMB						
	<i>Adansonia digitata</i> L.		T6,8	GWF,WGS,WG	Tree 20m	c
	<i>Bombax rhodognaphalon</i> Engl.	<i>Rhodognaphal on schumannianu m</i>	T8	T,W	Tree 30m	o
FAMILY : 132 MALV						
	<i>Abelmoschus ficulneus</i> (L.)Wight & Arn.		T8	G	Annual herb 2m	r
	<i>Abutilon angulatum</i> (Guill. & Perr.)Mast. var <i>angulatum</i>		T6,8	R	Perennial herb 1m	o
	<i>Abutilon angulatum</i> (Guill. & Perr.)Mast. var <i>macrophyllum</i> (Bak.f.)Hochr.		T8	GWF	Shrub 3m	c
	<i>Abutilon bidentatum</i> A.Rich.		T6,8	R,GWF,WH	Annual herb 0.5m	o
	<i>Abutilon grandiflorum</i> G.Don	Author?	T8	R,A	Shrub 3m	r
	<i>Abutilon guineense</i> (Schum.)Bak.f.		T6,8	A	Perennial herb 1m	c
3715			T6	Wooded Gras	Woody herb 70cm	
	<i>Abutilon lanraster</i> Hochr.		T6,8	R,GWF	Annual herb 0.5m	o
3643	<i>Abutilon ramosum</i> (Cav.)Guill. & Perr.		T6	Thicket nr	Woody herb 1.5m, flws yell	New for Selous List
	<i>Abutilon</i> sp ? nov		T8	GWF	Shrub 2m	r
	<i>Abutilon</i> sp nov aff <i>galpinii</i> Meuse		T8	GWF	Perennial herb 0.5m	r
4438	<i>Abutilon</i> sp nr <i>wituense</i> Bak.f.		T6			(= MRC2578)
3642	<i>Abutilon wituense</i> Bak.f.		T6	Thicket nr	Woody herb 1m, flws yellow	
	<i>Azanza garckeana</i> (F.Hoffm.)Exell & Hillcoat		T6,8	W,WG,R,GWF	Tree 8m	c
	<i>Gossypioides kirkii</i> (Mast.)J.B. Hutch.		T8	T	Scandent shrub 5m	o
	<i>Hibiscus aethiopicus</i> A.Rich.	author?	T8	WGS,G	Perennial herb 0.1m	o
	<i>Hibiscus articulatus</i> Hochst.		T8	G	Perennial herb 0.3m	c
	<i>Hibiscus calyphyllus</i> Cav.		T6	R	Shrub 2m	r
	<i>Hibiscus cannabinus</i> L.		T6,8	WG,G	Annual herb 1.5m	c
	<i>Hibiscus faulknerae</i> Vollesen		T8	R	Shrub 2m	r
	<i>Hibiscus hildebrandtii</i> Sprague & Hutch.		T6	WG	Perennial herb 0.5m	r
	<i>Hibiscus lobatus</i> (Murr.)Kuntze		T6	R	Annual herb 0.3m	r
	<i>Hibiscus micranthus</i> L.f.		T6,8	W,WG	Perennial herb 1m	o
3617	<i>Hibiscus migeodii</i> Exell		T6,8	R,A,GWF	Perennial herb 0.4m	c
			T6	Wooded Gras	Woody herb 50cm, flws red	{?syn H.zanzibaricus Exell)
	<i>Hibiscus palmatus</i> Forssk.		T6,8	WG	Annual herb 0.2m	r
	<i>Hibiscus pandoriformis</i> Burm.f.		T8	G	Annual herb 1.5m	o
	<i>Hibiscus physaloides</i> Guill. & Perr.		T6,8	W,WG	Annual herb 1m	c
	<i>Hibiscus platycalyx</i> Mast.		T8	R	Shrub 2m	o
	<i>Hibiscus shirensis</i> Sprague & Hutch.		T6	W	Perennial herb	r
	<i>Hibiscus sidiformis</i> Baill.		T6	WGS	Annual herb 0.2m	r
	<i>Hibiscus</i> sp aff <i>physaloides</i>		T8	T	Annual herb 0.3m	r
3655	<i>Hibiscus</i> sp cf <i>platycalyx</i> Mast.		T6	Thicket nr		(= Busse 2504)
	<i>Hibiscus surattensis</i> L.		T6,8	R,RBA	Scrambling annual herb 0.5	o
	<i>Hibiscus vitifolius</i> L. ssp		T6,8	W,WG,R,T,A	Annual herb 0.3m	o
	<i>Pavonia ellenbeckii</i> Guerke		T6	G	Annual herb 0.2m	r

No.	Species	Synonym	Area	Habitat	Description	Comment
	<i>Pavonia leptocalyx</i> (Sond.)Ulbr.	<i>P.mollissima</i> (Garcke)Ulbr	T8	T,W	Annual herb 0.4m	c
	<i>Sida acuta</i> Burm.f.		T6,8	R,WE	Perennial herb 0.3m	o
	<i>Sida alba</i> L.		T6,8	WGS,WH	Annual herb 0.3m	o
	<i>Sida chrysantha</i> Ulbr.		T6,8	W	Semiprostrate perennial he	c
	<i>Sida cordifolia</i> L.		T6,8	R,W	Perennial herb 0.5m	o
	<i>Sida ovata</i> Forssk.		T6,8	WG,A	Perennial herb 0.3m	c
	<i>Sida veronicifolia</i> Lam.		T6	R	Trailing perennial herb	r
	<i>Thespesia danis</i> Oliv.		T6,8	R,TC	Shrub 3m	o
	<i>Urena lobata</i> L.		T6,8	LF,R,G,RBE,	Perennial herb 1m	o
3641	<i>Wissadula rostrata</i> (Schumach. & Thonn.)Bak.f.		T6,8	R,GWP	Annual or perennial herb 2	o
			T6	Thicket ar	Woody herb 1.5m, flws yell	
FAMILY : 133 MALP						
	<i>Acridocarpus alopecurus</i> Sprague		T6	R	Scandent shrub	r
	<i>Acridocarpus chloropterus</i> Oliv.		T6,8	R,GWF	Scandent shrub 3m	c
3714	<i>Acridocarpus</i> sp cf <i>zanzibaricus</i> (Loud.)A.Juss.		T6	Forest on R	Liane 2m, flws yellow	(= Vollesen in MRC 4025)
	<i>Acridocarpus zanzibaricus</i> (Loud.)A.Juss.		T6	R	Scandent shrub 2m	r
	<i>Triaspis mozanbica</i> A.Juss.		T6	R,RT	Woody climber 4m	o
	<i>Tristellateia africana</i> S.Moore		T8	GWF	Woody climber 5m	ic
FAMILY : 135 ERYT + <i>Neduroptalum</i>						
	<i>Erythroxyllum emarginatum</i> Thonn.		T6,8	R,GWF,T,TC	Shrub 5m	d
	<i>Erythroxyllum fischeri</i> Engl.		T6,8	R,GWF	Shrub 5m	c
	<i>Erythroxyllum zambesiaca</i> Robson		T8	T	Shrub 4m	r
FAMILY : 135 IXON						
	<i>Phyllocosmus lemaireanus</i> (De Wild. & Th.Dur.)Th. & H.Dur.		T6,8	W	Shrub/tree 6m	o
FAMILY : 135 LINA						
	<i>Hugonia busseana</i> Engl.		T6,8	W	Shrub/tree 8m	c
	<i>Hugonia castaneifolia</i> Engl.		T8	T	Woody climber 5m	o
FAMILY : 136 EUPH						
	<i>Acalypha bussei</i> Hutch.		T8	GWF	Annual herb 0.4m	c
	<i>Acalypha chirindica</i> S.Moore		T6,8	R,T	Shrub 2m	o
	<i>Acalypha ciliata</i> Forssk.		T6	R,AW	Annual herb 0.3m	o
3639	<i>Acalypha fruticosa</i> Forssk. var <i>fruticosa</i>		T6	Dry riverba	Shrub 1m	New for Selous List. Kew conf
	<i>Acalypha lanceolata</i> Willd. var		T6,8	W,WG,G	Annual herb 0.2m	c
sr	<i>Acalypha neptunica</i> Muell.Arg. var <i>pubescens</i> (Pax)Hutch.		T6			
	<i>Acalypha nyasica</i> Hutch.		T8	W	Annual herb 0.2m	r
	<i>Acalypha ornata</i> A.Rich.		T6,8	R,GWF	Shrub 1m	c
3675	<i>Acalypha racemosa</i> Baill.		T6	LF,R	Annual or perennial herb 1	o
	<i>Acalypha</i> sp		T6	Forest on R	Shrub 1.5m	
	<i>Acalypha villicaulis</i> A.Rich.		T6,8	W	Perennial herb 0.2m	c
	<i>Alchornea laxiflora</i> (Benth.)Pax & K.Hoffm.?		T6,8	LF,R,T	Shrub 2m	c
	<i>Antidesma membranaceum</i> Muell.Arg.		T6	LF	Tree 6m	r
4459	<i>Antidesma venosum</i> Tul.		T6,8	R,W	Shrub or tree 10m	c
	<i>Aristogeitonia monophylla</i> Airy Shaw		T6			New for Selous List
	<i>Bridelia cathartica</i> Bertol.f.	<i>B.cathartica</i> ssp <i>melanthesoid</i> es	T6,8	R,GWF,W	Shrub 5m	c
	<i>Bridelia duvigneaudii</i> J.Leon.	<i>B.sp cf</i> <i>mollis</i>	T8	R	Shrub 4m	r
	<i>Caperonia stuhlmannii</i> Pax		T6,8	G	Annual herb 0.3m	o
	<i>Cleistanthus schlechteri</i> (Pax)Hutch. var		T6,8	R,T	Tree 20m	d
726 3727	<i>Cleistanthus schlechteri</i> (Pax)Hutch. var?		T6		Tree 12m	
			T6	Thicket aro	Tree 6m	
	<i>Croton dichogamus</i> Pax		T8	GWF	Shrub 3m	c
	<i>Croton longipedicellatus</i> J.Leon. ssp <i>austrotanzanicus</i> A.R.-Sm.		T8	T	Shrub 3m	d TYPE
	<i>Croton menyharthii</i> Pax		T6,8	R,TC	Shrub 2m	c
	<i>Croton pseudopuicellus</i> Pax		T6,8	T	Shrub 2m	d
	<i>Dalechampia scandens</i> L. var <i>cordofana</i> (Webb)Muell.Arg.		T8	G	Trailing perennial herb	r
	<i>Dalechampia scandens</i> L. var <i>hildebrandtii</i> (Pax)Pax		T6,8	R,GWF,T	Herbaceous climber 3m	o

No.	Species	Synonym	Area	Habitat	Description	Comment
	<i>Dalechampia trifoliata</i> Verdc. & Greenway		T8	W,WG	Erect or climbing perennial	o
	<i>Drypetes arguta</i> (Muell.Arg.) Hutch.		T8	T	Shrub 2m	c
	<i>Drypetes natalensis</i> (Harv.) Hutch. var <i>natalensis</i>		T6,8	R	Tree 10m	o
3647	<i>Drypetes reticulata</i> Pax		T6,8	R,T,GWF	Tree 8m	c/d
			T6	Rocky area	Tree 4m	
	<i>Drypetes sclerophylla</i> Mildbr.		T8	T	Tree 8m	r
	<i>Erythrococca kirkii</i> (Muell.Arg.) Prain		T6,8	R,GWF	Shrub 4m	c
	<i>Erythrococca uluguruensis</i> A.R.-Sm.		T8	T	Shrub 2m	o
4447	<i>Erythrococca usambarica</i> Prain		T6	LF	Shrub 1.5m	r
	<i>Euphorbia ampliphylla</i> Pax		T6			New for Selous List. Kew conf but
sr	<i>Euphorbia breviararticulata</i> Pax/busseii Pax?		T6	Rocky Woodl		E.ampliphylla?
	<i>Euphorbia candelabrum</i> Kotschy var		T6,8	TC,GWF,A	Tree 10m	c
	<i>Euphorbia cuneata</i> Vahl ssp <i>cuneata</i>		T8	CR	Shrub 3m	r
	<i>Euphorbia goetzei</i> Pax	<i>E.transvaalensis</i> sensu N.E.Br. non Schltr.	T6,8	R,T,RT	Shrub 1m	o
3680	<i>Euphorbia hirta</i> L.		T6	Forest on R	Succulent shrub 1m	
	<i>Euphorbia inaequilatera</i> Sond. var <i>inaequilatera</i>		T6,8	WE	Annual herb 0.1m	r
	<i>Euphorbia indica</i> Lam.	<i>E.hypericifolia</i> sensu auctt.	T6	RBA	Annual herb 0.1m	r
			T6,8	RBE	Annual herb 0.1m	r
	<i>Euphorbia kilwana</i> N.E.Br.		T8	G	Perennial herb 0.2m	o
	<i>Euphorbia mossambicensis</i> (Klotzsch & Garcke) Boiss.		T8	W	Prostrate annual herb	o
	<i>Euphorbia nyikae</i> Pax var <i>nyikae</i>		T6,8	TC,T,R	Tree 8m	o
	<i>Euphorbia platycephala</i> Pax		T6	WGS	Succulent perennial herb	o
	<i>Euphorbia polycnemoides</i> Boiss.		T6	WGS	Annual herb 0.2m	r
3688	<i>Euphorbia prostrata</i> Ait.		T8	WE	Prostrate annual herb	r
	<i>Euphorbia quadrialata</i> Pax		T6	Forest on R	Succulent young tree 1.5m	New for Selous List. Kew det
	<i>Euphorbia selousiana</i> S.Carter	<i>E.zambesiana</i> var <i>villosula</i> sensu Vollesen	T6,8	W	Prostrate perennial herb	o
4659	<i>Euphorbia systyloides</i> Pax		T6,8	W	Annual herb 0.3m	o
	<i>Euphorbia tettensis</i> Klotzsch?	Not in FTEA	T6	Wooded Gras	Herb 50cm	
	<i>Euphorbia tirucalli</i> L.		T6,8	W	Annual herb 0.1m	r
	<i>Flueggea virosa</i> (Willd.) Voigt ssp <i>virosa</i>		T6,8	T,TC,RT	Shrub or tree 7m	o
	<i>Hymenocardia acida</i> Tul.		T6,8	R,GWF	Shrub 4m	c
3661	<i>Hymenocardia ulmoides</i> Oliv.		T6,8	W,R	Shrub 4m	o
			T6,8	R,T	Shrub 4m	c
	<i>Jatropha</i> sp aff <i>campestris</i> S.Moore		T6	Rocky River		
	<i>Jatropha</i> sp not matched		T8	WGS	Tuberous herb 0.2m	r
	<i>Jatropha stuhlmannii</i> Pax		T8	W	Perennial herb 0.3m	r
	<i>Mallotus oppositifolius</i> (Geisel.) Muell.Arg. var <i>oppositifolius</i> forma <i>lindicus</i> A.R.-Sm.		T6,8	W,WG	Tuberous herb 0.5m	c
	<i>Mallotus oppositifolius</i> (Geisel.) Muell.Arg. var <i>oppositifolius</i> forma <i>oppositifolius</i>		T8	GWF,T	Shrub 2m	r
	<i>Maprounea africana</i> Muell.Arg.		T6	LF	Shrub 4m	r
	<i>Margaritaria discoidea</i> (Baill.) Webster var <i>discoidea</i>		T6,8	W	Shrub or tree 5m	lc
	<i>Margaritaria discoidea</i> (Baill.) Webster var <i>triploschaera</i> A.R.-Sm.		T8	R,T,W	Shrub 4m	o
	<i>Micrococca mercurialis</i> (L.) Benth.		T6,8	T,W	Shrub 4m	c
	<i>Mildbraedia carpinifolia</i> (Pax) Hutch. var <i>strigosa</i> A.R.-Sm.		T8	W,WG	Annual herb 0.2m	c
4471	<i>Monadenium echinulatum</i> Stapf		T8	T,R	Shrub 2m	o
4673	<i>Neoholstia tenuifolia</i> (Pax) Rauschert var <i>glabrata</i> (Prain) A.R.-Sm.		T6	Steep rocky	Shrub 1m	New for Selous List. in hort Ukunda. Kew conf
	<i>Oldfieldia somalensis</i> (Chiov.) Milne-Redh.		T8	T	Tree 10m	o
3670	<i>Omphalea mansfeldiana</i> Mildbr.		T6,8	R,RT	Woody climber 10m	lc
	<i>Paranecepsia alchorneifolia</i> A.R.-Sm.		T6	Forest on R	Liane 8m	Kew conf
3657			T6	R	Tree 8m	ld
	<i>Phyllanthus engleri</i> Pax		T6	Thicket nr		NB lvs stipellate
			T8	W	Shrub 2m	r

P. amarus

New Selous List

No.	Species	Synonym	Area	Habitat	Description	Comment
	<i>Phyllanthus glaucophyllus</i> Sond.	<i>P. glaucophyllus</i> Sond. var <i>major</i> Muell. Arg.	T6	W	Perennial herb 0.1m	r
3674	<i>Phyllanthus inflatus</i> Hutch.	No T8 FTEA	T8	T	Shrub 2m	r
	<i>Phyllanthus kaessneri</i> Hutch. ? var <i>polycytotrichus</i> A.R.-Sm.		T6	Forest on R	Shrub 1m	New for Selous List
	<i>Phyllanthus leucanthus</i> Pax		T6,8	R, G, WE	Annual herb 0.2m	c
	<i>Phyllanthus leucocalyx</i> Hutch.		T6,8	W, WG	Annual herb 0.3m	c
	<i>Phyllanthus maderaspatensis</i> L. var <i>maderaspatensis</i>		T6,8	W, WG, G	Perennial herb or shrub 0.1m	c
	<i>Phyllanthus muellerianus</i> (O. Kuntze) Exell		T6	LF	Scandent shrub 3m	r
	<i>Phyllanthus nummulariifolius</i> Poir.		T6	SEW	Annual herb 0.2m	r
	<i>Phyllanthus pentandrus</i> Schumacher & Thonn.		T8	W	Annual herb 0.2m	o
	<i>Phyllanthus pinnatus</i> (Wight) Webster	<i>P. kirkianus</i>	T8	R	Shrub 1m	c
3638	<i>Phyllanthus reticulatus</i> Poir. var		T6,8	R, GWF	Scandent shrub 5m	c
3637	<i>Phyllanthus reticulatus</i> Poir. var <i>reticulatus</i>		T6	Dry riverbank	Shrub 1m	Kew conf
	<i>Phyllanthus reticulatus</i> Poir. var?		T6	Dry riverbank	Shrub 1.5m, frt black	Kew say var <i>reticulatus</i>
	<i>Phyllanthus</i> sp aff <i>pentandrus</i>	see FTEA Pg32	T8	T	Annual herb 0.1m	o
	<i>Phyllanthus welwitschianus</i> Muell. Arg. var <i>beillei</i> (Hutch.) A.R.-Sm.	<i>P. beillei</i>	T6,8	R, RT	Shrub 1m	r
	<i>Pseudolachnostylis maprouneifolia</i> Pax var <i>dekindtii</i> (Pax) A.R.-Sm.		T6	W	Tree 15m	lc
	<i>Pseudolachnostylis maprouneifolia</i> Pax var <i>glabra</i> (Pax) Brenan		T6,8	W	Tree 20m	d
743	<i>Riciodendron heudelotii</i> (Baill.) Pierre ssp <i>africanum</i> (Muell. Arg.) J. Leon. var <i>tonantellum</i> (Hutch. & E.A. Bruce) A.R.-Sm.		T6	T	Tree 15m	r
	<i>Riciodendron rautanenii</i> Schinz		T8	T	Tree 20m	r
	<i>Sapium armatum</i> Pax & K. Hoffm.		T6,8	W	Tree 20m	o
	<i>Spirostachys africana</i> Sond.		T8	T	Shrub 5m	r
734	<i>Spirostachys venenifera</i> (Pax) Pax		T6,8	WG, TC, GWF	Tree 15m	c
	<i>Suregada zanzibariensis</i> Baill.		T6	R	Tree 8m	r
	<i>Synadenium pereskiaefolium</i> (Baill.) Guill.		T6	R	Tree 10m	r
		<i>S. glaucescens</i> sensu Vollesen	T6,8	R, GWF, T, TC	Shrub or tree 8m	c
		<i>Cyathogyne bussei</i>	T6,8	R, GWF, RT, T	Succulent shrub 3m	o
	<i>Thecacoris bussei</i> (Pax) A.R.-Sm.		T6,8	W	Shrub 0.2m	c
2824	<i>Tragia adenanthera</i> Baill.		T6,8	W, WGS, WG, R	Trailing or climbing perenn	c
	<i>Tragia furialis</i> Bojer		T6,8	R, GWF	Climbing perennial herb 2m	o
	<i>Tragia hildebrandtii</i> Muell. Arg.		T8	G	Erect or climbing perennial	c
	<i>Tragia</i> sp aff <i>glabrescens</i> Pax	see FTEA pg308	T8	GWF, G	Erect or climbing perennial	o
	<i>Tragia</i> sp nov A of Kew	CHECK	T8	T	Climbing perennial herb 1m	o
	<i>Uapaca kirkiana</i> Muell. Arg.	No T6 FTEA	T6	W	Tree 20m	lc
	<i>Uapaca nitida</i> Muell. Arg.		T6,8	W, WGS	Tree 20m	o
FAMILY : 139 MONT						
	<i>Grevea eggelingii</i> Milne-Redh. var <i>echinocarpa</i> (Mendes) Verdc.		T6,8	R, T, RT	Shrub 5m	o
4669	<i>Grevea eggelingii</i> Milne-Redh. var <i>eggelingii</i>		T6,8	R, T, RT	Shrub 2m	o
			T6	Steep rocky	Tree 5m, frt grey/brown	o
FAMILY : 143 CHR						
	<i>Hirtella zanzibarica</i> Oliv.		T6	LF, AW	Tree 10m	ld
	<i>Parinari curatellifolia</i> Benth. ssp <i>curatellifolia</i>		T6,8	W	Tree 20m	o
	<i>Parinari excelsa</i> Sabine ssp <i>holstii</i> (Engl.) R. Grah.		T6	R	Tree 30m	r
FAMILY : 144 DIC						
	<i>Dichapetalum arenarium</i> Breteler	<i>D. deflexum</i> sensu auctt.	T8	T	Scandent Shrub 5m	r
	<i>Dichapetalum madagascariense</i> Poir. var <i>madagascariense</i>		T6	LF	Shrub	r
	<i>Dichapetalum mossambicense</i> (Klotzsch) Engl.		T6	T	Scandent shrub	r
	<i>Dichapetalum stuhlmannii</i> Engl.		T6,8	T	Shrub, sometimes scandent	o
	<i>Tapura fischeri</i> Engl.		T6	LF	Tree 8m	c

No.	Species	Synonym	Area	Habitat	Description	Comment
FAMILY : 146 CAES						
4668	<i>Azalia quanzensis</i> Welw.		T6	Rocky area	Clumped young trees 2m	
	<i>Bauhinia tomentosa</i> L.		T6,8	R,GWF,T,W,W	Tree 15m	c
729			T6,8	R,GWF	Shrub 3m	c
	<i>Brachystegia boehmii</i> Taub.		T6		Tree 3m	
	<i>Brachystegia bussei</i> Harms		T6,8	W,WGS	Tree 20m	c
	<i>Brachystegia longifolia</i> Benth.		T6,8	W	Tree 25m	ld
	<i>Brachystegia microphylla</i> Harms		T6	W	Tree 20m	d
	<i>Brachystegia spiciformis</i> Benth.		T6,8	W	Tree 25m	d/r
	<i>Brachystegia utilis</i> Hutch. & Burtt Davy		T6,8	W	Tree 20m	d
	<i>Burkea africana</i> Hook.		T8	W	Tree 20m	r
	<i>Cassia abbreviata</i> Oliv. ssp <i>beareana</i> (Holmes) Brenan		T6,8	W,WG	Tree 8m	d
	<i>Cassia burttii</i> Bak.f.		T6,8	R,GWF	Shrub 3m	c
	<i>Cassia thyrsoidea</i> Brenan		T6	WGS	Tree	o
	<i>Chamaecrista absus</i> (L.) Irwin & Barneby	<i>Cassia absus</i>	T6,8	W,WG	Annual herb 0.3m	r
	<i>Chamaecrista grantii</i> (Oliv.) Standley	<i>Cassia grantii</i>	T6,8	W	Prostrate perennial herb	c
	<i>Chamaecrista mimosoides</i> (L.) Greene	<i>Cassia mimosoides</i>	T6,8	W,WG,WGS,G	Shrubby perennial herb 0.4	c
	<i>Chamaecrista zambesica</i> (Oliv.) Lock	<i>Cassia zambesica</i>	T6,8	W,WGS,G	Prostrate perennial herb	o
	<i>Cordyla africana</i> Lour.		T6,8	LF,R	Tree 25m	o
	<i>Cryptosepalum maraviense</i> Oliv.		T6,8	W	Suffrutex 0.2m	c/r
	<i>Cynometra lukei</i> Beentje	<i>C. sp nov aff C. schlechteri</i> Harms	T6	R	Tree 15m	r
3679	<i>Cynometra sp cf alexandri</i> C.H. Wright		T6	RT	Tree 20m	lc
			T6	Forest on R	Tree 8m	(= Pesambili & Vollesen in MRC 3895)
	<i>Cynometra webberi</i> Bak.f.		T6	R	Tree 10m	r
	<i>Dialium holtzii</i> Harms		T6,8	LF,T	Tree 30m	d/r
	<i>Erythrophleum africanum</i> (Benth.) Harms		T6,8	W,WGS	Tree 20m	d/o
	<i>Erythrophleum suaveolens</i> (Guill. & Perr.) Brenan		T6	LF	Tree 30m	d
	<i>Hymenaea verrucosa</i> Gaertn.	<i>Trachylobium verrucosum</i>	T8	R,T	Tree 25m	c
	<i>Isoberlinia scheffleri</i> (Harms) Greenway		T6	LF	Tree 35m	d
	<i>Jubbernardia globiflora</i> (Benth.) Troupin		T6,8	W	Tree 25m	d
	<i>Piliostigma thonningii</i> (Schumach.) Milne-Redh.		T6,8	LF,R,GWF,G	Tree 15m	c
	<i>Scorodophloeus fischeri</i> (Taub.) J. Leon.		T6	RT	Shrub 2m	r
	<i>Senna auriculata</i> (L.) Roxb.	<i>Cassia auriculata</i>	T6,8	WG,WGS	Shrub 4m	c
3624	<i>Senna obtusifolia</i> (L.) Irwin & Barneby	<i>Cassia obtusifolia</i>	T6	Wooded Gras	Shrub 2m, flws yellow	
	<i>Senna petersiana</i> (Bolle) Lock	<i>Cassia petersiana</i>	T6,8	RBE,WE	Annual herb 0.5m	o
	<i>Senna siamea</i> (Lam.) Irwin & Barneby	<i>Cassia siamea</i>	T6,8	W	Shrub 3m	o
	<i>Senna singueana</i> (Del.) Lock	<i>Cassia singueana</i>	T6,8	CR	Tree 7m	o
			T6,8	R,WH,RBA	Shrub 5m	o
3710	<i>Stuhlmannia moavi</i> Taub.		T6	Forest on R	Tree 8m	Redet
4455			T6			1st T6? New for Selous List
	<i>Swartzia madagascariensis</i> Desv.		T6,8	W	Tree 20m	o
	<i>Tamarindus indica</i> L.		T6,8	R,GWF,WH,A	Tree 20m	c
	<i>Tylosema fassogiensis</i> (Schweinf.) Torre & Hillcoat		T6,8	W,WGS	Climbing perennial herb	c
FAMILY : 147 MIMO						
	<i>Acacia adenocalyx</i> Brenan & Exell		T8	T	Scandent shrub	r
	<i>Acacia gerrardii</i> Benth. var		T8	WG	Tree 8m	c
	<i>Acacia goetzei</i> Harms ssp		T6	R	Tree 15m	r
	<i>Acacia hockii</i> De Wild.		T6,8	WGS	Shrub 1m	o
	<i>Acacia macrothyrsa</i> Harms		T8	W	Tree 10m	r
	<i>Acacia nigrescens</i> Oliv.		T6,8	R,GWF,A,W,W	Tree 20m	c
718	<i>Acacia nilotica</i> (L.) Del. ssp <i>kraussiana</i> (Benth.) Brenan		T6		Tree 10m	
	<i>Acacia polyacantha</i> Willd. ssp <i>campylacantha</i> (A. Rich.) Brenan		T6,8	WG,WGS	Tree 6m	c
	<i>Acacia robusta</i> Burch. ssp <i>clavigera</i> (E. Mey.) Brenan		T8	G	Tree 10m	r
	<i>Acacia robusta</i> Burch. ssp <i>usambarensis</i> (Taub.) Brenan		T6,8	R,GWF	Tree 20m	r/d
			T6,8	W,WG	Tree 8m	c

No.	Species	Synonym	Area	Habitat	Description	Comment
	Acacia rosvmae Oliv.		T6,8	R	Tree 15m	o
	Acacia senegal (L.)Willd. var senegal		T6,8	WG,WGS	Shrub 5m	c
717	Acacia sieberiana DC. var		T6,8	R,GWF,G,WGS	Tree 20m	c
	Acacia sieberiana DC. var sieberiana?		T6		Tree 10m	
	Acacia taylorii Brenan & Exell		T6,8	LF,R,GWF	Scandent shrub 5m	c
	Acacia zanzibarica (S.Moore)Taub. var zanzibarica		T6,8	WG,WGS	Shrub or tree 8m	d/o
	Albizia adianthifolia (Schumach.)W.F.Wright		T8	T	Tree 20m	r
	Albizia amara (Roxb.)Boiv. ssp sericocephala (Benth.)Brenan		T8	R,GWF	Tree 25m	o
	Albizia anthelmintica Brongn.		T6,8	R,GWF,A,TC	Shrub 5m	c
	Albizia glaberrima (Schumach. & Thonn.)Benth. var glabrescens (Oliv.)Brenan		T6	R	Tree 25m	o
	Albizia harveyii Poura.		T6,8	WG,W	Tree 12m	c/r
	Albizia petersiana (Bolle)Oliv.		T6,8	T,RT	Tree 10m	o
	Albizia sp aff zimmermannii Harms		T8	GWF	Tree 20m	r
	Albizia versicolor Oliv.		T6,8	R,W,SEW	Tree 25m	o
	Albizia zimmermannii Harms		T8	R,T	Tree 15m	r
	Amblygonocarpus andongensis (Oliv.)Exell & Torre		T6,8	W	Tree 20m	cd
	Dichrostachys cinerea (L.)Wight & Arn. ssp forbesii Brenan & Brummitt		T6,8	R,GWF,T,W	Shrub 3m	c
	Elephantorrhiza goetzei (Harms)Harms		T6,8	W	Suffrutex or shrub 3m	c
	Entada chrysostachys (Benth.)Drake		T8	R	Woody climber 15m	r
	Entada rheedii Spreng.	E.pursaetha DC.	T6	R	Woody climber 20m	r
4474	Entada stuhlmannii (Taub.)Harms		T8	R,A,W,WG	Herbaceous climber 4m	c
	Mimosa busseana Harms		T6			
	Mimosa pigra L.		T8	T	Scandent shrub 3m	o
	Neptunia oleracea Lour.		T6,8	R,RBA,SEW	Shrub 2m	c
	Parkia filicoidea Oliv.		T8	WH	Floating or creeping annua	o
	Tetrapleura tetraptera (Schumach. & Thonn.)Taub.		T6	LF,R	Tree 30m	lc
			T6	LF	Tree 25m	c

FAMILY : 148 PAPI

	Abrus precatorius L. ssp africanus Verdc.		T6,8	R,GWF	Woody climber 5m	o
	Abrus pulchellus Thw. ssp tenuiflorus (Benth.)Verdc.		T6,8	W,WGS	Woody climber/perennial he	o
	Aeschynomene cristata Vatke var pubescens J.Leon.		T6,8	WH	Shrub may be aquatic	o
	Aeschynomene fluitans Peter		T6	WH	Free floating aquatic herb	r
	Aeschynomene indica L.		T6,8	G,WH,SEW	Annual herb 0.5m	c
	Aeschynomene micrantha DC.		T8	WG	Prostrate annual herb	r
	Aeschynomene mossambicensis Verdc. var longestipitata (Verdc.)Vollesen		T6,8	W	Prostrate annual herb	o
	Aeschynomene mossambicensis Verdc. var mossambicensis		T6,8	W	Prostrate annual herb	o
	Aeschynomene nematopoda Harms		T6,8	W,WGS	Prostrate annual herb	o
	Aeschynomene nyassana Taub.		T6,8	W,SEW	Perennial herb 0.4m	o
	Aeschynomene uniflora E.Mey. var		T8	G,WH	Annual herb 0.7m	o
	Alysicarpus glumaceus (Vahl)DC. ssp glumaceus var glumaceus		T6,8	WG,G	Annual herb 0.4m	c
	Alysicarpus glumaceus (Vahl)DC. ssp glumaceus var intermedius Verdc.		T6	WGS,G	Annual herb 0.4m	r
	Alysicarpus ovalifolius (Schumach.)J.Leon.		T6,8	W,WG	Annual herb 0.3m	o
3666	Alysicarpus sp A of FTEA		T8	RBE	Prostrate perennial herb	r
	Alysicarpus vaginalis (L.)DC. var vaginalis		T6	Riverbank		
	Baphia kirkii Bak.		T8	SEW	Prostrate perennial herb	r
	Baphia massaliensis Taub. ssp gomesii (Bak.f.)Brummitt		T6,8	R	Tree 25m	ld
	Canavalia africana Dunn	C. virosa (Roxb.)Wight & Arn.	T8	W	Shrub 5m	o
			T6,8	R	Herbaceous climber 5m	o
	Clitoria ternatea L.		T8	G	Herbaceous climber 1m	r
	Crotalaria axillaris Ait.		T6,8	T,RT	Shrub 1m	r
	Crotalaria barkae Schweinf. ssp zimmermannii (Bak.f.)Polhill		T8	W,G,RBA	Prostrate or scrambling pe	o
	Crotalaria bernieri Baill.		T6,8	WGS,G	Annual herb 0.5m	r
	Crotalaria bongensis Bak.f.		T6	WGS	Annual herb 0.1m	r
	Crotalaria calycina Schrank		T6	WGS	Annual herb 0.2m	r
	Crotalaria cephalotes A.Rich.		T6,8	W,WGS,G	Annual herb 0.2m	o
	Crotalaria deserticola Bak.f. ssp orientalis Polhill		T8	W	Perennial herb 0.5m	o
	Crotalaria emarginata Benth.		T6	SEW	Perennial herb 0.5m	r
	Crotalaria glauca Willd.		T6	SEW	Annual herb 0.5m	r
	Crotalaria goodiiiformis Vatke		T6,8	R,T	Shrub 0.3m	c
	Crotalaria goreensis Guill. & Perr.		T6	WGS	Annual herb 0.4m	r
	Crotalaria hyssopifolia Klotzsch		T6,8	W,WGS,SEW	Annual herb 1m	o

No.	Species	Synonym	Area	Habitat	Description	Comment
	<i>Crotalaria kirkii</i> Bak.		T6,8	W,WG	Annual herb 1m	c
	<i>Crotalaria laburnifolia</i> L. ssp <i>laburnifolia</i>		T6,8	W,WG	Perennial herb\shrub 2m	o
	<i>Crotalaria laburnoides</i> Klotzsch var <i>laburnoides</i>		T6,8	W,WG,RBA	Annual herb 0.5m	o
	<i>Crotalaria microcarpa</i> Benth.		T6,8	W,WG	Annual herb 0.3m	c
	<i>Crotalaria misella</i> Polhill ined?		T6	WGS	Prostrate annual herb	r
	<i>Crotalaria natalitia</i> Meissn. var		T6	RBA	Shrub 2m	r
	<i>Crotalaria pallida</i> Ait. var <i>obovata</i> (G. Don)Polhill		T6	RBE	Annual herb 0.5m	r
	<i>Crotalaria pallida</i> Ait. var <i>pallida</i>		T6	RBE	Annual herb	r
	<i>Crotalaria pterocalyx</i> Harms		T6,8	R,RT	Shrub 0.5m	o
	<i>Crotalaria reptans</i> Taub.		T8	W	Prostrate annual herb	o
	<i>Crotalaria retusa</i> L. var <i>retusa</i>		T6	G,RBE	Annual herb 0.5m	r
	<i>Crotalaria schliebenii</i> Polhill		T6,8	W,SEW	Annual herb 0.3m	r
	<i>Crotalaria stuedneri</i> Schweinf.		T8	W,WG	Annual herb 0.3m	o
	<i>Crotalaria vasculosa</i> Benth.		T6,8	W	Annual herb 0.4m	o
	<i>Crotalaria virgulata</i> Klotzsch		T8	W	Annual herb 0.5m	o
	<i>Cyclocarpa stellaris</i> Bak.		T6,8	G,WH	Prostrate\scrambling peren	r
	<i>Dalbergia acarifanthea</i> Harms		T8	T,W	Scandent shrub 3m	o
	<i>Dalbergia arbutifolia</i> Bak. ssp		T6,8	R,GWF	Woody climber 10m	c
	<i>Dalbergia arnata</i> E.Mey.		T8	T	Scandent shrub 5m	r
	<i>Dalbergia boehmii</i> Taub. ssp <i>boehmii</i>		T6,8	W,AW,G	Tree 25m	o
	<i>Dalbergia melanoxylon</i> Guill. & Perr.		T6,8	WG,W	Tree 15m	c,r
	<i>Dalbergia obovata</i> E.Mey.		T6,8	R	Scandent shrub 4m	o
3729	<i>Dalbergiella nyasae</i> Bak.f.		T6	Thicket aro	Liane 4m, pods brown	o
	<i>Desmodium adscendens</i> (Sw.)DC. var <i>robustum</i> Schubert		T6,8	W,WGS	Tree 8m	o
	<i>Desmodium barbatum</i> (L.)Benth. var <i>argyreum</i> (Bak.)Schubert		T6	LF	Perennial herb with creepi	c
	<i>Desmodium barbatum</i> (L.)Benth. var <i>dimorphum</i> (Bak.)Schubert		T6	WGS,R	Erect\scrambling perennial	r
	<i>Desmodium barbatum</i> (L.)Benth. var <i>procumbens</i> Schubert		T8	SEW	Prostrate perennial herb	r
	<i>Desmodium gangeticum</i> (L.)DC.		T6,8	LF,R,W	Perennial herb 0.5m	o
	<i>Desmodium hirtum</i> Guill. & Perr.		T6,8	SEW	Prostrate perennial herb	r
	<i>Desmodium ospriostreblum</i> Chiov.		T6	RT	Scrambling annual herb 0.5	r
	<i>Desmodium salicifolium</i> (Poir.)DC.		T6	R	Perennial herb 1m	r
	<i>Desmodium setigerum</i> (E.Mey.)Harv.		T6	WGS	prostrate\erect perennial	r
	<i>Desmodium</i> sp? nov aff <i>triflorum</i> (L.)DC.		T6	R,AW	Prostrate annual herb	o
	<i>Desmodium tortuosum</i> (Sw.)DC.		T6	WR	Perennial herb 0.3m	r
	<i>Desmodium triflorum</i> (L.)DC.		T6,8	W	Prostrate perennial herb	o
	<i>Dolichos trilobus</i> L. ssp <i>trilobus</i>		T6,8	R,RBA	Perennial climber 3m	o
	<i>Droogmansia pteropus</i> (Bak.)De Wild. var <i>pteropus</i>		T6	W	Shrub 5m	r
	<i>Eriosema pauciflorum</i> Klotzsch var <i>pauciflorum</i>		T6,8	W,SEW	Suffrutex 0.2m	o
	<i>Eriosema psoraleoides</i> (Lam.)G. Don		T6	W	Perennial herb	r
	<i>Erythrina sacieuxii</i> Hua		T6,8	T,RT	Tree 30m	o
	<i>Galactia tenuiflora</i> (Willd.)Wight & Arn. var <i>villosa</i> (Wight & Arn.)Benth.		T6	W,WGS	Climbing perennial herb 1m	r
	Genus indet		T8	WGS	Tree 15m	r
	<i>Indigofera antunesiana</i> Harms		T8	W	Perennial herb	r
	<i>Indigofera astragalina</i> DC.		T6,8	R,G,RBE	Annual herb 0.4m	o
	<i>Indigofera brachynema</i> Gillett		T6,8	W,WGS	Annual herb 0.2m	o
	<i>Indigofera colutea</i> (Burm.f.)Merr.		T6,8	WGS,SEW,WE	Annual herb 0.3m	o
	<i>Indigofera concinna</i> Bak.		T6	WG	Prostrate annual herb	r
	<i>Indigofera congesta</i> Bak.		T6	W	Annual herb 0.4m	r
	<i>Indigofera cuneata</i> Bak.		T6,8	W,WG	Annual herb 0.3m	c
	<i>Indigofera demissa</i> Taub.		T6,8	WGS,RBE	Prostrate annual herb	o
	<i>Indigofera dendroides</i> Jacq.		T6,8	W,WGS,G	Annual herb 1m	o
	<i>Indigofera drepanocarpa</i> Taub.		T6	W	Prostrate perennial herb	r
	<i>Indigofera dyeri</i> Britten var <i>major</i> Gillett		T8	WG,WE	Annual herb 0.3m	o
	<i>Indigofera emarginella</i> A.Rich.		T6,8	W	Perennial herb\shrub 1m	o
	<i>Indigofera emarginelloides</i> Gillett		T8	T	Shrub 1m	o
	<i>Indigofera erythrogramma</i> Bak.		T6,8	W,WG	Annual herb 0.1m	o
	<i>Indigofera exellii</i> Torre		T6,8	WG	Annual herb 0.2m	c
	<i>Indigofera fulgens</i> Bak.		T8	T	Shrub 2m	lc
	<i>Indigofera garckeana</i> Vatke		T6,8	W,WGS	Shrub 1.5m\perennial herb	o
	<i>Indigofera hendecaphylla</i> Jacq.	<i>I. spicata</i> Forssk.	T6,8	W,WGS	Prostrate or ascending per	o
	<i>Indigofera hirsuta</i> L.		T6,8	W,SEW,RBE	Prostrate or ascending ann	o
	<i>Indigofera ischnoclada</i> Harms		T6	W	Annual herb	r
	<i>Indigofera lobata</i> Gillett		T6,8	SEW	Annual herb 0.1m	o
	<i>Indigofera malongensis</i> Cronq.		T8	T	Shrub 1m	r
	<i>Indigofera microcalyx</i> Bak.		T6	RBE	Perennial herb	r
	<i>Indigofera microcarpa</i> Desv.		T6,8	WH	Prostrate perennial herb	r
	<i>Indigofera nigricans</i> Pers.		T6	WGS	Annual herb 0.2m	r
	<i>Indigofera nummulariifolia</i> (L.)Alston		T6,8	W,WG	Prostrate annual herb	c
	<i>Indigofera ormocarpoides</i> Bak.		T6,8	R,RT	Shrub 1m	o
	<i>Indigofera praticola</i> Bak.f.		T6,8	W,WGS,WE	Annual herb 0.3m	o
	<i>Indigofera rhynocarpa</i> Bak.		T6,8	R,W	Shrub 0.5m	c

No.	Species	Synonym	Area	Habitat	Description	Comment
	<i>Indigofera schimperi</i> Jaub. & Spach var <i>baukeana</i> (Vatke) Gillett		T6	WG, G	Shrub 0.5m	r
	<i>Indigofera schimperi</i> Jaub. & Spach var <i>schimperi</i>		T6, 8	R, RBA, G	Shrub 1.5m	c
	<i>Indigofera sisalis</i> Gillett		T6	WGS	Annual herb 0.3m	r
	<i>Indigofera</i> sp nov subsect. <i>Viscosae</i>		T6	W	Perennial herb 0.5m	lc
	<i>Indigofera strobilifera</i> (Hochst.) Bak. ssp <i>lauginosa</i> (Bak. f.) Gillett		T6	W, WG	Prostrate annual herb	r
	<i>Indigofera subcorymbosa</i> Bak.		T6	W, AW	Perennial herb/shrub 1m	r
	<i>Indigofera tinctoria</i> L. var <i>tinctoria</i>		T6, 8	WG, WE	Perennial herb 0.7m	o
	<i>Indigofera trita</i> L. f. var <i>scabra</i> (Roth) Ali		T8	R, GWF, G	Shrub 1m	o
	<i>Indigofera trita</i> L. f. var <i>subulata</i> (Poir.) Ali		T8	GWF	Shrub 0.5m	r
	<i>Indigofera viscidissima</i> Bak. ssp <i>orientalis</i> Gillett		T6	W	Perennial herb 0.2m	r
	<i>Indigofera vohemarensis</i> Baill.		T6	W	Perennial herb 1m	r
	<i>Lonchocarpus bussei</i> Harms		T6, 8	W, WG	Tree 15m	c
	<i>Lonchocarpus capassa</i> Rolfe		T6, 8	R, GWF, G	Tree 25m	c
736			T6		Tree 12m	
740	<i>Lonchocarpus eriocalyx</i> Harms		T6		Tree 7m	
	<i>Lotus arabicus</i> L.		T8	RBE	Annual herb 0.1m	r
3635	<i>Macrotyloma axillare</i> (E. Mey.) Verdc. var <i>glabrum</i> (E. Mey.) Verdc.		T6	Dry Swamp	Herb 30cm flws pink	
	<i>Macrotyloma maranguense</i> (Taub.) Verdc.		T6	R, W	Herbaceous climber 2m	r
	<i>Millettia bussei</i> Harms		T6, 8	W, WG	Trailing herb	c
	<i>Millettia eetveldeana</i> (Micheli) Hauman		T6, 8	R, GWF	Shrub/tree 6m	r
	<i>Millettia micans</i> Taub.		T8	T	Tree 15m	r
	<i>Millettia senseii</i> Gillett		T6, 8	W	Shrub/tree 6m	lc
	<i>Millettia stuhlmannii</i> Taub.		T8	R	Tree 15m	o
742	<i>Millettia usaramensis</i> Taub. ssp <i>usaramensis</i> var <i>usaramensis</i>		T6, 8	W, T	Tree 20m	c
	<i>Mucuna pruriens</i> (L.) DC.		T6		Tree 10m	
	<i>Mundulea sericea</i> (Willd.) A. Chev.		T6, 8	R, T	Shrub 2m, Tree 15m	o
	<i>Neorantanea mitis</i> (A. Rich.) Verdc.		T6	AW	Herbaceous climber 4m	r
	<i>Nesphostylis holosericea</i> (Bak.) Verdc.		T6, 8	W	Shrub 3m	o
	<i>Ormocarpum kirkii</i> S. Moore		T6, 8	R, W, WG	Erect/climbing herb 0.5m	o
	<i>Ormocarpum sennoides</i> (Willd.) DC. ssp <i>zanzibaricum</i> Brenan & Gillett		T6	W	Trailing/climbing perennial	lc
	<i>Ormocarpum</i> sp nov		T6, 8	WG, WGS	Shrub 2m	o
	<i>Pericopsis angolensis</i> (Bak.) van Meeuwen forma <i>angolensis</i>		T8	T	Shrub 1m	r
	<i>Pericopsis angolensis</i> (Bak.) van Meeuwen forma <i>brasseuriana</i> (De Wild.) Bruenitt		T8	R, GWF	Shrub 4m	o
	<i>Physostigma</i> sp		T6	W	Tree 15m	r
3671	<i>Pseudarthria hookeri</i> Wight & Arn. var <i>hookeri</i>		T6	Forest on R	Trailing liane 5m, frts un	New for Selous List
	<i>Pseudoeriosema andogense</i> (Bak.) Hauman		T6, 8	W	Perennial herb/shrub 1m	o
	<i>Pseudoeriosema borianii</i> (Schweinf.) Hauman ssp <i>longipedunculatum</i> Verdc.		T6	W	Perennial herb 0.4m	r
	<i>Psorocarpus scandens</i> (Endl.) Verdc.		T8	G	Scrambling/climbing perenn	o
	<i>Pterocarpus angolensis</i> DC.		T6	R	Herbaceous climber 2m	r
	<i>Pterocarpus rotundifolius</i> (Sond.) Druce ssp <i>polyanthus</i> (Harms) Medonca & Sousa		T6, 8	W	Tree 25m	d
	<i>Pterocarpus tinctorius</i> Welw. "megalocarpus" race of FTEA		T8	W	Tree 15m	r
3649	<i>Pterocarpus tinctorius</i> Welw. "stolzii" race of FTEA		T6, 8	R	Tree 30m	d
	<i>Rhynchosia albissima</i> Gand.		T6	Rocky River	Tree 7m, flws yellow	(= <i>P. boltzii</i> Harms)
	<i>Rhynchosia congensis</i> Bak. ssp <i>orientalis</i> Verdc.		T6, 8	R	Tree 20m	o
	<i>Rhynchosia densiflora</i> (Roth) DC. ssp <i>chrysadenia</i> (Taub.) Verdc.		T6, 8	WGS, G	Erect perennial herb 1m	o
	<i>Rhynchosia hirta</i> (Andr.) Meikle & Verdc.		T6	RT	Herbaceous climber 3m	r
	<i>Rhynchosia luteola</i> (Hiern) K. Schum.		T8	R, GWF	Herbaceous climber 2m	o
	<i>Rhynchosia micrantha</i> Harms		T6	SEW	Herbaceous climber	r
	<i>Rhynchosia minima</i> (L.) DC. var <i>minima</i>		T6	R, RT	Herbaceous climber 2m	r
	<i>Rhynchosia minima</i> (L.) DC. var <i>nuda</i> (DC.) Kuntze		T6, 8	G	Trailing/climbing perennial	o
	<i>Rhynchosia minima</i> (L.) DC. var <i>prostrata</i> (Harv.) Meikle		T6, 8	R, A, W, WG, G	Herbaceous climber 2m	c
	<i>Rhynchosia nyasica</i> Bak. var A		T8	G	Trailing/climbing perennial	r
	<i>Rhynchosia pulchra</i> (Vatke) Harms		T8	G	Trailing perennial herb	r
	<i>Rhynchosia sublobata</i> (Schumach.) Meikle		T6, 8	W	Trailing perennial herb 0.5m	o
	<i>Rhynchosia viscosa</i> (Roth) DC. ssp <i>viscosa</i> var <i>breviracemosa</i> Verdc.		T6, 8	R, A, G	Trailing/climbing perennial	c
	<i>Rothia hirsuta</i> (Guill. & Perr.) Bak.		T6, 8	R	Trailing/climbing perennial	o
	<i>Sesbania bispinosa</i> (Jacq.) W. F. Wight		T6	W, WG	Prostrate annual herb	c
	<i>Sesbania greenwayi</i> Gillett		T6	G	Annual herb 3m	r
	<i>Sesbania hirtistyla</i> Gillett var <i>hirtistyla</i>		T8	G	Annual herb 3m	o
			T8	G	Annual herb 3m	c

No.	Species	Synonym	Area	Habitat	Description	Comment
	<i>Sphenostylis marginata</i> E.Mey. ssp <i>erecta</i> (Bak.f.)Verdc.		T6,8	W,WGS	Perennial herb/shrub 1m	o
	<i>Sphenostylis stenocarpa</i> (A.Rich.)Harms		T6	SEW	Herbaceous climber 1m	r
	<i>Stylosanthes fruticosa</i> (Retz.)Alston		T6,8	W,WGS,RBe	Perennial herb 0.3m	o
	<i>Tephrosia argyrotricha</i> Harms		T8	W,SEW	Perennial herb 0.2m	r
	<i>Tephrosia elegans</i> Schumach.		T6	W	Annual herb 0.2m	r
	<i>Tephrosia linearis</i> (Willd.)Pers.		T6,8	WGS,RBe	Annual herb 0.4m	o
	<i>Tephrosia noctiflora</i> Bak.		T6,8	R,RT,T	Shrub 1m	o
	<i>Tephrosia pentaphylla</i> (Roxb.)G.Don		T6,8	WGS,G	Annual/perennial herb 0.2m	o
	<i>Tephrosia pamila</i> (Lam.)Pers. var		T6,8	W,WG	Prostrate annual herb	c
	<i>Tephrosia purpurea</i> (L.)Pers. ssp <i>leptostachya</i> (DC.)Brunnmitt var <i>leptostachya</i>		T6,8	W,WG	Scrambling/prostrate annua	c
	<i>Tephrosia purpurea</i> (L.)Pers. ssp <i>leptostachya</i> (DC.)Brunnmitt var <i>pubescens</i> Bak.		T6,8	W	Scrambling annual herb	o
	<i>Tephrosia</i> sp nov aff <i>pamila</i>		T8	WGS,WG	Prostrate perennial herb	o
	<i>Tephrosia stormsii</i> De Wild. var <i>stormsii</i>		T6,8	W,WGS,G	Annual/perennial herb 1.5m	c
	<i>Tephrosia villosa</i> (L.)Pers. ssp <i>ehrenbergiana</i> (Schweinf.)Brunnmitt		T6,8	W,WG	Perennial herb 0.5m	o
	<i>Teramnus labialis</i> (L.f.)Spreng. ssp <i>arabicus</i> Verdc.		T6,8	R,GWF,WG	Herbaceous climber 1m	o
	<i>Teramnus labialis</i> (L.f.)Spreng. ssp <i>arabicus</i> Verdc. var ? nov		T6	R	Trailing perennial herb	r
	<i>Uraria picta</i> (Jacq.)DC.		T6	WGS	Perennial herb 0.5m	r
	<i>Vigna friesiorum</i> Harms var <i>ulogurensis</i> (Harms)Verdc.		T8	WGS	Erect/climbing perennial h	r
	<i>Vigna frutescens</i> A.Rich.		T8	W	Perennial herb 0.1m	r
	<i>Vigna kirkii</i> (Bak.)Gillett		T6,8	G	Herbaceous climber 1m	o
	<i>Vigna macrorhyncha</i> (Harms)Milne-Redh.		T6,8	R,GWF,A,T	Woody climber 4m	c
	<i>Vigna pubescens</i> Wilczek		T6,8	W,WG,G	Prostrate/climbing annual	c
	<i>Vigna reticulata</i> Hook.f.		T6,8	W	Trailing/climbing perennia	o
	<i>Vigna</i> sp aff <i>reticulata</i> Hook.f.		T6	SEW	Climbing annual herb 0.5m	r
	<i>Vigna vexillata</i> (L.)A.Rich. var <i>angustifolia</i> (Schumach. & Thonn.)Bak.		T8	WG,G,SEW	Erect annual/climbing pere	o
	<i>Vigna wittei</i> Bak.f.		T8	W	Trailing herb	r
	<i>Xeroderris stuhlmannii</i> (Taub.)Mendonca & E.P.Sousa		T6,8	W,WG,WGS	Tree 20m	c
720			T6		Tree 10m	
	<i>Zornia glochidiata</i> DC.		T6,8	W	Erect annual herb 0.3m	o
	<i>Zornia pratensis</i> Milne-Redh. ssp <i>pratensis</i>		T6,8	W	Prostrate perennial herb	o
	<i>Zornia pratensis</i> Milne-Redh. var <i>glabrior</i> Milne-Redh.		T6	W	Trailing perennial herb	r
FAMILY : 165 ULMA						
	<i>Celtis philippensis</i> Blanco	<i>C.wightii</i>	T8	GWF	Tree 15m	ld
	<i>Celtis zenkeri</i> Engl.		T6	R	Tree 20m	o
	<i>Trema orientalis</i> (L.)Bl.		T6,8	LF,R	Small tree 5m	o/r
FAMILY : 167 MORA						
	<i>Dorstenia alta</i> Engl.		T6	LF	Shrub 1m	r
3730	<i>Dorstenia hildebrandtii</i> Engl. var <i>hildebrandtii</i> form a of FTEA		T6	Thicket aro	Succulent herb 20cm	New for Selous List
	<i>Dorstenia hildebrandtii</i> Engl. var <i>schlechteri</i> (Engl.)Hijman	<i>D.denticulat</i> <i>a Peter</i>	T6	RT	Fleshy annual herb 0.2m	o
	<i>Dorstenia psilurus</i> Welw.		T6,8	W,AW,R	Perennial herb 0.3m	o
4446			T6			
4655	<i>Dorstenia tenuiradiata</i> Mildbr.		T6	Steep rocky	Succulent herb 40cm	
4457			T6			New for Selous List
	<i>Ficus babu</i> Warb.	<i>F.quibeba</i> <i>sensu</i> <i>Vollesen</i>	T8	GWF	Tree 15m	r
3695			T6	Forest on R	Tree 4m	
	<i>Ficus bussei</i> Mildbr. & Burret		T6,8	R,GWF	Tree 15m	c
3694	<i>Ficus capreifolia</i> Del.		T6	Forest on R	Tree 3m, lvs smell of coco	New for Selous List
	<i>Ficus fischeri</i> Mildbr. & Burret		T8	T,W	Tree 15m	o
	<i>Ficus ingens</i> (Miq.)Miq.	<i>F.lutea</i> <i>sensu Aweke</i>	T6,8	RT,R,GWF	Tree 15m	o
3693			T6	Forest on R	Tree 6m	
3692	<i>Ficus ingens</i> (Miq.)Miq.?		T6	Forest on R	Tree 8m	
	<i>Ficus natalensis</i> Hochst.		T8	GWF	Epiphytic tree or shrub 15	c
	<i>Ficus nigropunctata</i> Mildbr. & Burret		T6	RT	Epiphytic shrub 2m	r
3726			T6	Thicket aro	Tree 2m, frts red	Kew conf
	<i>Ficus platyphylla</i> Del.?	No 1 in FTEA	T6,8	R,W,WGS	Tree 15m	o
	<i>Ficus sansibarica</i> Warb. ssp		T8	GWF,T	Tree 25m	r
3696	<i>Ficus scassellatii</i> Pamp. ssp <i>scassellatii</i>		T6	Forest on R	Tree 4m, frt speckled	New for Selous List

No.	Species	Synonym	Area	Habitat	Description	Comment
	<i>Ficus stuhlmannii</i> Warb.		T8	GW	Tree 20m	r
	<i>Ficus sycomorus</i> L.		T6,8	LF, R, GW	Tree 20m	c
	<i>Maclura africana</i> (Bureau) Corner	<i>Cardiogyne africana</i>	T6,8	R, GW	Scandent shrub 5m	c
732	<i>Milicia excelsa</i> (Welw.) C.C. Berg	<i>Chlorophora excelsa</i>	T6		Spiny scandent shrub 10m	
	<i>Treculia africana</i> Decne		T6	LF, R	Tree 25m	d/r
FAMILY : 169 URTI						
	<i>Laportea aestuans</i> (L.) Chew		T6	RT	Annual herb 0.3m	r
	<i>Laportea interrupta</i> (L.) Chew		T6	LF, R	Annual herb 0.3m	lc
FAMILY : 173 CELA						
	<i>Elaeodendron buchananii</i> (Loes.) Loes.		T8	WG	Tree 10m	o
	<i>Elaeodendron schlechterianum</i> (Loes.) Loes.		T8	GW	Shrub 2m	o
	<i>Elaeodendron schweinfurthianum</i> (Loes.) Loes.		T6,8	R, GW, WH, TC	Shrub 4m	o
	<i>Maytenus heterophylla</i> (Eckl. & Zeyh.) N. Robson		T6,8	R, GW, A, WH	Shrub 4m	c
	<i>Maytenus mossambicensis</i> (Klotzsch) Blakelock var <i>mossambicensis</i>		T6,8	R, W	Shrub 2m	r
4667	<i>Maytenus putterlickioides</i> (Loes.) Exell & Mendonca		T6	Riverine	Shrub 3m, flws white	
	<i>Maytenus senegalensis</i> (Lam.) Exell		T6,8	W, WGS	Shrub 3m	o
	<i>Mystrozydon aethiopicum</i> (Thunb.) Loes.		T6,8	R, GW, A, AW	Shrub/tree 8m	c
FAMILY : 173 HIPP						
	<i>Elachyptera parvifolia</i> (Oliv.) N. Halle		T8	T	Woody climber	r
3712	<i>Loeseneriella africana</i> (Willd.) N. Halle var <i>richardiana</i> (Cambess.) N. Halle	<i>Hippocratea africana</i>	T6,8	R, GW, A	Woody climber 15m	c
	<i>Reissantia buchananii</i> (Loes.) N. Halle	<i>Hippocratea buchananii</i>	T6	Forest on R	Liane 10m	
	<i>Reissantia indica</i> (Willd.) N. Halle var <i>orientalis</i> N. Halle & B. Mathew	<i>Hippocratea indica</i>	T6,8	R, GW, A	Scandent shrub 5m	c
	<i>Salacia bussei</i> Loes.		T6,8	W	Suffrutex 0.5m	o
	<i>Salacia elegans</i> Oliv.		T8	R	Woody climber 15m	o
	<i>Salacia leptoclada</i> Tul.		T8	T	Scandent shrub 5m	c
	<i>Salacia madagascariensis</i> (Lam.) DC.		T6,8	R, T	Scandent shrub/woody climber	c
	<i>Salacia stuhlmanniana</i> Loes.		T6,8	R, GW	Woody climber 10m	c
FAMILY : 179 ICAC						
	<i>Leptaclus holstii</i> (Engl.) Engl.		T6	LF	Shrub 1m	r
	<i>Pyrenacantha kaurabassana</i> Baill.		T6,8	R, W, WG	Trailing/climbing herb	c
	<i>Pyrenacantha vogeliana</i> Baill.		T6	LF	Woody climber 3m	r
	<i>Rhaphiostylis beninensis</i> (Planch.) Benth.		T6	LF	Woody climber 10m	r
FAMILY : 180 SALV						
	<i>Dobera loranthifolia</i> (Warb.) Harms		T6,8	WG, C, A	Tree 15m	c
	<i>Salvadora persica</i> L. var <i>persica</i>		T6,8	R, GW, WH, A	Scandent shrub 6m	c
FAMILY : 182 OLAC						
	<i>Olax dissitiflora</i> Oliv.		T8	GW	Tree 8m	r
3640	<i>Olax pentandra</i> Sleumer		T6,8	GWR, R, T	Shrub 4m	c
	<i>Ximenia americana</i> L. var <i>caffra</i> (Sond.) Engl.		T6	Rocky area	Tree 3m	
	<i>Ximenia caffra</i> Sond. var <i>natalensis</i> Sond.	? = <i>Ximenia americana</i> L. var <i>caffra</i> (Sond.) Engl.	T6,8	WGS, WG	Shrub 4m	o
			T6,8	W	Shrub 4m	o
FAMILY : 183 OPIL						
	<i>Opilia amentacea</i> Roxb.	<i>O. celtidifolia</i> var <i>tomentella</i>	T8	R, GW, A	Scandent shrub 5m	o
FAMILY : 185 LORA						
	<i>Aegalanthus kayseri</i> (Engl.) Polhill & Wiens		T6,8	R	Parasitic shrub	c
	<i>Aegalanthus scassellatii</i> (Chiov.) Polhill & Wiens	<i>Tapinanthus aurantiacus</i>	T6,8	W	Parasitic shrub	o
	<i>Englerina muerensis</i> (Engl.) Balle ined?		T6	W	Parasitic shrub	r

No.	Species	Synonym	Area	Habitat	Description	Comment
	Englerina sp		T8	T	Parasitic shrub	r
	Erianthemum dregei (Eckl. & Zehh.) Tieghem	E. sodenii (Engl.) Balle ined?	T6,8	R, GWF	Parasitic shrub	o
	Erianthemum hirsutiflorum (Klotzsch) Balle		T8	W, WG	Parasitic shrub	c
	Erianthemum nganicum (Sprague) Danser		T8	W	Parasitic shrub	r
	Erianthemum sp nov		T8	W	Parasitic shrub	o
	Helixanthera kirkii (Oliv.) Danser		T8	T, W	Parasitic shrub	r
	Oncocalyx rhamnifolius (Engl.) Tieghem	Spragueanell a rhamnifolia (Engl.) Balle	T6,8	WG	Parasitic shrub	r
	Plicosepalus kalachariensis (Shinz) Danser	P. curviflorus (Benth.) Tieghem var kalachariensis (Schinz) Balle ined?	T6,8	W, WG, T	Parasitic shrub	c
	Vanwykia remota (Bak. & Sprague) Wiens		T6,8	W, WG	Parasitic shrub	c
FAMILY : 185 VISC						
	Viscum tenue Engl.		T8	GWF	Parasitic shrub	r
FAMILY : 186 SANT						
	Thesium cymosum A.W. Hill		T6	SEW	Perennial herb 0.2m	r
	Thesium dissitum N.E.Br.		T6	WGS	Perennial herb 0.1m	r
	Thesium schweinfurthii Engl.		T6,8	WGS	Perennial herb 0.2	r
	Thesium subaphyllum Engl.		T8	W	Perennial herb 0.3m	r
	Thesium ulugurense Engl.		T6	W	Perennial herb 0.1m	r
FAMILY : 189 BALA						
	Sarcophyte sanguinea Sparrman ssp piriei (Hutch.) Hansen?	S. piriei	T8	GWF	Parasitic	c
FAMILY : 190 RHAM						
	Berchemia discolor (Klotzsch) Bems. l.		T6,8	R, WH, A, WG	Tree 15m	c
	Helinus integrifolius (Lam.) Kuntze		T8	T, W	Scandent shrub 4m	r
	Scutia myrtina (Burn. f.) Kurz		T6,8	GWF, TC	Scandent shrub 4m	c, o
	Ziziphus abyssinica A. Rich.		T6,8	R, WH, G, W	Scandent shrub 3m	o
	Ziziphus mucronata Willd. ssp mucronata		T6	R, A	Shrub 5m	o
	Ziziphus pubescens Oliv.		T6,8	R, GWF, A, WG	Tree 15m	c
FAMILY : 193 VITA						
	Ampelocissus africana (Lour.) Merr. var africana		T6,8	R, A, W, WG	Woody climber 5m/trailing	c
4460	Ampelocissus multistriata (Bak.) Planch.		T6,8	R, T	Herbaceous climber 10m	o
	Ampelocissus obtusata (Bak.) Planch. ssp kirkiana (Planch.) Wild & Drummond		T6	W	Herbaceous climber 2m	o
	Ampelocissus obtusata (Bak.) Planch. ssp obtusata		T6,8	W	Erect/scrambling herb	o
	Cayratia ibuensis (Hook. f.) Susseng.		T8	GWF	Herbaceous climber 3m	r
	Cissus aralioides (Bak.) Planch. ssp orientalis Verdc.		T6	RT	Succulent climber 5m	r
3684	Cissus bathyrhakodes Werderm.	Ampelocissus cavicaulis sensu Vollesen	T6	Forest on R	Fleshy climber 6m	
			T8	WGS	Erect tuberous herb 0.1m	r
	Cissus cornifolia (Bak.) Planch.		T6,8	W, WGS	Suffrutex 0.4m	c
3622			T6	Wooded Gras	Shrub (?) 80cm	
3721			T6	Wooded Gras	lfless shrub 1m, flws yell	
4439	Cissus egertosa Werderm.		T6			New for Selous List
	Cissus integrifolia (Bak.) Planch.		T6,8	R, A	Woody climber 10m	c
	Cissus nigeodii Verdc.	C. oliveri sensu Vollesen	T8	R	Herbaceous climber 6m	r
	Cissus phymatocarpa Masinde & L.E. Newton	C. quadrangula aris sensu Vollesen	T6,8	R, A	Succulent climber 5m	c
	Cissus populnea Guill. & Perr.		T6	LF	Herbaceous climber 8m	r
	Cissus rotundifolia (Forssk.) Vahl var rotundifolia		T6,8	R, A	Herbaceous climber 8m	o

No.	Species	Synonym	Area	Habitat	Description	Comment
3707	<i>Cissus sciaphila</i> Gilg		T6	Forest on R	Liane 3m	New for Selous List
	<i>Cyphostemma adenocaula</i> (A.Rich.) Wild & Drummond ssp <i>adenocaula</i>		T8	R	Herbaceous climber 6m	o
	<i>Cyphostemma buchananii</i> (Planch.) Wild & Drummond		T6,8	W, WG	Trailing/climbing herb	c
	<i>Cyphostemma congestum</i> (Bak.) Wild & Drummond		T8	R	Herbaceous climber 5m	r
	<i>Cyphostemma crotalarioides</i> (Planch.) Wild & Drummond		T8	W	Erect herb 0.3m	r
4456	<i>Cyphostemma duparquetii</i> (Planch.) Descoings		T6			New for Selous List
4444	<i>Cyphostemma gigantophyllum</i> (Gilg & Brandt) Wild & Drummond		T6			1st T6. New for Selous list
	<i>Cyphostemma hildebrandtii</i> (Gilg) Wild & Drummond		T8	W	Erect/scrambling herb 0.5m	c
	<i>Cyphostemma junceum</i> (Webb) Wild & Drummond ssp <i>junceum</i>	Check no T6,8 in PTEA	T6,8	W, SEW	Erect perennial herb 0.5m	o
	<i>Cyphostemma paucidentatum</i> (Klotzsch) Wild & Drummond ssp <i>paucidentatum</i>	C.sp aff <i>paucidentatum</i> see FTEA pg74	T6,8	R, T, W	Herbaceous climber 3m	o
3683	<i>Cyphostemma santuarium-selousii</i> Verdc.	<i>C. barbosae</i> sensu Vollesen	T6,8 T6 T8	GWF, A Forest on R W	Herbaceous climber 8m Fleshy climber 6m Trailing/climbing perennial	c, r r
3739	<i>Cyphostemma setosum</i> (Roxb.) Alston		T8	W	Trailing perennial herb	r
	<i>Cyphostemma</i> sp		T6	Woodland w	Trailing succulent climber	
	<i>Cyphostemma trachyphyllum</i> (Werderm.) Wild & Drummond		T8	W, WGS	Herbaceous climber 2m	r
		<i>Cayratia gracilis</i> sensu Vollesen	T8	W	Herbaceous climber	r
	<i>Rhoicissus revollii</i> Planch.		T6,8	R, TC, AW	Woody climber 6m	o
	<i>Rhoicissus tridentata</i> (L.f.) Wild & Drummond		T8	AW	Suffrutex 0.4m	r
FAMILY : 194 RUTA						
	<i>Citropsis daweanii</i> Swingle		T8	T	Scandent shrub 6m	o
	<i>Toddaliopsis sansibarensis</i> (Engl.) Engl.		T6,8	R, T	Shrub 5m	c
	<i>Vepris eugenifolia</i> (Engl.) Verdoorn		T6,8	R, GWF, TC	Shrub 5m	c
	<i>Vepris glomerata</i> (F.Hoffm.) Engl. var <i>glabra</i> KOKW.		T8	T	Shrub 2m	r
	<i>Vepris simplicifolia</i> (Verdoorn) W. Mziray	<i>Teclea simplicifolia</i>	T6	LF, R, TC	Shrub/tree 10m	o
	<i>Zanthoxylum chalybeum</i> Engl.		T6,8	WG	Shrub 2m/tree 10m	o
	<i>Zanthoxylum holtzianum</i> (Engl.) Waterm. ssp <i>holtzianum</i>		T6,8	T, R	Shrub 5m	c, r
	<i>Zanthoxylum tenuipedicellatum</i> (Kokwaro) Vollesen		T8	T	Shrub 4m	o
FAMILY : 195 BALA						
	<i>Balanites aegyptiaca</i> (L.) Del.		T6,8	W, WG	Tree 15m	o
	<i>Balanites manghamii</i> Sprague		T8	W, SEW	Tree 15m	r
731	<i>Balanites pedicellaris</i> Mildbr. & Schlecht.		T6,8	R, GWF, WH	Shrub 5m	c
	<i>Balanites wilsoniana</i> Dawe & Sprague ssp <i>orientalis</i> Sands ined?	? <i>B. manghamii</i>	T6,8	GWF, R	Tree 2m Tree 20m	d, r
FAMILY : 195 SIMA						
	<i>Harrisonia abyssinica</i> Oliv.		T6,8	LF, R, GWF, A	Shrub 2m/scandent 7m	c
FAMILY : 196 BURS						
4464	<i>Commiphora africana</i> (A.Rich.) Engl. var <i>fulvotomentosa</i> Engl.		T6,8 T8 T6	W, WG T	Shrub 3m Tree	c r
	<i>Commiphora lindensis</i> Engl.		T6			New for Selous List
	<i>Commiphora madagascariensis</i> Jacq.	C.sp ? nov	T8	R, GWF	Scandent shrub, slender 2m	o
3669	<i>Commiphora morbassensis</i> Engl.		T6,8	R, A, WGS, GWF	Shrub 4m may be scandent	o
	<i>Commiphora pedunculata</i> (Kotschy & Peyr.) Engl.		T6	Forest on R	Weak Tree 6m	No mat in EAH
	<i>Commiphora pteleifolia</i> Engl.		T8	GWF, WH	Shrub/tree 8m	o
			T8	W	shrub 2m	o
3677	<i>Commiphora serrata</i> Engl.		T6,8	R, GWF, A, WH	Scandent shrub/tree 6m	c
	<i>Commiphora sanzibarica</i> (Baill.) Engl.		T6,8	Forest on R	Tree 6m	
			T6,8	T, TC	Tree 15m	c, r
			T6,8	R, GWF, A	Shrub 4m	c

No.	Species	Synonym	Area	Habitat	Description	Comment
FAMILY : 197 MELI						
	<i>Ekebergia benguelensis</i> C.DC.		T6	W	Shrub/tree 5m	lc
	<i>Khaya anthothea</i> (Welw.)C.DC.	<i>K.nyasica</i> Bak.f.	T6,8	R,GWF	Tree 35m	r
	<i>Pseudobersana mossambicensis</i> (Sim)Verdc.		T6	LF	Tree 15m	r
716	<i>Trichilia emetica</i> Vahl		T6,8	R,GWF,LF	Tree 25m Tree 10m	d
	<i>Turraea floribunda</i> Hochst.		T6	LF	Scandent shrub 3m	r
	<i>Turraea mombassana</i> C.DC. ssp <i>mombassana</i>		T6	LF	Shrub 3m	r
3628	<i>Turraea nilotica</i> Kotschy & Peyr.		T6,8	W,WG,GWF	Shrub 2m/in GWF tree 7m	o,o,r
			T6	Wooded Gras	Tree 2m, flws yellow/white	
FAMILY : 198 SAPI						
	<i>Allophylus africanus</i> P.Beauv.		T8	T	Shrub	r
	<i>Allophylus meliodorus</i> Radlk. forma		T6	LF	Shrub 0.5m	r
	<i>Allophylus pervillei</i> Blume		T6	LF	Shrub 2m	c
	<i>Allophylus rubifolius</i> (A.Rich.)Engl. var		T6,8	R,GWF,A	Shrub 4m	c
	<i>Allophylus</i> sp nov 2 of Kew		T8	T	Shrub 5m	c
	<i>Cardiospermum halicacabum</i> L.		T6,8	R,RBa	Annual climbing herb 2m	o
	<i>Chytranthus prieurianus</i> Baill. ssp <i>longiflorus</i> (Verdc.)Halle		T6,8	R	Shrub 0.5m	o
	<i>Deinbollia borbonica</i> Scheff.		T6,8	R,GWF	shrub 5m	c
	<i>Dodonaea viscosa</i> Jacq.		T8	W	shrub 5m	r
	<i>Haplocoelum foliolosum</i> (Hiern)Bullock ssp <i>mombasense</i> (Bullock)Verdc.	<i>H.mombasense</i>	T8	R,W	Shrub/tree 6m	o
	<i>Haplocoelum inoploem</i> Radlk.	<i>H.trigonocar</i> pum	T8	R	Tree 10m	r
	<i>Lepisanthes senegalensis</i> (Poir.)Leenh.		T6,8	R,GWF,T	Tree 10m	c
	<i>Majidea zanguebarica</i> Oliv.		T8	GWF,R	Tree 20m	d,r
	<i>Pancovia golungensis</i> (Hiern)Exell & Mendoaca		T6	R	Tree 15m	r
	<i>Pancovia holtzii</i> Gilg		T8	R	Shrub/tree 5m	o
	<i>Paullinia pinnata</i> L.		T8	T	Shrub 2m	r
	<i>Zanba africana</i> (Radlk.)Exell		T6,8	LF,R	Woody climber 10m	o
			T6,8	W,WGS	Tree 20m	o
FAMILY : 205 ANAC						
	<i>Lannea antiscorbutica</i> (Hiern)Engl.		T8	T	Tree 25m	o
	<i>Lannea edulis</i> (Sond.)Engl. var <i>edulis</i>		T6,8	WGS,W	Suffrutex 0.2m	o
	<i>Lannea schimperi</i> (A.Rich.)Engl.		T8	WGS	shrub 4m/suffrutex 0.3m	r
	<i>Lannea schweinfurthii</i> (Engl.)Engl. var <i>acutifoliolata</i> (Engl.)Kokw.		T8	T,AW	Tree 10m	o
	<i>Lannea schweinfurthii</i> (Engl.)Engl. var <i>stuhlmannii</i> (Engl.)Kokw.		T6,8	R,GWF,G,W,W	Tree 15m	c
	<i>Mangifera indica</i> L.		T8	CR	Tree 20m	r
	<i>Ozoroa insignis</i> Del. ssp <i>reticulata</i> (Bak.f.)Gillett	<i>O.reticulata</i>	T6,8	W,WGS	Suffrutex 0.5m	o
	<i>Ozoroa obovata</i> (Oliv.)R. & A.Fernandes		T8	W,WGS	Tree 6m	o
	<i>Rhus longipes</i> Engl. var <i>longipes</i>		T6,8	R,A	Shrub 3m	r
	<i>Rhus natalensis</i> Krauss		T8	AW	shrub 2m	r
	<i>Sclerocarya birrea</i> (A.Rich.)Hochst. ssp <i>caffra</i> (Sond.)Kokw.		T6,8	W,WGS,WG	Tree 20m	c
725	<i>Sorindeia madagascariensis</i> DC.		T6,8	LF,R,GWF	Tree 25m Tree 12m	d
			T6			
FAMILY : 206 CONN						
3672	<i>Cnestis</i> sp		T6	Forest on R	Liane 3m	r
	<i>Connarus</i> sp nov aff <i>C. vrydaghii</i>	? = <i>Cnestis</i>	T6	LF	Scandent shrub/woody climb	r
	<i>Rourea coccinea</i> (Thonn.)Benth. ssp <i>boivinianus</i> (Baill.)Jongkind	<i>Byrsocarpus</i> <i>boivinianus</i>	T6,8	R,T,W	Shrub 3m	o
	<i>Rourea orientalis</i> Baill.	<i>Byrsocarpus</i> <i>orientalis</i>	T6,8	LF,R,W	Shrub 5m	c
	<i>Vismianthus punctatus</i> Mildbr.		T8	T	Shrub	r
FAMILY : 210 ALAN						
3735	<i>Alangium salviifolium</i> (L.f.)Wangeria ssp <i>salviifolium</i>		T6,8	GWF,R	Tree 15m	d,o
			T6	Fringing Fo	Tree 6m	Kew conf
FAMILY : 212 ARAL						
	<i>Cussonia zimmermannii</i> Harms		T6,8	T,RT	Tree 25m	o
FAMILY : 213 UNBE						

No.	Species	Synonym	Area	Habitat	Description	Comment
	<i>Centella asiatica</i> (L.) Urb.		T6,8	R,RBa	Creeping+rooting perennial	r
	<i>Heteromorpha arborescens</i> (Spreng.) Cham. & Schldl. var <i>abyssinica</i> (A.Rich.) H. Wolff	<i>Heteromorpha trifoliata</i>	T6	W	Shrub 2m	r
	<i>Lefebvrea abyssinica</i> A.Rich.		T6	W	Perennial herb	r
	<i>Steganotaenia araliacea</i> Hochst.		T8	W,WGS	Shrub 5m	o
FAMILY : 221 EBEN						
	<i>Diospyros abyssinica</i> (Hiern) F. White ssp <i>reticulata</i> F. White	<i>D. abyssinica</i>	T8	T	Tree 8m	r
	<i>Diospyros bussei</i> Guerke	<i>D. cornii</i> Chiov.	T6,8	WG,TC	Tree 10m	o
	<i>Diospyros consolatae</i> Chiov.		T6,8	R,GWF,T,TC	Shrub, sometimes scandent	o
	<i>Diospyros ferrea</i> (Willd.) Bakh.		T6,8	R,GWF	Tree 7m	c
	<i>Diospyros kabuyeana</i> F. White	<i>D. brucei</i> F. White	T6,8	R	Tree 8m	o
3746	<i>Diospyros kirkii</i> Hiern		T6,8	WGS,W,A	Tree 10m	d/o
	<i>Diospyros loureiriana</i> G. Don ssp <i>rufescens</i> (Caveney) Verdc.		T6,8	Woodland w	Tree 8m, frts green	
737	<i>Diospyros mespiliformis</i> A. DC.		T6		Tree 4m	
	<i>Diospyros natalensis</i> (Harv.) Brenan		T6,8	LF,R,GWF,AW	Tree 25m	c
	<i>Diospyros occulta</i> F. White	<i>D. troupinii</i> vel sp nov aff	T6,8	LF,R,GWF	Tree 15m	c
	<i>Diospyros squarrosa</i> Klotzsch		T6	LF,R	Small tree	r
	<i>Diospyros verrucosa</i> Hiern		T6,8	R	Shrub 2m	o
	<i>Diospyros zombensis</i> (B.L. Burtt) F. White		T8	W,T	Small tree 5m	o
	<i>Euclea divinorum</i> Hiern		T6	LF,R	Tree 8m	c/r
	<i>Euclea natalensis</i> A. DC. ssp <i>obovata</i> F. White		T6	WG	Shrub 3m	o
	<i>Euclea racemosa</i> Murr. ssp <i>schimperii</i> (A. DC.) F. White	<i>E. schimperii</i> (A. DC.) Dandy	T6,8	R,T,W	Tree 7m	o
			T6,8	GWF,TC	Shrub 4m	c
FAMILY : 222 SAPO						
	<i>Manilkara discolor</i> (Sond.) J. H. Hemsley		T8	T	Tree 15m	c
	<i>Manilkara mochisia</i> (Bak.) Dubard		T6,8	A,WG,TC	Tree 15m	c
	<i>Manilkara sulcata</i> (Engl.) Dubard		T6,8	T	Tree 20m	d
	<i>Mimusops kummel</i> A. DC.		T6	R	Tree 20m	r
	<i>Mimusops obtusifolia</i> Lam.	<i>M. fruticosa</i>	T6,8	R,GWF,W	Tree 15m	c
	<i>Mimusops riparia</i> Engl.		T6	R	Tree 20m	ld
	<i>Mimusops somaliensis</i> Chiov.	<i>M. schliebeni</i> i	T6,8	A,TC	Tree 25m	c
	<i>Sideroxylon inerme</i> L. ssp <i>diospyroides</i> (Bak.) J. H. Hemsley		T6,8	GWF,TC,WG	Tree 10m	c/o
	<i>Synsepalum brevipes</i> (Bak.) Pennington	<i>Pachystela brevipes</i>	T6	LF,R	Tree 25m	c/r
3678	<i>Synsepalum ulugurense</i> (Engl.) Engl. ?	<i>Pachystela ulugurense</i>	T6	Rocky shore	Small tree 1.5m, flws crea	New for Selous List. V. close to <i>S. subverticillatum</i> New for Selous List
723	<i>Vitellariopsis cuneata</i> (Engl.) Aubrev. ?		T6		Tree 4m	
FAMILY : 223 MYRS						
	<i>Embelia xylocarpa</i> P. Halliday		T8	R	Scandent Shrub 3m	r
FAMILY : 228 LOGA						
4462	<i>Anthocleista grandiflora</i> Gilg		T6	LF,R	Tree 30m	d,r
	<i>Mostuea brunonis</i> Didr. var <i>brunonis</i>		T8	R,T	Shrub 1m	c
	<i>Mostuea microphylla</i> Gilg		T6,8	R,T	Shrub 1m	c
	<i>Nuxia floribunda</i> Benth.		T8	RT	Shrub 3m	r
3658	<i>Strychnos angolensis</i> Gilg		T6	LF	Woody climber 5m	r
	<i>Strychnos angolensis</i> Gilg ?		T6	Thicket nr		
	<i>Strychnos cocculoides</i> Bak.		T6,8	W	Shrub 3m	o
	<i>Strychnos henningsii</i> Gilg		T6,8	T,R	Shrub/tree 8m	d,c
	<i>Strychnos madagascariensis</i> Poir.		T6,8	R,GWF,W	Tree 20m	c
	<i>Strychnos mitis</i> S. Moore		T6,8	LF,R	Tree 10m	r
4451	<i>Strychnos mitis</i> S. Moore ?		T6			
3648			T6	Rocky area	Tree 4m	(= R&G 6598 frn fana)
	<i>Strychnos panganensis</i> Gilg		T8	T	Woody climber 5m	o
	<i>Strychnos potatorum</i> L. f.		T6,8	R,GWF,A	Tree 15m	c
	<i>Strychnos spiasosa</i> Lam.		T6,8	R,T,W,WG	shrub/tree 10m	c

No.	Species	Synonym	Area	Habitat	Description	Comment
	<i>Strychnos xylophylla</i> Gilg		T6	R	Tree 10m	r
FAMILY : 229 OLEA						
	<i>Jasminum fluminense</i> Vell.		T6,8	R,GWF	Woody climber 5m	c
	<i>Jasminum meyeri-johannis</i> Engl.		T6,8	R	Woody climber 5m	o
	<i>Jasminum pauciflorum</i> Benth.	No T6 FTEA	T6	LF	Scandent shrub/woody climber	r
	<i>Jasminum stenolobum</i> Rolfe		T6,8	R,GWF,T	Woody climber 5m	c
	<i>Jasminum stolzeanum</i> Knobl.		T8	T	Woody climber 4m	o
	<i>Jasminum streptopus</i> E.Mey.		T8	T	Woody climber 4m	o
	<i>Linociera giordanoi</i> Chiov.	?-Chionanthus	T6	LF	Tree 10m	r
	<i>Schrebera trichoclada</i> Welw.		T6,8	T,W	Tree 10m	c
FAMILY : 230 APOC						
	<i>Acokanthera</i> sp cf <i>oblongifolia</i> (Hochst.)L.E.Codd		T8	T	Tree 8m	r
	<i>Adenium obesum</i> (Forssk.)Roem. & Schult.		T6,8	A,TC,RT,WGS	Succulent shrub 0.5m	o
	<i>Alafia microstylis</i> K.Schum.		T6,8	LF,R	Woody climber 15m	r
	<i>Ancylotrys petersiana</i> (Klotzsch)Pierre	<i>Landolphia petersiana</i> (Klotzsch)Dyer	T6,8	R,GWF,T	Woody climber 5m	c
	<i>Carissa edulis</i> (Forssk.)Vahl		T6,8	R,WG,G	Shrub 3m	o
	<i>Carvalhoa campanulata</i> K.Schum.	<i>C.macrophylla</i> K.Schum.	T8	T	Shrub 1m	c
	<i>Diplorhynchus condylocarpon</i> (Muell.Arg.)Pichon		T6,8	W	Shrub 4m	d
4469	<i>Holarrhena pubescens</i> (Buch-Ham.)G.Don		T6,8	W,WG,T	Shrub 1m/tree 8m	c
	<i>Landolphia buchananii</i> (Hall.f.)Stapf	? <i>L.kilimandjara</i> (Warb.)Stapf	T6	R	Woody climber 15m	r
	<i>Landolphia parvifolia</i> K.Schum.		T6,8	W,T	Woody climber 10m/scrambler	c
	<i>Pleioceras orientale</i> Vollesen		T6,8	T,LF	Tree 8m	c,r
	<i>Rauvolfia caffra</i> Sond.		T6	R	Tree 10m	r
	<i>Rauvolfia mombasiana</i> Stapf		T6	LF,R	Shrub 5m	o
	<i>Saba comorensis</i> (Bojer)Pichon	<i>S.florida</i>	T6,8	LF,R,GWF	Woody climber 25m	c
	<i>Schizogygia coffaeoides</i> Baill.		T6,8	R,GWF	Shrub 2m	c
	<i>Strophanthus courmontii</i> Franch.		T6,8	R	Woody climber 15m	o
3689	<i>Strophanthus kobe</i> Oliv.		T6,8	T,R	Scandent shrub 4m/woody climber	c,r
	<i>Tabernaemontana elegans</i> Stapf		T6	Forest on R	Liane 6m, stems plum colour	o
	<i>Tabernaemontana usambarensis</i> K.Schum.		T6,8	R	Tree 10m	c
	<i>Voacanga africana</i> Stapf	<i>V.lutescens</i> Stapf	T6	LF,R	Shrub 5m	c,r
	<i>Voacanga thonarsii</i> Roem. & Schult.		T6,8	LF,R	Shrub 5m	o
	<i>Voacanga thonarsii</i> Roem. & Schult.		T6	R	Tree 10m	r
FAMILY : 231 ASCL						
	<i>Aspidoglossum angustissimum</i> (K.Schum.)Bullock		T8	G	Perennial herb 1.5m	o
	<i>Aspidoglossum interruptum</i> (E.Mey.)Bullock		T8	W	Perennial herb 0.3m	r
	<i>Brachystelma</i> sp aff <i>B. prostratum</i> E.A.Bruce		T8	W	Prostrate perennial herb	r
	<i>Calotropis gigantea</i> (L.)Dryand.		T6,8	R,W,WE,CR	Perennial herb 1.5	o
	<i>Cryptolepis apiculata</i> K.Schum.		T6,8	W	Herbaceous climber 1m	o
	<i>Cryptolepis hypoglaucula</i> K.Schum.		T8	R,GWF	Herbaceous climber 2m	o
	<i>Cryptolepis obtusa</i> N.E.Br.		T6,8	R,GWF	Woody climber 5m	o
	<i>Cryptolepis</i> sp nov aff <i>C. sanguinolenta</i> (Lindl.)Schltr.		T8	T	Woody climber 8m	r
	<i>Cynanchum gerrardii</i> (Harvey)Liede	<i>C.tetrapterum</i>	T6	TC	Leafless woody climber 5m	r
	<i>Dregea macrantha</i> Klotzsch		T6,8	R,GWF,A	Woody climber 6m	o
	<i>Ectadiopsis oblongifolia</i> (Meisn.)Schltr.		T6	W	Suffrutex 0.3m	r
	<i>Glossostelma carsonii</i> (N.E.Br.)Bullock		T8	W	Perennial herb 0.3m	o
	<i>Gongronema taylorii</i> (N.E.Br.)Bullock		T8	W,T	Woody climber, 3m	o
	<i>Kanahia laniflora</i> (Forssk.)R.Br.		T6	RBe	Shrub 1m	o
	<i>Omphalogramma calophyllum</i> Baill.	<i>Parquetina nigrescens</i>	T6	R	Woody climber 10m	r
	<i>Pachycarpus lineolatus</i> (Decne)Bullock		T6	W	Perennial herb	r
	<i>Pachycarpus spurius</i> (N.E.Br.)Bullock		T8	W	Perennial herb	r
	<i>Pentagonanthus grandiflorus</i> (N.E.Br.)Bullock		T6	W	Perennial herb 0.4m	r
	<i>Pentarrhinum insipidum</i> E.Mey.		T8	R,GWF	Herbaceous climber 2m	o
	<i>Pentatropis nivalis</i> (J.F.Gmel.)D.V.Field & J.R.L.Wood	<i>P.spiralis</i>	T8	GWF,G	Herbaceous climber 2m	lc
	<i>Raphionacme jurensis</i> N.E.Br.		T6,8	W,WGS	Perennial herb 0.1m	o
	<i>Raphionacme longifolia</i> N.E.Br.		T8	W	Perennial herb 0.2m	o
	<i>Raphionacme</i> sp		T6	TC	Shrubby herb 0.5m	r
	<i>Sarcostemma viminalis</i> (L.)R.Br. s.l.		T6	RT	Succulent leafless climber	r

No.	Species	Synonym	Area	Habitat	Description	Comment
3682	Schizostephanus alatus K.Schum.	Cynanchum validum N.E.Br.	T6	Forest on R	Liane 8m, flws yellowish	New for Selous List
	Secamone parvifolia (Oliv.)Bullock		T8	R	Woody climber 3m	r
	Sphaerocodon caffrum (Heisn.)Schltr.		T6	W	Perennial herb 0.2m	r
	Stathmostelma paniculatum (Klotzsch)K.Schum.		T8	G	Perennial herb 1m	o
	Tacazzea apiculata Oliv.		T8	R	Woody climber 3m	r
	Tylophora conspicua N.E.Br.		T6	LF	Woody climber 7m	r
	Tylophora stenoloba (K.Schum.)N.E.Br.		T8	R	Woody climber 7m	o
FAMILY : 232 RUBI						
	Agathisanthemum bojeri Klotzsch var		T6	R,W	Perennial herb 0.3m	r
	Aoranche penduliflora (K.Schum.)Somers	Porterandia penduliflora	T6	LF	Shrub 4m	o
	Breonadia salicina (Vahl)Hepper & Wood	B.microcephala	T6,8	R	Tree 30m	o
3630	Burttidavya nyasica Royle		T6,8	R,GWF	Tree 25m	o
	Calycosiphonia spathicalyx (K.Schum.)Robbrecht	Coffea spathicalyx	T6	Riverine Fo	Tree 12m	d
	Canthium mombazense Baill.		T6	LF	Tree 8m	d
	Canthium peteri Bridson	C.sp cf C. kenense	T8	T	Shrub 3m	c
	Canthium pseudoverticillatum S.Moore ssp pseudoverticillatum		T8	R,GWF	Scandent shrub 5m	c
	Canthium racemosum S.Moore var nanguanum (Tennant)Bridson	C.burttii sensu Vollesen	T8	T	Shrub	r
	Canthium setiflorum Hiern ssp telidosma (K.Schum.)Bridson	C.setiflorum sensu Vollesen	T6,8	W,T	Shrub/tree 6m	o
	Canthium siebenlistii (K.Krause)Bullock		T6	R	Shrub 3m	r
	Canthium vollesenii Bridson	C.sp aff C. lactescens	T8	T	Shrub/tree 6m	o
	Catunaregam pygmaea Vollesen	Catunaregam sp nov	T6,8	GWF,TC	Tree 8m	c
	Catunaregam spinosa (Thunb.)Tirvengadam ssp taylorii (S.Moore)Verdc.		T8	W	Suffrutex 0.1m	o
3636	Chassalia umbraticola Vatke ssp umbraticola		T6,8	R,T,W,WG	Shrub 5m	c
	Chazaliella abrupta (Hiern)Petit & Verdc. var abrupta		T6	Dry riverba	Shrub 2m	
4657	Coffea sessiliflora?		T6,8	W,R,T	Shrub 4m	c,o,o
3681	Coffea sp cf sessiliflora Bridson & cf costatifructa		T6,8	LF,R,GWF,T	Shrub 1.5m	c
	Coffea sp J of FTEA	C.sp nov aff C. racemosa	T8	T	Shrub 3m	r
	Coffea xanguebariae Lour.		T8	R,GWF,WH	Shrub 5m	c
	Craterispermum schweinfurthii Hiern		T6	LF,R,AW	Shrub/tree 6m	c,o,o
	Cremaspora triflora (Thonn.)K.Schum. ssp confluens (K.Schum.)Verdc.		T6	R	Shrub 3m	r
	Crossopteryx febrifuga (G.Don)Benth.		T6,8	W,WGS,SEW	Tree 10m	c
	Cuviera semsei Verdc.		T8	T	Shrub maybe scandent 5m	c
	Cuviera tomentosa Verdc.	Vangueria sp nov vel gen aff	T8	W	Shrub 5m	r
	Didymosalpinx norae (Swynnerton)Keay		T6	LF	Shrub 3m	o
	Diodia sarmentosa Sw.		T6	LF,R	Scrambling perennial herb	c,r
	Fadogia vollesenii Verdc.	F.sp nov	T8	W	Suffrutex 0.1m	o
	Gardenia posoquerioides S.Moore		T6	LF	Shrub 4m	o
3629	Gardenia resiniflua Hiern ? ssp resiniflua		T6	Wooded Gras	Shrub 1.5m	1st Tz? Kew conf
	Gardenia resiniflua Hiern ssp septentrionalis Verdc.		T8	W,AW	Shrub 3m	r
	Gardenia ternifolia Schumach. & Thonn. ssp jovis-tonantis (Welw.)Verdc. var jovis-tonantis (Welw.)Aubrev.		T6,8	W,R	Shrub 4m	o
	Gardenia transvenulosa Verdc.		T8	T	Shrub 4m	d
	Geophila obvallata (Schumach.)F.Didr. ssp ioides (K.Schum.)Verdc.		T6,8	LF,R,T,AW	Perennial herb 0.05m	o
	Heinsia crinita (Afz.)G.Tayl. ssp parvifolia (K.Schum. & K.Krause)Verdc.		T6,8	LF,R,GWF,T	Shrub 5m	c
	Hymenodictyon parvifolium Oliv. ssp parvifolium		T6,8	R,T	Shrub maybe scandent/tree	c
	Ixora narcissodora K.Schum.		T6,8	R,GWF	Shrub 3m	o
	Ixora tanzaniensis Bridson	I.sp nov	T6	LF	Shrub 3m	r
	Keetia gueinzii (Sond.)Bridson	Canthium hispidum	T6	R	Scandent shrub 4m	r

No.	Species	Synonym	Area	Habitat	Description	Comment
	<i>Keetia purpurascens</i> (Bullock) Bridson	<i>Canthium purpurascens</i>	T6,8	LF, R, WH	Scandent shrub 5m	o
	<i>Keetia zanzibarica</i> (Klotzsch) Bridson ssp <i>zanzibarica</i>		T6,8	R, GWF	Shrub	o
	<i>Kohautia confusa</i> (Hutch. & Dalz.) Bremek.		T6	WGS	Annual herb 0.3m	r
	<i>Kohautia longifolia</i> Klotzsch var		T6,8	W, WG	Annual herb 0.2m	c
	<i>Kohautia virgata</i> (Willd.) Bremek.		T6,8	W, SEW	Perennial herb 0.2m	o
	<i>Kraussia kirkii</i> (Hook.f.) Bullock		T6,8	R, GWF, G	Shrub 1.5m	c
	<i>Kraussia speciosa</i> Bullock		T6	R	Shrub 3m	r
	<i>Lamprothamnus zanguibaricus</i> Hiern		T6,8	R, GWF, G, TC	Shrub 5m	c
	<i>Leptactina delagoensis</i> K.Schum. ssp <i>bussei</i> (K.Schum. & K.Krause) Verdc.		T6,8	W, T	Shrub 3m	c
	<i>Leptactina platyphylla</i> (Hiern) Wernh.		T6	LF	Shrub 5m	r
	<i>Meyna tetraphylla</i> (Hiern) Robyns ssp <i>comorensis</i> (Robyns) Verdc.		T6,8	R, GWF, WH	Shrub 5m	c
	<i>Multidentia exserta</i> Bridson ssp <i>exserta</i>	<i>Canthium stuhlmannii sensu Vollesen</i>	T8	T	Tree 10m	r
	<i>Multidentia kingupirensis</i> Bridson	<i>Canthium sclerocarpum sensu Vollesen</i>	T8	R, GWF	Shrub 3m	r
	<i>Mussaenda arcuata</i> Poir.		T6	R	Scandent shrub 3m	r
	<i>Mussaenda monticola</i> Krause var		T6	LF, R	Scandent shrub 5m	r
	<i>Oldenlandia affinis</i> (Roem. & Schult.) DC. ssp <i>fugax</i> (Vatke) Verdc.		T6,8	W	Prostrate perennial herb	c
	<i>Oldenlandia angloensis</i> K.Schum.		T6	SEW	Perennial herb 0.2m	r
	<i>Oldenlandia capensis</i> L.f. var <i>pleiosepala</i> Bremek.		T6	RBe	Annual herb 0.1m	r
	<i>Oldenlandia corymbosa</i> L. var <i>corymbosa</i>		T8	WH, G	Scrambling annual herb 0.3	r
	<i>Oldenlandia corymbosa</i> L. var <i>linearis</i> (DC.) Verdc.		T8	WG	Annual herb 0.1m	o
	<i>Oldenlandia fastigiata</i> Bremek. var <i>fastigiata</i>		T6,8	W, WG, WE	Annual herb 0.2m	c
	<i>Oldenlandia flosculosa</i> Hiern		T8	WGS	Perennial herb 0.1m	r
	<i>Oldenlandia goreensis</i> (DC.) Summerh. var <i>trichocaulis</i> Bremek.		T8	SEW	Prostrate annual herb	o
	<i>Oldenlandia lancifolia</i> (Schumach.) DC. var <i>scabridula</i> Bremek.		T6	SEW	Perennial herb 0.1m	r
	<i>Oldenlandia pumila</i> (L.f.) DC.		T6	WGS	Annual herb 0.1m	r
	<i>Oxyanthus pyriformis</i> (Hochst.) Skeels ssp <i>tanganyikensis</i> Bridson		T6	LF	Shrub 5m	c
	<i>Oxyanthus zanguibaricus</i> (Hiern) Bridson		T6,8	R, T	Shrub 5m	o
	<i>Paederia bojerana</i> (A.Rich.) Drake ssp <i>foetens</i> (Hiern) Verdc.		T6,8	R, A, W, WG	Woody climber 5m	o
3652	<i>Pavetta crebrifolia</i> Hiern var <i>kimbozenis</i> (Bremek.) Bridson		T6	Thicket nr LF	Shrub 3m	Keys to P. tendagurensis Bremek. but no mat. EAH
	<i>Pavetta decumbens</i> K.Schum. & K.Krause		T6,8	W	Suffrutex 0.2m/shrub 1m	o
	<i>Pavetta fascifolia</i> Bremek.		T6,8	R, GWF, A	Shrub 4m	c
	<i>Pavetta gracifolia</i> Bremek.		T6,8	R, T	Shrub	r
	<i>Pavetta lutambensis</i> Bremek.		T8	GWF	Shrub 3m	r
	<i>Pavetta macrosepala</i> Hiern var <i>macrosepala</i>		T8	T	Shrub 5m	o
	<i>Pavetta macrosepala</i> Hiern var <i>puberula</i> K.Schum.		T8	R, T	Shrub 5m	o
	<i>Pavetta pseudo-albicaulis</i> Bridson		T8	T	Shrub 2m	r
	<i>Pavetta refractifolia</i> K.Schum.		T6,8	R, GWF, T, A	Shrub 2m	c
4449	<i>Pavetta refractifolia</i> K.Schum. ?		T6	Forest on R	Shrub 1m	
3690			T6			
	<i>Pavetta schumanniana</i> K.Schum.		T6	W	Suffrutex 0.3m	r
	<i>Pavetta stenosepala</i> K.Schum. ssp <i>kisarawensis</i> (Bremek.) Bridson		T6	LF	Shrub 2m	r
	<i>Pavetta uniflora</i> Bremek.		T8	T	Shrub 4m	o
	<i>Pentas bussei</i> K.Krause		T6,8	R, T	Shrub 1m	o
	<i>Pentas parvifolia</i> Hiern forma <i>parvifolia</i>		T8	T	Shrub 1m	c
	<i>Pentodon pentandrus</i> (Schum. & Thonn.) Vatke var <i>minor</i> Bremek.		T6,8	G, WH, RBe	Prostrate annual/perennial	c
	<i>Pentodon pentandrus</i> (Schum. & Thonn.) Vatke var <i>pentandrus</i>		T6	RBe	Annual herb 0.1m	r
	<i>Phellocalyx vollesenii</i> Bridson		T8	T, R	Shrub 5m	o, r
	<i>Polysphaeria braunii</i> K.Krause		T6,8	R, GWF	Shrub	o
	<i>Polysphaeria dischistocalyx</i> Brenan		T6,8	R, LW	Shrub 3m	o
	<i>Polysphaeria multiflora</i> Hiern ssp <i>multiflora</i>		T6	LF, R	Shrub 3m	o
	<i>Polysphaeria parvifolia</i> Hiern		T6,8	R, GWF, A	Shrub 2m	c
	<i>Polysphaeria</i> sp A of FTEA		T6	R, RBe	Shrub 2m	r
	<i>P.sp nov aff P. multiflora</i>		T6	R, RBe	Shrub 2m	r

No.	Species	Synonym	Area	Habitat	Description	Comment
	<i>Psilanthus semseii</i> Bridson	Rubiaceae gen nov aff Coffea	T6	LF	Shrub 3m	r
3713	<i>Psychotria amboniana</i> K.Schum. var <i>amboniana</i>		T6	Forest on R	Shrub 1m	New for Selous List
	<i>Psychotria capensis</i> (Ecklon)Vatke ssp <i>riparia</i> (K.Schum. & K.Krause)Verdc. var <i>puberula</i> (Petit)Verdc.		T8	R	Shrub	r
	<i>Psychotria capensis</i> (Ecklon)Vatke ssp <i>riparia</i> (K.Schum. & K.Krause)Verdc. var <i>riparia</i>		T6,8	LF,R	Shrub 5m	o
	<i>Psychotria kirkii</i> Hiern var <i>nairobiensis</i> (Bremek.)Verdc.		T6	W	shrub 1m	r
	<i>Psychotria kirkii</i> Hiern var <i>swynaertonii</i> (Bremek.)Verdc.		T8	W,WG	Suffrutex 0.3m	c
	<i>Psychotria lauracea</i> (K.Schum.)Petit		T6	LF	Shrub 4m	r
	<i>Psychotria linearisepala</i> Petit		T8	T	Shrub 2m	c
	<i>Psychotria pumila</i> Hiern		T6,8	W	Suffrutex 0.1m	c
	<i>Psychotria punctata</i> Vatke var <i>punctata</i>		T6,8	R,G	Shrub maybe scandent 3m	o
4452	<i>Psychotria punctata</i> Vatke var <i>tennis</i> Petit		T6	R	Shrub 1m	r
	<i>Psychotria punctata</i> Vatke var <i>tennis</i> Petit?		T6			
	<i>Psychotria schliebenii</i> Petit		T6	LF	Shrub 2m	o
	<i>Psychotria tanganyicensis</i> Verdc.		T6	LF	Shrub 0.5m	c
	<i>Psydrax faulknerae</i> Bridson		T8	T	Tree 10m	r
		<i>Canthium huillense</i> sensu Vollesen				
	<i>Psydrax kaessneri</i> (S.Moore)Bridson		T6,8	R	Scandent shrub 4m	o
	<i>Psydrax micans</i> (Bullock)Bridson	<i>Canthium micans</i>	T8	T	Scandent shrub 5m	c
	<i>Psydrax shuguriensis</i> Bridson	<i>Canthium</i> sp nov aff <i>C. kaessneri</i>	T8	RBe	Shrub 0.2m	r
	<i>Pyrostria bibracteata</i> (Bak.)Cavaco		T8	R	Shrub 3m	r
	<i>Rothmannia englerana</i> (K.Schum.)Keay		T8	W,T	Shrub 3m	o
	<i>Rothmannia fischeri</i> (K.Schum.)Obern.		T8	T	Shrub 5m	r
	<i>Rothmannia macrosiphon</i> (Engl.)Bridson		T6,8	T	Shrub/tree 8m	o
	<i>Rytigynia binata</i> (K.Schum.)Robyns		T8	T	Shrub/tree 6m	c
	<i>Rytigynia celastroides</i> (Baill.)Verdc. var <i>celastroides</i>	<i>R. oligacanth</i>	T6	R	Shrub 1m	r
		<i>a</i> (K.Schum.)Robyns				
		<i>R. microphylla</i>	T6,8	W,T	Shrub 1m	o
		<i>a</i> (K.Schum.)Robyns				
	<i>Rytigynia celastroides</i> (Baill.)Verdc. var <i>nuda</i> Verdc.	<i>R. glabra</i>	T8	R	Shrub 5m	o
		sensu Vollesen				
	<i>Rytigynia decussata</i> (K.Schum.)Robyns		T6,8	W	Suffrutex/shrub 0.5m	c
	<i>Rytigynia obliqua</i> (K.Schum. & K.Krause)Verdc.	<i>R. schumannii</i> Robyns	T8	T	Tree 5m	r
	<i>Sabicea orientalis</i> Wernham		T6	LF	Woody climber 3m	r
	<i>Spermacoe chaetocephala</i> DC.		T6,8	WGS	Annual herb 0.2m	r
	<i>Spermacoe dibrachiata</i> Oliv.		T6,8	W,SEW	Perennial herb 0.2m	r
	<i>Spermacoe filifolia</i> (Schumach. & Thonn.)DC.		T6,8	WGS	Annual herb 0.3m	lc
	<i>Spermacoe hepperana</i> Verdc.		T6	SEW	Perennial herb 0.5m	r
	<i>Spermacoe ocyroides</i> Burm.f.		T6	R	Annual herb 0.1m	r
	<i>Spermacoe pusilla</i> Wall.		T6	W,WGS	Annual herb 0.2m	r
	<i>Spermacoe senesis</i> (Klotzsch)Hiern		T6	W	Annual herb 0.3m	r
4662	<i>Spermacoe subvulgata</i> (K.Schum.)Garcia		T6	Wooded Gras	Herb 20cm, flws white	
	<i>Spermacoe subvulgata</i> (K.Schum.)Garcia var <i>quadrisejala</i> Verdc.		T6,8	W,WG	Annual herb 0.3m	c
	<i>Spermacoe subvulgata</i> (K.Schum.)Garcia var <i>subvulgata</i>		T6,8	W,WG	Annual herb 0.3m	c
	<i>Tapiphyllum burnettii</i> Tennant		T8	T	Shrub 3m	o
	<i>Tarenna graveolens</i> (S.Moore)Bremek. var <i>graveolens</i>		T6	TC	Shrub 4m	r
	<i>Tarenna nigrescens</i> (Hook.f.)Hiern		T6,8	GWF	Shrub 4m	d
	<i>Tarenna pavettoides</i> (Harv.)Sims ssp <i>affinis</i> (K.Schum.)Bridson		T6	LF	Shrub 5m	c
	<i>Ternocalyx ancylantha</i> Hiern	<i>T. obovatus</i>	T8	W,T	Shrub 1m	o
	<i>Triainolepis africana</i> Hook.f. ssp <i>africana</i>		T6,8	R,T,RT	Shrub 2m	o
	<i>Tricalysia junodii</i> (Schinz)Brenan var <i>kirkii</i> (Hook.f.)Robbrecht		T8	T	Shrub 4m	c
	<i>Tricalysia ovalifolia</i> Hiern var <i>glabrata</i> (Oliv.)Brenan		T6,8	R,GWF,T,A	Shrub 3m	c
	<i>Tricalysia pallens</i> Hiern	<i>T. sp?</i> nov aff <i>myrtifolia</i>	T6	LF,R	Shrub 5m	r

No.	Species	Synonym	Area	Habitat	Description	Comment
	<i>Tricalysia ruandensis</i> Bremek.		T8	T	Shrub	r
	<i>Uncaria africana</i> G.Don ssp <i>africana</i>		T6	LF,R	Woody climber 25m	c,r
	<i>Vangueria infausta</i> Burch. ssp <i>infausta</i>		T6,8	W	Shrub/tree 5m	o
	<i>Vangueria infausta</i> Burch. ssp <i>rotundata</i> (Robyns)Verdc. var <i>campanulata</i> (Robyns)Verdc.		T6	R	Shrub 3m	r
	<i>Vangueria infausta</i> Burch. ssp <i>rotundata</i> (Robyns)Verdc. var <i>rotundata</i>		T8	SEW	Tree	r
	<i>Vangueria madagascariensis</i> Gmel.		T6,8	W,WG	Shrub 4m	o
	<i>Vangueria randii</i> S.Moore ssp <i>acuminata</i> Verdc.		T6	R	Tree 6m	r
	<i>Vangueria randii</i> S.Moore ssp <i>vollesenii</i> Verdc.		T8	R,GWF,T,A	Scandent shrub 5m	c
	<i>Vangueria volkensii</i> K.Schum. var <i>volkensii</i>		T8	T	Tree 5m	r
FAMILY : 238 COMP						
	<i>Ageratum conyzoides</i> L.		T6,8	RBe,SEW	Annual herb 0.3m	o
	<i>Ambrosia maritima</i> L.		T6	RBe	Annual herb 1.5m	r
	<i>Aspilia kotschyi</i> (Sch.Bip.)Oliv.	Authors?	T6,8	W,WGS,RBe	Annual herb 0.4m	o
	<i>Aspilia mendoncae</i> Wild		T8	G	Perennial herb 0.4m	r
	<i>Aspilia mossambicensis</i> (Oliv.)Wild		T8	W	Perennial herb 0.5m	o
	<i>Aspilia natalensis</i> (Sond.)Wild		T8	W	Perennial herb 0.5m	r
	<i>Aspilia plurisetata</i> Schweinf.		T6	W,SEW	Scrambling perennial herb	r
	<i>Bidens grantii</i> (Oliv.)Sherff		T6,8	W	Annual/perennial herb 0.5m	r
	<i>Blepharispermum zanguebaricum</i> Oliv. & Hiern		T6	R	Shrub 3m	r
	<i>Blumea alata</i> (D.Don)DC.	?B.cristata	T6	W	Perennial herb 0.5m	r
	<i>Blumea aurita</i> (L.f.)DC.	?B.viscosa	T6,8	R,GWF,WE	Annual herb 1m	o
	<i>Blumea solidaginoides</i> (Poir.)DC.	B.mollis, B.perottetia na	T6,8	R,G	Annual herb 0.3m	o
	<i>Brachylaena huillensis</i> O.Hoffm.		T8	T	Tree 10m	o
	<i>Conyza aegyptiaca</i> (L.)Ait.		T8	G,RBe	Annual herb 0.4m	o
	<i>Crassocephalum sarcobasis</i> (DC.)S.Moore	C.rubens (Jacq.)S.Moo re	T6,8	RBe,SEW	Annual herb 0.2m	r
	<i>Dicoma sessiliflora</i> Harv.		T6,8	W,WGS	Perennial herb 0.3m	o
	<i>Eclipta prostrata</i> (L.)L.	E.alba	T6,8	RBe,WE	Prostrate/erect annual her	o
	<i>Elephantopus scaber</i> L. ssp <i>plurisetus</i> (O.Hoffm.)Philipson		T8	W	Perennial herb 0.5m	lc
	<i>Emilia integrifolia</i> Bak.		T8	W,WG,T	Annual herb 0.4m	o
	<i>Emilia sonchifolia</i> (L.)Wight		T6	RBe	Annual herb 0.2m	r
	<i>Emilia</i> sp		T8	SEW	Annual herb 0.1m	r
	<i>Epaltes gariepina</i> (DC.)Steetz	E.alata	T6	RBe	Perennial herb 1m	r
	<i>Erythrocephalum minus</i> Oliv.		T6,8	W,WG	Perennial herb 0.2m	c
4441	<i>Erythrocephalum</i> sp nov		T6			
	<i>Erythrocephalum zambesianum</i> Oliv. & Hiern		T8	W	Prostrate perennial herb	r
4445			T8	W,WG	Perennial herb 0.5m	o
3741	<i>Erythrocephalum zambesianum</i> Oliv. & Hiern ?		T6			
	<i>Ethulia conyzoides</i> L.f.	Author?	T6	Woodland w	Herb 40cm, flws red	
	<i>Gnaphalium lateo-album</i> L.		T8	G,WE	Annual herb 1m	r
	<i>Gnaphalium polycaulon</i> Pers.		T6,8	RBe	Annual herb 0.1m	r
		G.indicum auctt.	T6	RBe	Annual herb 0.05m	r
	<i>Grangea maderaspatana</i> (L.)Poir.		T6,8	RBe	Annual herb 0.1m	o
4654	<i>Gutenbergia polycephala</i> Oliv. & Hiern		T6,8	W,WG	Annual herb 0.3m	c
			T6	Rocky Woodl	Herb 30cm, flws purple	
	<i>Hypericophyllum compositarum</i> Steetz		T6,8	W	Perennial herb 1m	o
	<i>Kleinia schweinfurthii</i> Oliv. & Hiern		T8	W	Tuberous herb 0.1m	r
sr	<i>Kleinia</i> sp		T6	Steep rocky		
	<i>Launaea cornuta</i> (Oliv. & Hiern)C.Jeffrey		T6,8	R,A,G,WE	Perennial herb 0.5m	c
	<i>Launaea nana</i> (Bak.)Chiov.		T6,8	WGS	Perennial herb 0.05m	r
	<i>Launaea rariflora</i> (Oliv. & Hiern)Boulos		T6	W	Perennial herb 0.4m	o
	<i>Melanthera albinervia</i> O.Hoffm.		T6,8	W	Perennial herb 0.5m	o
	<i>Mikania chenopodiifolia</i> Willd.	M.cordata (Burm.f.)Rob inson	T6	R	Herbaceous climber 4m	o
	<i>Nicolasia felicoides</i> (Hiern)S.Moore		T8	SEW	Perennial herb 0.1m	r
	<i>Nidorella microcephala</i> Steetz		T6,8	RBe,G	Annual herb 0.3m	c
	<i>Pleiotaxis pulcherrima</i> Steetz		T8	W	Perennial herb 0.3m	r
	<i>Pluchea dioscoridis</i> (L.)DC.		T6,8	R,GWF,RBa	Shrub 1.5m	c
735			T6		Shrub 2m	
	<i>Pluchea sordida</i> (Vatke)Oliv. & Hiern		T8	GWF,G	Shrubby perennial herb 0.3	lc
	<i>Pterocaulon decurrens</i> (L.)S.Moore		T8	WG,WE	Annual herb 0.4m	o
	<i>Sclerocarpus africanus</i> Murr.		T6	R	Annual herb 0.3m	r
	<i>Solanecio angulatus</i> (Vahl)C.Jeffrey	Senecio bojeri	T6,8	T,R	Shrubby perennial herb may	r
	<i>Sphaeranthus africanus</i> L.		T6,8	G,WH,RBe	Annual herb 0.3m	c
	<i>Sphaeranthus angloensis</i> O.Hoffm.		T6,8	RBe	Procumbent annual herb	r
	<i>Sphaeranthus kirkii</i> Oliv. & Hiern		T6	WGS,WH	Annual herb 0.2m	r
	<i>Sphaeranthus polycephalus</i> Oliv. & Hiern		T8	RBe	Annual herb 0.3m	o

No.	Species	Synonym	Area	Habitat	Description	Comment
	<i>Sphaeranthus randii</i> S.Moore var <i>bibracteata</i> Ross-Craig		T6	WH	Annual herb	r
	<i>Sphaeranthus</i> sp	G&K15282	T8	G	Annual herb	r
	<i>Sphaeranthus spathulatus</i> Peter		T8	WH,G	Annual herb 0.1m	r
	<i>Sphaeranthus suaveolens</i> (Forssk.)DC. var <i>abyssinicus</i> (Steetz)Ross-Craig		T6,8	RBe	Prostrate annual herb	r
	<i>Sphaeranthus ukambensis</i> Vatke & O.Hoffm.	Author?	T8	WH,RBe	Annual herb 0.1m	o
	<i>Spilanthes uliginosa</i> Sw.	?Acnella	T6	RBe	Annual herb 0.1m	r
	<i>Synedrella nodiflora</i> Gaertn.	Authors?	T6	R	Annual herb 0.1m	r
	<i>Tridax procumbens</i> L.		T6,8	WE	Perennial herb 0.3m	o
	<i>Vernonia adoensis</i> Walp.		T6,8	W	Perennial herb 1.5m	r
	<i>Vernonia calyculata</i> S.Moore		T6	W	Perennial herb 0.4m	r
	<i>Vernonia cinerea</i> (L.)Less		T6,8	WE	Annual herb 0.2m	o
	<i>Vernonia colorata</i> (Willd.)Drake		T8	R,GWF,G	Shrub, may be scandent 3m	c
	<i>Vernonia fontinalis</i> S.Moore		T6,8	W,SEW	Perennial herb 0.4m	o
	<i>Vernonia galamensis</i> (Cass.)Less.	<i>V. pauciflora</i>	T6,8	R,GWF,W	Annual herb 1m	c
	<i>Vernonia glabra</i> (Steetz)Vatke		T6,8	R,GWF,G,WG	Perennial herb 1m	c
	<i>Vernonia kirkii</i> Oliv. & Hiern		T8	G	Perennial herb 1.5m	o
	<i>Vernonia petersii</i> Oliv.	<i>V. karongensi</i>	T6,8	W,T	Annual herb 0.2m	o
4631	<i>Vernonia poskeana</i> Vatke & Hildebrandt		T6,8	W,WG	Annual herb 0.3m	c
	<i>Vernonia</i> sp aff <i>V. poskeana</i>		T6	Rocky Woodl	Herb 20cm, fws purple	
	<i>Vernonia stuhlmannii</i> O.Hoffm.		T6	RBe	Perennial herb 0.5m	r
	<i>Vernonia viatorum</i> S.Moore vel sp aff		T6,8	R,T,AW	Shrub 0.5m	o
	<i>Vernonia zanzibarensis</i> Loes.	Author?	T8	G	Perennial herb 0.2m	o
	<i>Vicoa leptoclada</i> (Webb)Dandy		T8	T	Shrub, may be scandent 3m	lc
			T8	WE	Annual herb 0.3m	r
FAMILY : 239 GENT						
	<i>Enicostema axillare</i> (Lam.)A.Raynal ssp <i>axillare</i>		T6	W,WG	Perennial herb 0.1m	r
	<i>Enicostema axillare</i> (Lam.)A.Raynal ssp <i>latilobum</i> (N.E.Br.)A.Raynal		T8	G,WGS	Perennial herb 0.3m	c,r
	<i>Exacum oldenlandioides</i> (S.Moore)Klackenber	<i>E. quinquer vium</i> auctt.	T6,8	G,RBe,SEW	Annual herb 0.1m	o
	<i>Faroa pusilla</i> Bak.		T6	W	Annual herb 0.1m	r
	<i>Sebaea grandis</i> (E.Mey.)Stued.		T8	W	Perennial herb 0.1m	r
FAMILY : 239 MENY						
	<i>Nymphoides forbesiana</i> (Griseb.)O.Ktze	<i>N. indica</i> sensu Vollesen	T6	WH	Aquatic herb	r
FAMILY : 240 PRIM						
	<i>Anagallis pumila</i> Sw. var <i>barbata</i> P.Taylor		T6	SEW	Annual herb 0.05m	r
FAMILY : 241 PLUM						
	<i>Plumbago zeylanica</i> L.		T6,8	R,W	Shrub 1m	o
FAMILY : 243 CAMP						
3632	<i>Gunillaea emiraensis</i> (A.DC.)Thulin		T6	RBe	Prostrate annual herb	o
	<i>Wahlenbergia collonioides</i> (A.DC.)Thulin		T6	Riverbank	Herb 10cm	
			T6,8	W,SEW	Annual herb 0.4m	o
FAMILY : 243 SPHE						
	<i>Sphenoclea zeylanica</i> Gaertn.		T6,8	G,WH,RBe	Annual herb 0.5m	o
FAMILY : 244 LOBE						
	<i>Lobelia fervens</i> Thunb. ssp <i>fervens</i>	<i>L. anceps</i> var <i>asperulata</i>	T6	SEW	Annual herb	r
	<i>Lobelia fervens</i> Thunb. ssp <i>recurvata</i> (E.Wimmer)Thulin	<i>L. anceps</i> var <i>recurvata</i>	T6,8	RBa,G,SEW	Scrambling annual herb	o
FAMILY : 248 HYDR						
	<i>Hydrolea sansibarica</i> Gilg		T6,8	G,WH,SEW	Annual herb 0.1m	o
FAMILY : 249 BORA						
	<i>Borreria nemoralis</i> (Guerke)Thulin	<i>Ehretia littoralis</i>	T8	R,G,A	Shrub 2m	o
	<i>Coldenia procumbens</i> L.		T6,8	WH,G,RBe	Prostrate annual herb	c

No.	Species	Synonym	Area	Habitat	Description	Comment
	<i>Cordia crenata</i> Del. ssp <i>meridionalis</i> Warfa	<i>C.crenata</i> sensu Vollesen	T8	G,A	Shrub 1m	o
	<i>Cordia faulknerae</i> Verdc.		T6,8	R,GWF,A,WH	Scandent shrub 8m	c
	<i>Cordia fissistyla</i> Vollesen	<i>Cordia</i> sp nov of Vollesen	T6,8	R,WH	Shrub maybe scandent 5m	o
	<i>Cordia goetzei</i> Guerde		T6,8	R,GWF	Shrub/tree 6m	c
	<i>Cordia monoica</i> Roxb.	<i>C.ovalis</i>	T6,8	R,GWF,A	Shrub 3m	c
	<i>Cordia sinensis</i> Lam.		T6	R,RBa	Shrub 4m	o
714			T6		Tree 7m	
3644			T6	Thicket nr	Tree 3m	
4440	<i>Cordia</i> sp E of PTEA		T6	LF	Tree 15m	r
	<i>Cordia</i> sp F of PTEA		T6			check not C sp
	<i>Ehretia amoena</i> Klotzsch		T8	R,GWF,A,WG	Shrub 3m	E
	<i>Heliotropium baclei</i> DC. & A.DC. var <i>rostratum</i> I.H.Johnston		T6	WH	Prostrate annual herb	r
3663	<i>Heliotropium indicum</i> L.		T6,8	WE,RBe	Annual herb 0.2m	c
			T6	Riverbank		
3653	<i>Heliotropium ovalifolium</i> Forssk.		T6,8	RBe,WH	Annual herb 0.2m	o
			T6	Riverbank		
	<i>Heliotropium steudneri</i> Vatke ssp <i>steudneri</i> var <i>steudneri</i>		T6	WG	Perennial herb 0.2m	r
3618	<i>Heliotropium strigosum</i> Willd.		T6,8	W,WG	Annual herb 0.2m	c
			T6	Wooded Gras	Woody herb 20cm, flws whit	
	<i>Heliotropium supinum</i> L.		T6,8	RBe,WE	Prostrate annual herb	c
3718A	<i>Heliotropium zeylanicum</i> (Burm.f.)Lam.	<i>H.subulatum</i>	T6,8	RBe,WE	Perennial herb 0.3m	o
			T6	Wooded Gras	Woody herb 40cm	
	<i>Trichodesma physaloides</i> (Penzl)A.DC.		T8	W	Perennial herb 0.4m	r
	<i>Trichodesma zeylanicum</i> (Burm.f.)R.Br.		T6,8	RBe,WE	Perennial herb 0.5m	o

FAMILY : 250 SOLA

	<i>Solanum goetzei</i> Danmer		T6,8	T,WG	Shrub 1m	o
	<i>Solanum incanum</i> L. ssp <i>incanum</i>		T8	W,WG	Perennial herb/shrub 1m	r
	<i>Solanum incanum</i> L. ssp nov		T6,8	WE	Shrub 1m	o
	<i>Solanum lamprocarpum</i> Bitter		T8	T	Shrub	r
	<i>Solanum nigrum</i> L. s.l.		T6	RBe	Annual herb 0.3m	r
	<i>Solanum zanzibarense</i> Vatke	<i>S.zanzibarense</i> Vatke var <i>zanzibarense</i>	T8	GWF	Shrub 1m	o
		<i>S.zanzibarense</i> var <i>vagans</i> (C.H.Wright) Bitter	T8	GWF	Shrub 1m	r
3685			T6	Forest on R	Woody herb 1m, frt red	Kew conf

FAMILY : 251 CONV

	<i>Astripomoea malvacea</i> (Klotzsch)Meense var <i>floccosa</i> (Vatke)Verdc.		T6,8	W,WG	Shrubby perennial herb 0.4	c
	<i>Astripomoea malvacea</i> (Klotzsch)Meense var <i>malvacea</i>		T6	W	Shrubby perennial herb 1m	r
	<i>Bonania mossambicensis</i> (Klotzsch)Hall.f.		T6,8	R,T	Woody climber 3m	o
	<i>Evolvulus alsinoides</i> (L.)L.		T6,8	W,WE	Annual herb 0.2m maybe pro	c
	<i>Evolvulus nummularius</i> (L.)L.		T6,8	R,W,WGS	Creeping perennial herb	o
	<i>Hewittia malabarica</i> (L.)Suresh	<i>H.sublobata</i> (L.f.)O.Ktze & <i>H.scandens</i> (Milne)Habberly	T6,8	R,GWF,RBa	Prostrate perennial herb	o
	<i>Ipomoea alba</i> L.		T6	R	Herbaceous climber 5m	r
	<i>Ipomoea aquatica</i> Forssk.		T6,8	WH,G	Perennial herb floating/cr	o
	<i>Ipomoea barteri</i> Bak. var <i>barteri</i>		T8	W	Climbing perennial herb 0.	r
	<i>Ipomoea barteri</i> Bak. var <i>cordifolia</i> Hall.f.		T8	R	Climbing perennial herb 0.	r
	<i>Ipomoea blepharophylla</i> Hall.f.		T6,8	WGS	Trailing perennial herb	o
	<i>Ipomoea coptica</i> (L.)Roem. & Schultes var <i>acuta</i> Choisy		T8	W,WG,SEW	Trailing annual herb	o
	<i>Ipomoea coptica</i> (L.)Roem. & Schultes var <i>coptica</i>		T6,8	W,WG	Trailing annual herb	c
	<i>Ipomoea coscinosperma</i> Choisy		T6,8	G	Climbing annual herb 0.3m	r
	<i>Ipomoea crassipes</i> Hook. var <i>cordifolia</i> Verdc.		T6,8	G	Trailing perennial herb	r
	<i>Ipomoea crassipes</i> Hook. var <i>crassipes</i>		T6	WGS	Trailing perennial herb	lc
	<i>Ipomoea crepidiformis</i> Hall.f.		T6,8	W	Erect or twining perennial	o
	<i>Ipomoea eriocarpa</i> R.Br.		T6,8	WGS,G	Climbing perennial herb 0.	o
	<i>Ipomoea flavivillosa</i> Schulze-Menz		T8	T	Herbaceous climber 5m	r
	<i>Ipomoea heterotricha</i> F.Didr.		T6	G	Trailing herb	r
	<i>Ipomoea kotschyana</i> Choisy		T8	W	Trailing annual herb	r

No.	Species	Synonym	Area	Habitat	Description	Comment
	<i>Ipomoea lapathifolia</i> Hall.f.		T6,8	WGS,G	Climbing perennial herb 0.1m	o
	<i>Ipomoea mauritiana</i> Jacq.		T6,8	R,T	Herbaceous climber 10m	r
	<i>Ipomoea nimbassana</i> Vatke ssp <i>nimbassana</i>		T6	R	Trailing perennial herb	r
	<i>Ipomoea obscura</i> (L.)Ker-Gawl. var		T6,8	W,WGS,WH	Trailing/climbing perennial herb	o
	<i>Ipomoea pes-tigridis</i> L. var <i>pes-tigridis</i>		T6,8	W,WG	Trailing/climbing annual herb	c
	<i>Ipomoea pileata</i> Roxb.		T6,8	R	Herbaceous climber 3m	o
	<i>Ipomoea rubens</i> Choisy		T6	R	Herbaceous climber 4m	r
	<i>Ipomoea sepriaria</i> Roxb.		T6,8	R,G	Herbaceous climber 4m	r
	<i>Ipomoea shirambensis</i> Bak.		T6,8	R,T,W	Woody climber 15m	o
	<i>Ipomoea simonsiana</i> Rendle		T6	R,RT,W	Herbaceous climber 2m	lc
	<i>Ipomoea sinensis</i> (Desr.)Choisy ssp		T6,8	R,G	Herbaceous climber 2m	o
	<i>Ipomoea tenuipes</i> Verdc.		T6,8	R,GWF,G	Herbaceous climber 3m	o
	<i>Ipomoea venosa</i> (Desr.)Roem. & Schult.		T6,8	R,T	Vigorous climber 5m	r
	<i>Ipomoea welwitschii</i> Hall.f.		T6	WGS	Erect perennial herb 0.1m	r
	<i>Jacquemontia ovalifolia</i> (Vahl)Hall.f.		T8	G	Perennial herb	r
	<i>Jacquemontia paniculata</i> (Burm.f.)Hall.f. var <i>paniculata</i>		T6,8	R,GWF	Herbaceous climber 3m	o
	<i>Jacquemontia tamnifolia</i> (L.)Griseb.		T6,8	R,W,WG	Erect/climbing annual herb	c
	<i>Lepistemon owariense</i> (Beauv.)Hall.f.		T8	GWF	Herbaceous climber 3m	r
	<i>Merremia emarginata</i> (Burm.f.)Hall.f.		T6,8	G	Prostrate perennial herb	r
	<i>Merremia hederacea</i> (Burm.f.)Hall.f.		T6,8	R,GWF,G	Herbaceous climber 2m	o
	<i>Merremia palmata</i> Hall.f.		T8	R	Herbaceous climber 2m	r
	<i>Merremia pinnata</i> (Choisy)Hall.f.		T6,8	W	Climbing annual herb 0.4m	c
	<i>Merremia tridentata</i> (L.)Hall.f. ssp <i>alatipes</i> (Dammer)Verdc.	? <i>Xenostegia</i>	T6,8	R,W,WGS	Herbaceous climber 1m	o
	<i>Merremia tridentata</i> (L.)Hall.f. ssp <i>angustifolia</i> (Jacq.)van Ooststr.	? <i>Xenostegia</i>	T8	W	Erect/climbing perennial herb	o
	<i>Operculina turpethum</i> (L.)S.Manso		T6	G	Herbaceous climber	r
	<i>Seddera hirsuta</i> Hall.f. var <i>gracilis</i> (Chiov.)Verdc.		T8	WG	Prostrate perennial herb	o
	<i>Seddera suffruticosa</i> (Shinz)Hall.f. var <i>suffruticosa</i>		T6,8	WGS,G,T	Perennial herb 0.1m	o
	<i>Stictocardia lutambensis</i> (Schulze-Menz)Verdc.		T8	GWF	Herbaceous climber 3m	r
	<i>Stictocardia</i> sp nov vel gen aff		T8	T	Trailing perennial herb 4m	r
	<i>Turbina stenosphon</i> (Hall.f.)Meese		T6,8	R,GWF	Slightly woody climber 5m	o

FAMILY : 252 SCRO

	<i>Alectra aurantiaca</i> Hemsl.		T6	WH	Annual herb 0.3m	r
	<i>Alectra orobanchoides</i> Benth.	<i>A.kirkii</i>	T6,8	W	Yellow parasitic herb 0.1m	r
	<i>Alectra rigida</i> Hemsl. forma vel sp aff		T6	SEW	Annual herb 0.1m	r
4461	<i>Alectra/Striga?</i>		T6			New for Selous List
	<i>Artanema longifolium</i> (L.)Vatke var <i>amplexicaule</i> Vatke		T8	WH,G	Perennial herb 0.4m	o
	<i>Bacopa crenata</i> (P.Beauv.)Hepper		T6,8	WH,SEW	Creeping+ascending annual	c
	<i>Bacopa floribunda</i> (R.Br.)Wettst.		T6,8	WH,SEW	Annual herb 0.1m	o
	<i>Bacopa</i> sp aff <i>crenata</i> (P.Beauv.)Hepper		T8	WH	Creeping annual herb ascen	r
	<i>Bacopa</i> sp aff <i>floribunda</i> (R.Br.)Wettst.		T6	WH	Erect annual herb 0.2m	r
	<i>Buchnera hispida</i> Buch.-Ham.	Author?	T8	G,WH	Annual herb 0.2m	o
	<i>Buchnera leptostachya</i> Benth.		T6,8	WH,SEW	Annual herb 0.3m	r
	<i>Buchnera randii</i> S.Moore		T6	W,SEW	Annual herb 0.2m	o
	<i>Craterostigma latibracteatum</i> Skan		T6	SEW	Annual herb 0.1m	r
	<i>Cycnium tubulosum</i> (L.f.)Engl. ssp <i>montanum</i> (N.E.Br.)O.J.Hansen		T6	WGS	Perennial herb 0.1m	r
	<i>Cycnium tubulosum</i> (L.f.)Engl. ssp <i>tubulosum</i>		T8	G	Perennial herb 0.3m	c
	<i>Dopatrium junceum</i> Benth.		T6	WH	Aquatic annual herb 0.2m	r
	<i>Limnophila barteri</i> Skan		T6	SEW	Annual herb 0.1m	r
	<i>Limnophila indica</i> (L.)Duce		T6,8	WH,SEW	Annual herb 0.1m	o
	<i>Lindernia parviflora</i> (Roxb.)Haines	<i>Ilysanthes parviflora</i>	T6	RBe	Annual herb 0.05m	r
3633	<i>Lindernia rotundifolia</i> (L.)Alston	<i>Ilysanthes rotundifolia</i>	T6	Riverbank	Herb 5cm flws white w purp	r
	<i>Lindernia subremiformis</i> Philcox	<i>Lindernia</i> sp nov aff <i>L. insularis</i>	T6,8	SEW	Procumbent annual herb	o
	<i>Micrartheria filiformis</i> (Schum. & Thonn.)Hutch. & Dalziel		T6	SEW,G	Annual herb 0.5m	o
	<i>Sopubia karagvensis</i> Oliv. ssp <i>welwitschii</i> (Engl.)O.J.Hansen		T8	W	Perennial herb 1m	r
	<i>Sopubia simplex</i> (Hochst.)Hochst.		T6	SEW	Perennial herb 0.3m	r
	<i>Stemodia serrata</i> Benth.		T8	G	Annual herb 0.2m	o
3673	<i>Stemodiopsis buchananii</i> Skan		T6	RT	Hanging perennial herb	r
	<i>Striga asiatica</i> (L.)Kuntze		T6	Forest on R	Herb 10cm, flws pinkish	
	<i>Striga forbesii</i> Benth.		T6,8	W,WGS,WG	Annual herb 0.1m	c
	<i>Striga gesnerioides</i> (Willd.)Vatke		T6,8	G,SEW,WH	Annual herb 0.2m	o
4658			T6,8	W,WG	Parasitic herb 0.1m	c
			T6	Steep rocky	Parasitic herb 15cm, flws	

No.	Species	Synonym	Area	Habitat	Description	Comment
	<i>Striga passargei</i> Engl.		T8	A	Annual herb 0.1m	r
	<i>Striga pubiflora</i> Klotzsch var		T6,8	W,SEW	Annual herb 0.3m	c
	<i>Torenia thouarsii</i> (Cham. & Schlect.)Kuntze		T6,8	SEW,RBa	Trailing/scrambling annual	o
FAMILY : 254 LENT						
	<i>Utricularia arenaria</i> A.DC.		T6,8	SEW	Erect annual herb 0.05m	r
	<i>Utricularia baouleensis</i> A.Chev.		T6	SEW,WH	Twining annual herb 0.1m	r
	<i>Utricularia firmula</i> Oliv.		T6,8	SEW	Erect annual herb 0.15m	o
	<i>Utricularia gibba</i> L. ssp <i>exoleta</i> (R.Br.)P.Taylor		T6,8	WH	Free floating herb	o
	<i>Utricularia inflexa</i> Forssk.		T6	WH	Free floating herb	r
	<i>Utricularia scandens</i> Benj.		T6	SEW	Twining annual herb 0.05m	r
	<i>Utricularia stellaris</i> L.f.	? <i>U.inflexa</i>	T6,8	WH	Free floating herb	o
FAMILY : 257 BIGN						
	<i>Kigelia africana</i> (Lam.)Benth.		T6,8	R,GWF,LF,G	Tree 20m	c
	<i>Kigelia moosa</i> Sprague		T6	R	Tree 15m	r
733	<i>Markhamia acuminata</i> (Klotzsch)K.Schum.		T6,8	R,GWF,A,WG	Shrub 5m	c
			T6		Tree 3m	
741	<i>Markhamia obtusifolia</i> (Bak.)Sprague		T6,8	T,W,WG	Shrub 2m/tree 10m	c
			T6		Tree 2m	Scrapped
	<i>Markhamia zanzibarica</i> (DC.)Engl.		T6,8	W	Shrub	r
	<i>Stereospermum kunthianum</i> Cham.		T6,8	W,WGS,WG	Tree 6m	o
FAMILY : 258 PEDA						
3626	<i>Ceratotheca sesamoides</i> Endl.		T6	WGS	Annual herb 0.2m	o
	<i>Sesamum angolense</i> Welw.		T6	Wooded Gras	Herb 15cm, flws pink	
	<i>Sesamum angustifolium</i> (Oliv.)Engl.		T6	RBa	Perennial herb	r
3718B			T6,8	W,SEW,RBe	Annual/perennial herb 0.5m	c
			T6	Wooded Gras	Woody herb 40cm	
FAMILY : 259 ACAN						
	<i>Asystasia gangetica</i> (L.)T.Anders. s.l.		T8	W,R	Scrambling annual herb 0.3	o
	<i>Asystasia linearis</i> S.Moore		T8	G	Erect perennial herb 0.4m	lc
	<i>Asystasia podostachys</i> Klotzsch		T6,8	R,WH	Scrambling/scandent perenn	o
	<i>Asystasia subhastata</i> Klotzsch		T8	T,R	Scrambling annual herb 0.3	r
3742	<i>Barleria fulvostellata</i> C.B.Cl.		T6	W,WGS	Shrubby perennial herb 1m	o
			T6	Woodland w	Woody herb 60cm	Kew det
4666	<i>Barleria holstii</i> Lindau		T6	R,RT	Shrub 0.5m	r
			T6	Riverine	Woody herb 50cm, flws whit	
	<i>Barleria lugardii</i> C.B.Cl.		T8	T	Shrub 0.3m	r
	<i>Barleria marginata</i> Oliv.		T8	WG,G	Perennial herb 0.2m	o
	<i>Barleria prionitis</i> L.		T6,8	R,GWF	Scandent shrub 4m	c
3627	<i>Barleria saclexii</i> Benoist		T6,8	R,GWF,TC	Perennial herb/shrub 0.5m	o
			T6	Wooded Gras	Woody herb 40cm	Kew det
	<i>Barleria sp nov aff calophylloides</i> Lindau		T8	W,AW	Perennial herb 0.2m	o
	<i>Barleria sp nov aff spinisepala</i> E.A.Bruce		T6	WGS	Shrub 0.2m	r
4665	<i>Barleria spinulosa</i> Klotzsch		T6,8	R,T,W	Shrubby perennial herb 1m	c
	<i>Barleria ukamensis</i> Lindau		T6	Riverine	Woody herb 70cm, flws oran	← New?
3650	<i>Barleria usambarica</i> Lindau		T6,8	R,GWF,WH,A	Scandent perennial herb 1m	o
			T6	Thicket nr		Kew conf
	<i>Blepharis affinis</i> Lindau		T6	W,RBe	Shrubby perennial herb 1m	r
3744			T6	Woodland w	Woody herb 1m, flws blue/p	Kew conf
3646	<i>Blepharis chrysotricha</i> Lindau	? <i>B. hornbyae</i> Milne-Redh.	T6	Rocky area	Scandent woody herb 1.5m,	Kew conf
	<i>Blepharis hornbyae</i> Milne-Redh.		T6	RT	Scandent perennial herb 2m	r
3732	<i>Blepharis involucrata</i> Solms-Laub.		T6,8	W,WG	Annual herb 0.1m	c
			T6	Wooded Gras	Herb 5cm, flws blue	
	<i>Blepharis longifolia</i> Lindau		T6,8	G	Perennial herb 0.3m	o
	<i>Blepharis maderaspatensis</i> (L.)Roth ssp		T6,8	R,T,W	Prostrate annual herb	o
	<i>rubiifolia</i> (Schumach.)Napper					
	<i>Blepharis panduriformis</i> Lindau		T6,8	W	Annual herb 0.3m	c
3645	<i>Brillantaisia pubescens</i> Oliv. var <i>pubescens</i>		T6,8	R,GWF,RBe	Annual herb 1m	o
			T6	Thicket nr	Woody herb 40cm, flws purp	Kew conf
	<i>Brillantaisia pubescens</i> Oliv. var <i>riparia</i>		T6	RBa	Scrambling perennial herb	r
4448	<i>Crabbea sp</i>		T6			Not C.velutina?
	<i>Crabbea velutina</i> S.Moore		T6,8	W,T	Perennial herb 0.1m	o Check
	<i>Crossandra puberula</i> Klotzsch		T6,8	R,A	Perennial herb 0.5m	o
	<i>Crossandra pungens</i> Lindau		T6	RT	Annual herb 0.2m	r
	<i>Dicliptera heterostegia</i> Nees		T6	LF,R	Annual herb 0.3m	r
	<i>Dicliptera olitoria</i> Mildbr.	<i>D.mossambice</i> asis.	T6	W,AW	Perennial herb 0.5m	r
	<i>Dicliptera sp? nov</i>	Schl 3999	T6	RBe	Perennial herb 0.3m	r
	<i>Dicliptera sp? nov aff umbellata</i> (Vahl)Juss		T8	R	Scrambling annual herb	r
	<i>Dicliptera verticillata</i> (Forssk.)C.Chr.		T8	R,GWF,WE	Annual herb 1m	r

No.	Species	Synonym	Area	Habitat	Description	Comment
3660	<i>Duosperma quadrangulare</i> (Klotzsch) Brummitt		T6,8	WG, G	Perennial herb 0.1m/shrub	o
	<i>Dyschoriste fischeri</i> Lindau		T6	Rocky River		Kew conf
	<i>Dyschoriste</i> sp aff <i>verticillaris</i> (Oliv.) C.B.Cl.		T6,8	W, R	Shrub 0.5m	o
	<i>Dyschoriste tanganyikensis</i> C.B.Cl.		T6,8	W, WGS	Shrubby perennial herb 0.5	o
	<i>Dyschoriste verticillaris</i> (Oliv.) C.B.Cl.		T6,8	W	Perennial herb 0.1m	o
	<i>Ecbolium amplexicaule</i> S.Moore	<i>E. auriculata</i>	T6,8	R	Shrub 1.5m	r
	<i>Elytraria acaulis</i> (L.f.) Lindau		T6	A	Perennial herb 0.1m	r
	<i>Elytraria lyrata</i> Vahl	? <i>E. minor</i>	T6,8	R, A	Perennial herb 0.2m	o
	<i>Hygrophila abyssinica</i> (Nees) T.Anders.		T6	SEW, RBe	Annual herb	r
	<i>Hygrophila auriculata</i> (Schumach.) Heine		T6,8	G	Annual herb 0.3m	o
<i>Hygrophila cataractae</i> S.Moore		T6	SEW, G	Annual herb 0.3m	r	
<i>Hypoestes forskaelei</i> (Vahl) R.Br.	<i>H. verticillaris</i>	T6,8	R, GWF, T, W	Annual/perennial herb 0.5m	c	
3662	<i>Justicia betonica</i> L.		T6,8	R, GWF, RBa	Shrubby perennial herb 0.5	c
3724			T6	Riverbank		Kew conf
	<i>Justicia crassiradix</i> C.B.Cl.		T6	Thicket aro	Woody herb 40cm	Kew conf
	<i>Justicia englerana</i> Lindau	<i>Adhatoda engleriana</i>	T6,8	W	Perennial herb 0.2m	o
			T6	R	Shrubby perennial herb 1.5	r
3659	<i>Justicia exigua</i> S.Moore		T6	Rocky River		Kew conf
	<i>Justicia fittonioides</i> S.Moore		T6,8	R, T, TC	Perennial herb 0.1m	lc
3725			T6	Thicket aro	Acaulescent herb, lvs grey	in hort NBI. ? = Welch 412
4304B			T6			Kew conf
	<i>Justicia interrupta</i> (Lindau) C.B.Cl.		T6	RT	Shrub 2m	r
3706			T6	Forest on R	Woody herb 60cm	Kew conf
	<i>Justicia matammensis</i> (Schweinf.) Oliv.		T6	R, RBe	Prostrate/erect annual her	r
	<i>Justicia nyassana</i> Lindau		T6,8	R, T, W	Erect/scandent perennial h	c
	<i>Justicia scandens</i> Vahl	<i>J. glabra</i> Roxb.	T6,8	LF, R, GWF	Annual herb 0.3m	lc
	<i>Justicia</i> sp? nov aff <i>nuttii</i> C.B.Cl.		T6,8	SEW	Perennial herb 0.1m	o
	<i>Justicia</i> sp? nov aff <i>unciaulata</i> Oliv.		T8	WG, G	Prostrate/semi-erect annu	c
3723	<i>Justicia stachytarphetoides</i> (Lindau) C.B.Cl.		T6,8	A, T, TC	Shrub 1m	c
	<i>Justicia striata</i> (Klotzsch) Bullock ssp <i>melampyrum</i> (S.Moore) J.K.Morton	<i>J. insularis</i> auctt.	T6,8	Thicket aro	Woody herb 50cm, flws fles	Kew conf
	<i>Monechma debile</i> (Forssk.) Nees		T6,8	R, GWF, A, WG	Annual herb 0.4m	c
3743			T6,8	R, GWF, A, WG	Annual herb 0.3m	c
	<i>Nelsonia canescens</i> (Lam.) Spreng.		T6	Woodland w	Woody herb 50cm, flws whit	Kew conf
	<i>Peristrophe bicalyculata</i> (Vahl) Nees	Author?	T6,8	R, RBa, WH, G	Prostrate annual/perennial	o
	<i>Phaulopsis imbricata</i> (Forssk.) Sweet ssp <i>imbricata</i>		T6,8	R, G, W	Perennial herb 0.2m	o
	<i>Phaulopsis</i> sp cf <i>gediensis</i>		T6,8	W, T, RBe	Annual herb 0.3m	o
4656	<i>Pseuderanthemum hildebrandtii</i> Lindau		T6	Steep rocky	Woody herb 30cm, flws whit	
	<i>Rhinacanthus virens</i> (Nees) Milne-Redh.		T6,8	GWF, R, T	Shrub 1.5m	d, o, o
	<i>Ruellia patula</i> Jacq.		T6	LF	Perennial herb 0.3m	r
	<i>Ruellia prostrata</i> (Nees) T.Anders.		T6,8	R, A	Perennial herb 0.2m	o
3731	<i>Ruellia</i> sp		T6,8	R, T, A, W	Erect perennial herb 0.3m	c
			T6	Wooded Gras	Woody herb 20cm	? not patula/prostrat
	<i>Ruellia</i> sp aff <i>prostrata</i> (Nees) T.Anders.		T8	GWF, G	Shrubby perennial herb 1m	a
	<i>Ruspolia decurrens</i> (Nees) Milne-Redh.		T6,8	R, GWF, A, TC	Shrubby perennial herb 0.4	c
	<i>Ruspolia seticalyx</i> (C.B.Cl.) Milne-Redh.		T6	R	Shrub 1.5m	r
	<i>Schliebenia salviiflora</i> Mildbr.		T6,8	R, GWF, T, RT	Perennial herb 0.5m	o
	<i>Sclerochiton vogelii</i> (Nees) T.Anders. ssp <i>holstii</i> (Lindau) Napper		T8	T	Shrub 3m	o
3720	<i>Thunbergia alata</i> Sims s.l.		T6	R	Herbaceous climber 0.5m	r
	<i>Thunbergia holstii</i> Lindau		T6	Wooded Gras	Shrub 1m, flws purple	New for Selous List. Kew conf
	<i>Thunbergia lancifolia</i> T.Anders. var <i>ciliata</i> (De Wild.) Napper ined?		T6	W	Perennial herb 0.2m	r
	<i>Thunbergia lancifolia</i> T.Anders. var <i>laevis</i> Napper ined?		T6	AW	Perennial herb 0.4m	r
	<i>Thunbergia lancifolia</i> T.Anders. var <i>lancifolia</i>		T8	W	Perennial herb 0.3m	o
3740	<i>Thunbergia schimbensis</i> S.Moore		T6,8	W, WG	Perennial herb 0.3m	c
	<i>Whitfieldia elongata</i> (Beauv.) C.B.Cl.		T6	Woodland w	Trailing herb 50cm	
			T6	LF	Shrub 2m	r
FAMILY : 263 NESO						
	<i>Nesogenes africanus</i> G.Taylor		T6,8	R, T, W	Prostrate annual herb	o
FAMILY : 263 VERB						
	<i>Clerodendrum acerbianum</i> (Vis.) Benth. & Hook.f.?	No T8 FTEA	T8	R	Shrub 1m	r
	<i>Clerodendrum capitatum</i> (Willd.) Schumach. & Thonn.?	No T8 FTEA	T8	W, T	Shrub 2m	r

No.	Species	Synonym	Area	Habitat	Description	Comment
	<i>Clerodendrum eriophyllum</i> Guerke		T6,8			
	<i>Clerodendrum hildebrandtii</i> Vatke var <i>puberula</i> Verdc.		T8	R,G	Shrub 1m	lc
	<i>Clerodendrum incisum</i> Klotzsch		T6,8	W,AW	Shrub/suffrutex 0.5m	o
	<i>Clerodendrum kissakense</i> Guerke		T8	W	Perennial herb 0.2m	r
	<i>Clerodendrum myricoides</i> (Hochst.)Vatke ssp <i>myricoides</i> var <i>myricoides</i>		T8	RT	Shrub 1.5m	r
	<i>Clerodendrum robustum</i> Klotzsch var <i>latilobum</i> Verdc.	<i>C.buchneri</i> sensu Vollesen	T6	W,AW	Suffrutex 0.3m	r
	<i>Clerodendrum sansibarensis</i> Guerke ssp <i>sansibarensis</i>	<i>C.scheffleri</i> Guerke	T8	GWF	Shrub	r
	<i>Clerodendrum ternatum</i> Schinz	<i>C.ternatum</i> var <i>lanceolatum</i> sensu Vollesen	T6,8	W,WG	Suffrutex 0.3m	c
	<i>Clerodendrum tricholobum</i> Guerke	<i>C.eriophyllum</i> sensu Vollesen pp	T6,8	R	Shrub 2m	c
4458	Indet		T6			
	<i>Lantana viburnoides</i> (Forssk.)Vahl ssp		T6,8	R,A,T	Shrub 1m	c
	<i>Lippia javanica</i> (burm.f.)Sprengel		T6,8	R,G,WE	Shrub 2m	o
	<i>Lippia plicata</i> Bak.	<i>Lippia</i> sp aff <i>plicata</i>	T6	W	Suffrutex 1m	r
	<i>Phyla nodiflora</i> (L.)Greene		T6,8	RBe	Creeping+rooting annual herb	r
	<i>Premna gracillima</i> Verdc.	<i>P.holstii</i> forma	T8	T	Brittle shrub 1m	c
3698	<i>Premna hildebrandtii</i> Guerke		T6,8	R	Shrub may be scandent 4m	o
	<i>Premna senensis</i> Klotzsch	<i>P.senensis</i> forma vel sp aff	T6,8 T8	Forest on R GWF	Shrub 2m Shrub 5m	c
3697	<i>Premna</i> sp		T6	Forest on R	Shrub 2m	
	<i>Premna velutina</i> Guerke		T6,8	R	Scandent shrub 5m	o
	<i>Stachytarpheta indica</i> (L.)Vahl	<i>S.angustifolia</i>	T6,8	WH,RBe,WE	Annual herb 0.3m	o
3654	<i>Vitex buchananii</i> Guerke		T6	Riverbank		
	<i>Vitex doniana</i> Sweet		T8	T	Shrub 5m	o
	<i>Vitex monbassae</i> Vatke		T6,8	R,LF,G,W	Tree 30m	c
	<i>Vitex mossambicensis</i> Guerke		T6	W	Shrub 3m	r
	<i>Vitex payos</i> (Lour.)Merr. var <i>payos</i>		T8	T	Shrub/tree 15m	r
	<i>Vitex schliebenii</i> Holdenke		T6,8	W	Tree 15m	c
	<i>Vitex strickeri</i> Vatke & Hildebr.		T6,8	R,GWF,A,T	Shrub 5m	c
	<i>Vitex zanzibarensis</i> Vatke		T8	R	Scandent shrub 3m	r
			T8	T	Tree 15m	d
FAMILY : 264 LABI						
	<i>Aeolanthus cameronii</i> Burkill		T6,8	WGS	Succulent annual herb 0.1m	o
3711	<i>Basilicum polystachyon</i> (L.)Moench		T6,8	G,WH,RBe	Annual herb 0.3m	c
sr	<i>Becium filamentosum</i> (Forssk.)Chiov.		T6	Forest on R	Herb 15cm	
	<i>Becium obovatum</i> (E.Mey.)N.E.Br. ssp <i>obovatum</i> var <i>obovatum</i>		T6,8	W	Perennial herb 0.2m	c
3737	<i>Becium</i> sp ? nov	Tanner 4183	T6	Woodland w	Woody herb 50cm, flws pink	Kew conf
	<i>Becium</i> sp aff <i>obovatum</i> (E.Mey.)N.E.Br.		T8	G	Perennial herb 0.3m	r
	<i>Endostemon obtusifolius</i> (E.Mey.)N.E.Br.		T6	W	Perennial herb 0.1m	r
	<i>Endostemon wakefieldii</i> (Bak.)Ashby		T8	T	Shrub 1m	r
	<i>Englerastrum djalonense</i> A.Chev.		T6,8	W,SEW	Perennial herb 0.1m	lc
	<i>Englerastrum schweinfurthii</i> Briq.		T8	W	Annual herb 0.1m	r
	<i>Haumaniastrum galeopsifolium</i> (Bak.)DuVign. & Planch.		T6	G	Scrambling annual herb	r
	<i>Haumaniastrum venosum</i> (Bak.)Agnew forma vel sp aff		T6	W	Annual herb 0.3m	o
	<i>Hemizygia bracteosa</i> (Benth.)Briq.		T6,8	SEW	Perennial herb 0.5m	r
	<i>Hoslundia opposita</i> Vahl		T6,8	W	Perennial herb 0.4m	o
	<i>Hyptis lanceolata</i> Poir.		T6,8	R,W,WG	Perennial herb 0.4m	c
	<i>Hyptis spicigera</i> Lam.		T6	LF	Annual herb 0.5m	r
	<i>Hyptis suaveolens</i> Poit.		T6,8	G,WE	Annual herb 1.5m	o
	<i>Leonotis nepetifolia</i> (L.)R.Br.	Authors?	T8	WE	Annual herb 0.3m	r
	<i>Leucas glabrata</i> (Vahl)R.Br. var ?		T6,8	W,WG	Annual herb 1.5m	o
3616	<i>Leucas nyassae</i> Guerke var <i>villosus</i> (Guerke)Sebald		T6,8	R,GWF,A,W	Perennial herb 0.4m	c
	<i>Leucas tettensis</i> Vatke		T6	Wooded Gras	Woody herb 40cm, flws whit	New for Selous List. Kew conf
	<i>Ocimum basilicum</i> L.		T6,8	W	Perennial herb 0.5m	c
	<i>Ocimum gratissimum</i> L.		T6,8	WH,G	Annual herb 0.3m	o
	<i>Ocimum gratissimum</i> L. var <i>gratissimum</i>	0.suave	T8	W,WG	Shrubby perennial herb 1.5	o
	<i>Ocimum hanningtonii</i> Bak.		T6,8	G	Shrub 1m	o

No.	Species	Synonym	Area	Habitat	Description	Comment
	<i>Orthosiphon parvifolius</i> Vatke		T6,8	W,WG,A	Perennial herb 0.4m	c
	<i>Orthosiphon rubicundus</i> (D.Don)Benth. s.l.	<i>O. suffrutescens</i>	T6,8	W,WG,A	Perennial herb/shrub 0.5m	c
3738	<i>Platostoma africanum</i> P.Beauv.		T6	Woodland w	Woody herb 30cm	
	<i>Plectranthus amboinicus</i> (Lour.)Spreng. forma vel sp aff		T6	R	Annual herb 0.2m	r
	<i>Plectranthus flaccidus</i> (Vatke)Guerke		T6	TC,R	Shrubby succulent perennia	o
	<i>Plectranthus gracillimus</i> (Th.C.E.Fries)Hutch. & Dandy		T8	T	Annual herb 0.2m	o
	<i>Plectranthus lasianthus</i> (Guerke)Vollesen		T6	W	Annual herb 0.3m	r
	<i>Plectranthus sereti</i> (De Wild.)Vollesen		T6,8	WG,T,TC,RT	Trailing succulent perenni	c
	<i>Plectranthus</i> sp		T6	LF,R	Annual herb 1m	r
	<i>Plectranthus</i> sp aff <i>flaccidus</i> (Vatke)Guerke		T6	R	Shrub	r
4473			T6,8	R,A,WG,TC	Annual herb 1m	o
3667	<i>Plectranthus</i> sp nov		T6			
	<i>Plectranthus tetragonus</i> Guerke		T8	WG,WH	Erect/scrambling annual he	o
			T6	Forest on R	Woody herb 70cm, flws yell	New for Selous List. Kew conf
4663	<i>Plectranthus tettensis?</i>		T6	Rocky area	Trailing herb, flws purple	
	<i>Solenostemon thyrsoflorus</i> (Lebrun & Toussaint)Vollesen		T6,8	W	Erect/scrambling perennial	r
	<i>Tetradenia riparia</i> (Hochst.)Codd	<i>Iboza multiflora</i> (Benth.)E.A. Bruce	T6,8	W,WGS	Shrub	r
	<i>Tinnea aethiopica</i> Hook.f. ssp <i>litoralis</i> Vollesen		T6	WGS	Shrub 0.5m	r
	<i>Tinnea aethiopica</i> Hook.f. ssp <i>stolzii</i> (Robyns & Lebrun)Vollesen		T6,8	T,RT,W	Shrub may be scandent 2m	o
3687			T6	Forest on R	Shrub 2m	
FAMILY : 266 HYDR						
	<i>Lagarosiphon cordofanus</i> Caspary	<i>L. crispus</i>	T6	WH,SEW	Free floating aquatic herb	r
	<i>Ottelia ulvifolia</i> (Planch.)Walp.		T6	SEW,WH	Submerged aquatic herb	r
FAMILY : 267 ALIS						
	<i>Burnatia enneandra</i> Micheli		T6,8	WH	Annual aquatic herb 0.3m	o
FAMILY : 274 APON						
	<i>Aponogeton abyssinicus</i> A.Rich. var <i>albiflorus</i> Lye	<i>A. desertorum</i>	T8	WH	Rhizomatous aquatic herb 0	r
FAMILY : 279 NAJA						
	<i>Najas horrida</i> Magn.	? <i>N. welwitschii</i> not in FTEA	T6	WH	Free floating annual herb	r
FAMILY : 280 COMM						
	<i>Aneilema hockii</i> De Wild.		T8	W		o
	<i>Aneilema johnstonii</i> K.Schum.		T6,8	W		o
	<i>Aneilema leiocaule</i> K.Schum.	<i>A. pedunculos</i>	T6,8	R,GWF,G		o
4431		<i>A. pedunculos</i>	T6			
	<i>Aneilema nyasense</i> C.B.Cl.		T6	AW,SEW		r
3709	<i>Aneilema petersii</i> (Hassk.)C.B.Cl. ssp <i>petersii</i>		T8	R,T		o
	<i>Aneilema zebrinum</i> Chiov.	<i>Ballya zebrina</i>	T6	Forest on R	Trailing herb 80cm	Kew conf
	<i>Commelina africana</i> L. var <i>africana</i>		T8	T		r
	<i>Commelina africana</i> L. var <i>lancispatha</i> C.B.Cl.		T6	W		r
	<i>Commelina africana</i> L. var <i>villosior</i> (C.B.Cl.)Brenan		T6,8	W,WGS		r
	<i>Commelina aspera</i> Benth. var <i>firma</i> C.B.Cl.		T6	W		r
	<i>Commelina benghalensis</i> L.		T6,8	WGS,WG,WH		o
	<i>Commelina bracteosa</i> Hassk.		T6,8	W,WG		c
	<i>Commelina ceciliae</i> C.B.Cl.		T6	W,SEW		r
	<i>Commelina diffusa</i> Burm.f.		T6,8	RBE,SEW		o
	<i>Commelina erecta</i> L. ssp <i>livingstonii</i> (C.B.Cl.)J.K.Morton		T8	G,WGS		c/r
	<i>Commelina forskalii</i> Vahl		T6,8	W,WG		c
	<i>Commelina imberbis</i> Hassk.		T8	GWF		r
	<i>Commelina lagosensis</i> C.B.Cl.		T8	R,T,W		c
4436	<i>Commelina latifolia</i> A.Rich.		T6			cf <i>C. bracteosa</i>
			T8	R		r

No.	Species	Synonym	Area	Habitat	Description	Comment
	<i>Commelina nyasensis</i> C.B.Cl.		T6	SEW		r
	<i>Commelina petersii</i> Hassk.		T8	R,A		o
	<i>Commelina scandens</i> C.B.Cl.		T8	G,RBE		o
	<i>Commelina subulata</i> Roth		T8	WG,G		o
	<i>Commelina umbellata</i> Thonn.		T6	W		r
	<i>Commelina zambesiaca</i> C.B.Cl.		T8	R,A,WG		o
	<i>Cyanotis axillaris</i> (L.)Roem. & Schult.		T8	G,WG		o
	<i>Cyanotis foecunda</i> Hassk.		T6	AW		r
	<i>Cyanotis lanata</i> Benth.		T8	R,T		r
	<i>Cyanotis longifolia</i> Benth.		T6,8	W		o
	<i>Murdannia simplex</i> (Vahl)Brenan		T6,8	W,WG		c
FAMILY : 281 FLAG						
	<i>Flagellaria guineensis</i> Schumach.		T6,8	LF,R,GWF,T		c
FAMILY : 283 XYRI						
3619	<i>Xyris anceps</i> Lam.		T6,8	SEW		o
	<i>Xyris capensis</i> Thunb. var		T6	Wooded Gras Herb 30cm, flws yellow		r
	<i>Xyris multicaulis</i> N.E.Br.		T6	G		r
	<i>Xyris rubella</i> Malme		T6	SEW		r
			T6	SEW		r
FAMILY : 285 BRIO						
	<i>Eriocaulon elegantulum</i> Engl.		T6	SEW		r
	<i>Eriocaulon transvaalicum</i> N.E.Br. var <i>hanningtonii</i> (N.E.Br.)Meikle		T6	SEW		r
FAMILY : 290 ZING						
	<i>Costus macranthus</i> K.Schum.		T8	T	Acaulescent rhizomatous herb	r
	<i>Kaempferia decora</i> ??		T8	G	Rhizomatous herb 1m	r
	<i>Siphonochilus aethiopicus</i> (Schweinf.)B.L.Burtt	<i>Kaempferia aethiopica</i>	T6,8	R	Tuberous herb 1m	c
4453	<i>Siphonochilus brachystemon</i> (K.Schum.)B.L.Burtt	<i>Kaempferia brachystemon</i>	T6	LF	Rhizomatous herb 0.5m	r
	<i>Siphonochilus kirkii</i> (Hook.f.)B.L.Burtt	<i>Kaempferia rosea</i>	T6,8	R,A,W,WG	Rhizomatous herb 0.5m	c
FAMILY : 292 MARA						
	<i>Marantochloa leucantha</i> (K.Schum.)Milne-Redh.		T6	LF	Rhizomatous herb 1.5m	lc
FAMILY : 293 ALOA						
4664	<i>Aloe lateritia</i> Engl. var		T6,8	R,A,G,TC	Succulent rosette-plant, i	o
	<i>Aloe lateritia</i> Engl.?		T6	Rocky area	Rosette succulent, infl to	
4674	<i>Aloe leachii</i> Reynolds		T6	TC,WGS	Succulent rosette-plant, i	r
			T6	Rocky area	Caulescent succulent, stem	No mat in EAH
FAMILY : 293 AMAR						
	<i>Amocharis tinnea</i> (Kotschy & Peyr.)Milne-Redh. & Schweick		T8	WG	Bulbous herb 0.3m	c
sr	<i>Crinum politifolium</i> Wahlstrom?		T6			
	<i>Crinum</i> sp	<i>C.zeylanicum</i> (L.)L.	T8	G	Bulbous herb 0.5m	lc
	<i>Scadoxus multiflorus</i> (Martya)Raf. ssp		T6,8	R,G,A,W,RT	Bulbous herb 0.3m	c
FAMILY : 293 ANTH						
	<i>Anthericum galpinii</i> Bak.	<i>Chlorophytum</i> ?	T6	WG	Rhizomatous herb 0.1m	r
	<i>Anthericum paucinervatum</i> Poelln.	<i>Chlorophytum</i> ?	T6	WG	Rhizomatous herb 0.2m	r
4433	<i>Chlorophytum</i>		T6			
4435	<i>Chlorophytum affine</i> Bak. var <i>curviscapum</i> (Poelln.)Hanid		T6	WGS	Rhizomatous herb 0.05m	r
	<i>Chlorophytum blepharophyllum</i> Bak.		T8	W,T	Rhizomatous herb 0.1m	o
	<i>Chlorophytum collinum</i> (Poelln.)Hanid ined?		T8	R	Rhizomatous herb 0.3m	r
	<i>Chlorophytum comosum</i> (Thunb.)Jacq.	<i>C.laxum</i>	T8	WG	Rhizomatous herb 0.1m	r
	<i>Chlorophytum gallabatense</i> Bak.		T8	G	Rhizomatous herb 0.5m	lc
	<i>Chlorophytum inopinum</i> Poelln.		T8	R,G	Rhizomatous herb 0.3m	r
	<i>Chlorophytum macrophyllum</i> (A.Rich.)Aschers forma		T6	R	Rhizomatous herb 0.1m	r
	<i>Chlorophytum macrosporum</i> Bak.		T8	R	Rhizomatous herb 1m	r

No.	Species	Synonym	Area	Habitat	Description	Comment
	<i>Chlorophytum silvaticum</i> Dammer	<i>C. bakeri</i> Poelln.	T8	W,R	Rhizomatous herb 0.1m	c/r
3699	<i>Chlorophytum</i> sp nr <i>alismsifolium</i> Bak. <i>Chlorophytum subpetiolatum</i> (Baker)Kativu	<i>Anthericum subpetiolatum</i> Bak. <i>Anthericum monophyllum</i> Bak.	T6 T6,8	Forest on R W,WGS,A	Herb 30cm Rhizomatous herb 0.3m	? = Hornby 630 o
3625	<i>Chlorophytum subpetiolatum</i> (Baker)Kativu?		T6	Wooded	Gras Herb 10cm, flws white	
4475	<i>Chlorophytum suffruticosum</i> Bak.	<i>Anthericum suffruticosum</i>	T6			New for Selous List?
4472	<i>Chlorophytum viridescens</i> Engl.	<i>C. andongense</i> Bak.	T6			in hort Ukunda
FAMILY : 293 ASPA						
	<i>Asparagus africanus</i> Lam.		T8	WH,WG,G,A	Woody climber 2m	o
	<i>Asparagus falcatus</i> L. var		T6	TC	Woody climber 3m	r
	<i>Asparagus flagellaris</i> (Kunth)Bak.		T6,8	R,T,A,W,WG	Perennial climber 3m frn b	c
	<i>Asparagus humilis</i> Engl.		T6,8	WG	Erect or scrambling perenn	o
	<i>Asparagus petersianus</i> Kunth		T8	T	Woody climber	r
3686	<i>Asparagus racemosus</i> Willd.		T8	W,WGS	Scrambling perennial herb	r
	<i>Asparagus rogersii</i> R.E.Fries		T6	Forest on R	Liane 3m, frt black	
			T8	W	Erect perennial herb 0.4m	o
FAMILY : 293 COLC						
	<i>Gloriosa superba</i> L.		T6,8	W,WG	Herbaceous climber 1m	o
FAMILY : 293 ERIO						
	<i>Eriospermum abyssinicum</i> Bak.		T8	W	Tuberous herb 0.2m	o
FAMILY : 293 NYAC						
	<i>Albuca abyssinica</i> Jacq.	<i>A. wakefieldi</i>	T6,8	WG,A	Bulbous herb 0.4m	o
		<i>A. melleri</i>	T8	G,A,WG	Bulbous herb 0.3m	o
		<i>A. angolensis</i>	T6	R,RBA	Bulbous herb 0.3m	r
	<i>Dipcadi longifolium</i> (Lindl.)Bak.		T8	WG	Bulbous herb 0.2m	o
	<i>Dipcadi vaginatum</i> Bak.		T8	WG	Bulbous herb 0.2m	o
	<i>Dipcadi viride</i> (L.)Moench.		T8	WG	Bulbous herb 0.2m	o
	<i>Drimia altissima</i> (L.f.)Ker Gawl.		T8	W,WGS	Bulbous herb 0.1m	r
	<i>Drimia brachystachys</i> (Bak.)Stedje	<i>Urginea altissima</i> <i>Urginea brachystachys</i>	T8	G	Bulbous herb 1.5m	o
			T8	W	Bulbous herb 0.1m	c
	<i>Drimia indica</i> (Roxb.)Jessop	<i>Urginea indica</i>	T8	W,WG,G	Bulbous herb 0.2m	o
	<i>Drimia macrocarpa</i> Stedje	<i>Urginea zambesiaca</i> sensu Polhill	T6,8	G	Bulbous herb 0.4m	r
3717			T6	Wooded	Gras Bulbous herb 40cm (Flw spi	? syn <i>Urginea indica</i>
	<i>Drimiopsis botryoides</i> Bak. ssp <i>botryoides</i>		T8	G	Bulbous herb 0.2m	lc
	<i>Drimiopsis botryoides</i> Bak. ssp <i>prostrata</i> Stedje?	<i>Drimiopsis perfoliata</i> sensu Vollesen	T8	WG,R	Bulbous herb 0.2m	r
	<i>Drimiopsis</i> sp ? nov aff <i>burkei</i>		T8	WG	Bulbous herb 0.05m	r
	<i>Ledebouria</i> 1	<i>Scilla flaccidula</i>	T8	R	Bulbous herb 0.3m	r
	<i>Ledebouria</i> 2	<i>Scilla lanceaeifolia</i>	T8	W,WG	Bulbous herb 0.1m	o
	<i>Ledebouria</i> 3	<i>Scilla simiarum</i>	T8	W,WG	Bulbous herb 0.1m	c
	<i>Ledebouria</i> 4	<i>Scilla</i> sp nov = Burt 5019	T8	R,G	Bulbous herb 0.2m	lc
	<i>Ledebouria</i> 5	<i>Scilla</i> sp nov	T8	G	Bulbous herb 0.3m	r
	<i>Ledebouria edulis</i> (Engl.)Stedje	<i>Scilla edulis</i>	T8	WG	Bulbous herb 0.1m	r
	<i>Ledebouria revoluta</i> (L.f.)Jessop	<i>Scilla hyacinthina</i>	T8	W,WG	Bulbous herb 0.2m	c

No.	Species	Synonym	Area	Habitat	Description	Comment
FAMILY : 294 TECO						
	<i>Cyanastrum goetzeanum</i> Engl.		T8	R	Tuberous herb 0.2m	r
3676	<i>Cyanastrum hostifolium</i> Engl.		T6,8	R	Tuberous herb 0.2m	c
4432	<i>Cyanastrum hostifolium</i> Engl.?		T6	Forest on R	Herb 20cm, w segmented tub	
			T6			
FAMILY : 296 PONT						
	<i>Richhornia natans</i> (P.Beauv.)Solms		T6	WH,SEW	Perennial aquatic herb 0.2 lc	
	<i>Heteranthera callifolia</i> Kunth		T8	SEW,WH	Perennial aquatic herb 0.4 r	
FAMILY : 297 SMIL						
	<i>Smilax anceps</i> Willd.	<i>S.kraussiana</i>	T6	LF	Woody climber 4m	r
FAMILY : 302 ARAC						
	<i>Amorphophallus goetzei</i> (Engl.)N.E.Br.	<i>A.fischeri</i>	T6,8			o
		sensu				
		Vollesen				
	<i>Anchomanes abbreviatus</i> Engl.	<i>A.difformis</i>	T6			o
		sensu				
		Vollesen				
	<i>Calloopsis volkensii</i> Engl.		T6			r
	<i>Culcasia orientalis</i> Mayo	<i>C.sp nov 2</i>	T6,8			o
		of Kew				
4454	<i>Gonatopus angustus</i> N.E.Br.		T6			o
	<i>Gonatopus boivinii</i> (Decne)Engl.		T6,8			o
	<i>Gonatopus clavatus</i> Mayo	<i>G.angustus</i>	T8			o
		sensu				
		Vollesen				
	<i>Gonatopus petiolulatus</i> (Peter)Bogner		T8			r
	<i>Pistia stratiotes</i> L.		T6,8			lc
	<i>Stylochaeton borumensis</i> N.E.Br.		T6,8			c
	<i>Stylochaeton crassispatus</i> Bogner	<i>S.sp aff</i>	T8			o
		puberulus				
4670	<i>Stylochaeton euryphyllum</i> Mildbr.		T8			r
			T6	Steep rocky	Tuberous herb, lvs white v	lc T6
	<i>Stylochaeton natalensis</i> Schott		T8			r
	<i>Stylochaeton puberulus</i> N.E.Br.		T8			o
	<i>Stylochaeton salaamicus</i> N.E.Br.	<i>S.maximus</i>	T6,8			lc
		sensu				
		Vollesen				
FAMILY : 303 LEMN						
	<i>Lemna perpusilla</i> Torrey		T6,8			c
	<i>Spirodelea polyrhiza</i> (L.)Schlend.		T6			r
	<i>Wolffia arthiza</i> (L.)Wimmer		T6,8			c
FAMILY : 305 TYPH						
	<i>Typha domingensis</i> Pers.		T8			ld
FAMILY : 307 IRID						
	<i>Crocsmia aurea</i> (Hook.)Planch. ssp aurea		T8	W	Tuberous herb 0.4m	r
	<i>Gladiolus dalenii</i> van Geel ssp dalenii	<i>G.natalensis</i>	T6,8	W,WGS,SEW	Tuberous herb 0.5m	o
	<i>Gladiolus decoratus</i> Bak.		T8	W,WG	Tuberous herb 0.5m	r
	<i>Gladiolus gracillimus</i> Bak.		T6	W	Tuberous herb 0.2m	r
	<i>Gladiolus oliganthus</i> Bak.	<i>G.bussei</i>	T8	W,SEW	Tuberous herb 0.7m	o
FAMILY : 311 DIOS						
	<i>Dioscorea buchananii</i> Benth.		T8	W	Herbaceous climber	r
	<i>Dioscorea cochleari-apiculata</i> De Wild.		T8	T,W,AW	Herbaceous climber 5m	o
	<i>Dioscorea hirtiflora</i> Benth. ssp orientalis		T6,8	R,T,TC,AW	Herbaceous climber 5m	o
	Milne-Redh.					
	<i>Dioscorea quartiniana</i> A.Rich.	<i>D.quartinian</i>	T6,8	W,WG	Herbaceous climber 2m	r
		a A.Rich.				
		var quart				
		verg var				
		latifolia				
	<i>Dioscorea quartiniana</i> A.Rich. var stuhlmannii	<i>D.quartinian</i>	T8	R,T,W	Herbaceous climber 2m	o
		a A.Rich.				
		var				
		stuhlmannii				
	<i>Dioscorea sansibarensis</i> Pax		T6,8	R,GWF	Herbaceous climber 10m	c

No.	Species	Synonym	Area	Habitat	Description	Comment
FAMILY : 313 AGAV						
	<i>Agave angustifolia</i> Haw.		T8	CR	Succulent shrub 1m	r
FAMILY : 313 DRAC						
sr	<i>Dracaena usambarensis</i> Engl.		T6,8	LF, R, T	Shrub or tree 8m	o
	<i>Sansevieria arborescens</i> Cornn.		T6	Rocky Woodl		
	<i>Sansevieria bagamoyensis</i> N.E.Br.		T6	TC, R	Succulent shrub 1m	d/r
sr	<i>Sansevieria conspicua</i> N.E.Br.		T6,8	A, T, TC	Acaulescent succulent herb	c
	<i>Sansevieria erenbergii</i> Bak.?		T6	Steep rocky		
	<i>Sansevieria kirkii</i> Bak.		T8	GWF, A	Acaulescent succulent herb	lc
	<i>Sansevieria robusta</i> N.E.Br.		T6	TC	Acaulescent succulent herb	r
	<i>Sansevieria sp aff metallica</i> Gerome & Labroy		T8	T	Acaulescent succulent herb	r
	<i>Sansevieria suffruticosa</i> N.E.Br.	<i>S. intermedia</i> N.E.Br.	T6	RT	Acaulescent succulent herb	r
FAMILY : 314 PALM						
	<i>Borassus aethiopicus</i> Mart.		T6,8	LF, R, GWF, G	Tree 25m	lc
sr	<i>Hyphaene compressa</i> H.Wendl.		T6,8	R, GWF, WG, G	Tree 15m	c
	<i>Hyphaene sp</i>	? <i>H. petersiana</i> a Mart.	T6		Tree 15m	
	<i>Phoenix reclinata</i> Jacq.		T6,8	GWF, R, LF	Tree 10m	o
FAMILY : 318 HYPO						
	<i>Hypoxis angustifolia</i> Lam.		T8	G, WGS	Tuberous herb 0.2m	o
	<i>Hypoxis urceolata</i> Nel		T6	W	Tuberous herb 0.1m	r
FAMILY : 319 VELL						
	<i>Xerophyta spekei</i> Bak.		T6,8	WGS	Shrub 1m	lc
FAMILY : 321 TACC						
	<i>Tacca leontopetaloides</i> (L.) O.Ktze.		T6,8	R, A, W, WG	Tuberous herb 1m	o
FAMILY : 323 BURM						
	<i>Burmannia madagascariensis</i> Mart.	<i>B. welwitschii</i> Schltr.	T6	SEW	Annual herb 0.05m	r
FAMILY : 326 ORCH						
	<i>Acampe pachyglotta</i> Reichb.f.		T6,8	R, GWF, WG	Epiphyte	o
	<i>Ansellia africana</i> Lindl.		T8	T, RT	Epiphyte	r
	<i>Eulophia cucullata</i> (Sw.) Steud.		T6,8	W, SEW	Tuberous herb 0.5m	o
	<i>Eulophia livingstoniana</i> (Reichb.f.) Summerh.		T8	W	Tuberous herb 0.5m	r
	<i>Eulophia massakoensis</i> Schltr.		T6	LF	Tuberous herb 0.1m	r
	<i>Eulophia sabulosa</i> Schltr.		T6	W	Tuberous herb 0.4m	r
	<i>Eulophia sp nr walleri</i> (Reichb.f.) Kraenzl.		T8	G	Perennial herb	r
	<i>Eulophia speciosa</i> (Lindl.) Bolus		T8	G	Tuberous herb 1m	r
		? <i>E. caloptera</i> (Reichb.f.) Summerh.	T8	W	Tuberous herb 0.5m	r
	<i>Eulophia walleri</i> (Reichb.f.) Kraenzl.		T8	W, WGS	Tuberous herb 0.5m	r
	<i>Habenaria clavata</i> (Lindl.) Reichb.f.		T8	RBA	Tuberous herb 0.3m	r
	<i>Habenaria harnsiana</i> Kraenzl.		T6	WGS	Tuberous herb 0.3m	r
	<i>Habenaria sp</i>		T6	W	Tuberous herb 0.3m	r
	<i>Microcoelia exilis</i> Lindl.		T6,8	R, T, TC	Epiphyte	o
	<i>Nervilia kotschyi</i> (Reichb.f.) Schltr. var		T8	WGS	Tuberous herb 0.1m	r
	<i>Platycoryne pervillei</i> Reichb.f.		T6,8	W, SEW	Tuberous herb 0.2m	o
	<i>Polystachya dendrobiflora</i> Reichb.f.		T6	WGS	Epiphyte	r
	<i>Vanilla roscheri</i> Reichb.f.		T6	R, TC	Succulent lfless climber 4	r
FAMILY : 331 CYPE						
	<i>Ascolepis capensis</i> (Kunth) Ridley		T6	SEW		r
4638	<i>Ascolepis elata</i> Welw.		T6	SEW		r
	<i>Bulbostylis abortiva</i> (Steud.) K.Lye		T6	Dry River B	Herb 30cm	New for Selous List
	<i>Bulbostylis barbata</i> (Rottb.) C.B.Cl.	<i>Abildgaardia wallichiana</i> (Schultes) K.Lye	T6,8	W, WG		c
4637			T6	Dry River B	Herb 10cm	
4635			T6	Dry River B	Herb 30cm	

No.	Species	Synonym	Area	Habitat	Description	Comment
4640	<i>Bulbostylis coleotricha</i> (A.Rich.)C.B.Cl.		T6	Dry River B	Herb 25cm	New for Selous List
4641	<i>Bulbostylis contexta</i> (Nees)Bodard		T8	W		O
	<i>Bulbostylis hispidula</i> (Vahl)R.Haines ssp ?	(=Mhoro 505)	T6	Dry River B	Herb 10cm	
	<i>Bulbostylis johnstonii</i> C.B.Cl.		T8	WGS		r
	<i>Bulbostylis pilosa</i> (Willd.)Chern.	<i>Abildgaardia pilosa</i> (Willd.)Nees	T6,8	W		c
	<i>Bulbostylis pusilla</i> (A.Rich.)C.B.Cl.		T6	WGS		r
	<i>Bulbostylis schoenoides</i> (Kunth)C.B.Cl.		T6,8	W,SEW		r
4661	<i>Cyperus</i>		T6	Wooded Grass	Herb 30cm	
4644	<i>Cyperus alopecuroides</i> Rottb.		T6	Dry River B	Herb 20cm	
4296	<i>Cyperus alternifolius</i> L. ssp <i>flabelliformis</i> (Rottb.)Kuk.	<i>C.involucrat</i> us Rottb.	T6,8	RBE		O
	<i>Cyperus amabilis</i> Vahl		T6,8	W, WG		O
	<i>Cyperus articulatus</i> L.		T6,8	RBE		O
	<i>Cyperus cancellatus</i> Ridley		T8	SEW		r
	<i>Cyperus clavinox</i> C.B.Cl.		T8	WG		O
	<i>Cyperus compressus</i> L.		T6,8	WH, G, WG		c
4291	<i>Cyperus cuspidatus</i> Kunth		T6			
	<i>Cyperus denudatus</i> L.f.		T8	W		r
	<i>Cyperus dichrostachyus</i> A.Rich.		T8	G		O
4298	<i>Cyperus difformis</i> L.		T6,8	WH, RBE, SEW		O
	<i>Cyperus distans</i> L.f. ssp		T6,8	R, RBA, WG		O
	<i>Cyperus dives</i> Del.	<i>C.immensus</i> C.B.Cl.	T8	RBE		r
3733	<i>Cyperus exaltatus</i> Retz.		T8	G, WH		c
	<i>Cyperus grandis</i> C.B.Cl.		T6	Swamp	Sedge 1.2m to be used for	Det Kabuye. No mat in EA frn T6. New for Selous List. Kew conf
	<i>Cyperus halpan</i> L.	<i>C.haspan</i> vide Vollesen	T6	SEW		r
	<i>Cyperus holstii</i> Kuk.		T8	RBE, SEW		O
	<i>Cyperus imbricatus</i> Retz.		T6,8	GWF, RBE		r
	<i>Cyperus laevigatus</i> L.		T6,8	G		O
	<i>Cyperus longus</i> L. var		T8	G, WH		O
	<i>Cyperus maculatus</i> Boeck.		T6	RBE, RBA		O
4647	<i>Cyperus mapanioides</i> C.B.Cl. var <i>major</i> (Boeck.)Kuk.		T6	Dry River B	Herb 40cm	
	<i>Cyperus michelianus</i> (L.)Link ssp <i>pygmaeus</i> (Rottb.)Aschers & Graebn.		T8	T		O
4643	<i>Cyperus micromariscus</i> K.Lye?		T6,8	RBE		r
	<i>Cyperus niveus</i> Retz. var <i>leucocephalus</i> (Kunth)Fossberg	<i>C.obtusiflor</i> us Vahl	T6,8	Dry River B	Herb 10cm	No mat in EA
	<i>Cyperus prolifer</i> Lam.		T6,8	W, WG, A		c
4285	<i>Cyperus pulchellus</i> R.Br.		T6	RBE, SEW		O
4290	<i>Cyperus rotundus</i> L. ssp <i>tuberosus</i> (Rottb.)Kuk.		T6			
	<i>Cyperus rubicundus</i> Vahl		T6,8	G, WH, WG		O
4293	<i>Cyperus sp</i>		T8	G		lc
	<i>Cyperus sp aff longus</i> L.		T6	WGS		r
4295	<i>Cyperus sp nr imbricatus</i>		T6			Not matched in EA
4297	<i>Cyperus sp nr longus</i> L.		T6			
	<i>Cyperus tenax</i> Boeck. var		T6,8	W		cf <i>C.undulatus</i>
	<i>Cyperus tenuiculmis</i> Boeck.		T6	W		c
	<i>Cyperus tenuispica</i> Steud.		T6,8	SEW		r
	<i>Cyperus undulatus</i> Kuk.		T6,8	GWF		c
	<i>Cyperus usitatus</i> Burch.		T8	G		r
	<i>Cyperus zollingeri</i> Steud. var <i>parvus</i> C.B.Cl.		T8	T		O
4443	<i>Cyperus zollingeri</i> Steud. var <i>zollingeri</i>		T8	W		r
	<i>Eleocharis complanata</i> Boeck.		T6,8	SEW		r
	<i>Eleocharis decoriglumis</i> Berhaut		T6	WH, G		r
4633	<i>Fimbristylis bisumbellata</i> (Forssk.)Bub.		T6	RBE		O
4701	<i>Fimbristylis dichotoma</i> (L.)Vahl		T6	Dry River B	Herb 12cm	
4788	<i>Fimbristylis dipsacea</i> (Rottb.)C.B.Cl.		T6,8	RBE, SEW		O
			T6			
			T6	RBE		r

No.	Species	Synonym	Area	Habitat	Description	Comment
4632	<i>Fimbristylis hispidula</i> (Vahl)Kunth		T6	Dry River B	Herb 5cm	
4634	<i>Fimbristylis littoralis</i> Gaud.		T6,8	W, WG, WE		o
4289	<i>Fimbristylis madagascariensis</i> Boeck.		T8	SEW		New for Selous List
	<i>Fimbristylis miliacea</i> (L.)Vahl ssp <i>miliacea</i>	<i>F. quinquangulata</i> (Vahl)Kunth	T6,8	WH		r
4639	<i>Fimbristylis ovata</i> (Burm.f.)Kern		T6	WGS		r
	<i>Fimbristylis pilosa</i> Vahl?		T6	Dry River B	Herb 25cm, nutlet biconvex	New for Selous List?
	<i>Fimbristylis sieberiana</i> Kunth		T8	G, RBE		r
	<i>Fimbristylis squarrosa</i> (Poir.)Vahl		T6	RBE		r
	<i>Fimbristylis triflora</i> (L.)K.Schum.	<i>Abildgaardia triflora</i> (L.)Abeywick	T8	WGS, G		o
4642	<i>Fuirena ciliaris</i> (L.)Roxb.		T6,8	WH		r
	<i>Fuirena microcarpa</i> K.Lye		T6	Dry River B	Herb 20cm	
	<i>Fuirena ochreatea</i> Kunth	<i>F. calolepis</i> K.Schum.	T8	SEW		r
	<i>Fuirena pubescens</i> (Lam.)Kunth		T6,8	W, SEW		c
	<i>Fuirena stricta</i> Steud.		T6	SEW		r
	<i>Fuirena umbellata</i> Rottb.		T6	SEW, G		r
	<i>Fuirena zambesiaca</i> K.Lye		T6	SEW		r
	<i>Kyllinga comosipes</i> (Mattf. & Kuk.)Napper var <i>comosipes</i>	<i>Cyperus comosipes</i> Mattf. & Kuk. ssp <i>comosipes</i>	T6	WGS		r
	<i>Kyllinga crassipes</i> Boeck.		T6,8	W, WGS, WG		c
	<i>Kyllinga erecta</i> Schumach. var <i>erecta</i>	<i>Cyperus erectus</i> (Schumach.)M attf. & Kuk.	T6,8	WH, SEW, WG		c
4287		<i>Cyperus erectus</i> (Schumach.)M attf. & Kuk.	T6			
	<i>Kyllinga erecta</i> Schumach. var <i>polyphylla</i> (Kunth)Hooper	<i>Kyllinga polyphylla</i> & <i>Cyperus aromaticus</i>	T6	RBE		r
4286		<i>Kyllinga polyphylla</i> & <i>Cyperus aromaticus</i>	T6			
	<i>Kyllinga flava</i> C.B.Cl.	<i>Cyperus oblongus</i> (C.B.Cl.)Kuk. ssp <i>flavus</i> (C.B.Cl.)K.Lye	T6	WGS		r
	<i>Kyllinga pumila</i> Michx.		T6	RBE		r
	<i>Kyllinga tenuifolia</i> Steud.		T6	WGS		r
	<i>Kyllingiella microcephala</i> (Steud.)R.Haines & K.Lye	<i>Scirpus microcephalus</i> (Steud.)Dandy	T8	WGS		r
4299	<i>Lipocarpus atra</i> Ridley		T6	SEW		r
	<i>Lipocarpus chinensis</i> (Osb.)Kern		T6,8	RBE, SEW		o
4651	<i>Lipocarpus monostachya</i> R.Gross & Mattf.		T6	Dry River B		New for Selous List
	<i>Mariscus circumclusus</i> C.B.Cl.		T6	WGS		r
	<i>Mariscus cylindristachyus</i> Steud.	<i>M. umbellatus</i> (Rottb.)Vahl	T6	W		r
4648	<i>Mariscus cyperoides</i>		T6	Dry River B	Herb 15cm	
	<i>Mariscus cyperoides</i> (Rottb.)Dietr. ssp <i>africanus</i> (Kuk.)Podl.		T6,8	WH, RBE, SEW		o
	<i>Mariscus diurensis</i> (Boeck.)C.B.Cl.	<i>Cyperus diurensis</i> Boeck.	T8	WG		o

No.	Species	Synonym	Area	Habitat	Description	Comment
	<i>Mariscus dubius</i> (Rottb.) Hutch. var <i>dubius</i>	<i>Cyperus dubius</i> Rottb. ssp <i>dubius</i>	T6,8	A,W,WGS,WG		o
	<i>Mariscus dubius</i> (Rottb.) Hutch. var <i>macrocephalus</i> (C.B.Cl.) Chiov.	<i>Cyperus dubius</i> Rottb. ssp <i>macrocephalus</i> (C.B.Cl.) K.L	T6,8	R,T		o
4292		<i>Cyperus dubius</i> Rottb. ssp <i>macrocephalus</i> (C.B.Cl.) K.L	T6			
	<i>Mariscus ferrugineo-viridis</i> (C.B.Cl.) Cherm.		T8	W		r
	<i>Mariscus hemisphaericus</i> (Boeck.) C.B.Cl.	<i>Cyperus hemisphaericus</i> Boeck.	T6,8	W		c
	<i>Mariscus macropus</i> (Boeck.) C.B.Cl. var		T6,8	W,WG		c
	<i>Mariscus maderaspatensis</i> (Willd.) Napper	<i>Cyperus maderaspatensis</i> Willd.	T8	WE		r
4645			T6	Dry River B Herb 8cm		
	<i>Mariscus obsoletinervosus</i> (Peter & Kuk.) Greenway	<i>Cyperus obsoletinervosus</i> A. Peter & Kuk.	T6,8	W		c
	<i>Mariscus pseudo-vestitus</i> C.B.Cl. var <i>perrieri</i> (Cherm.) Podl.		T6,8	W,WGS		o
	<i>Mariscus pseudo-vestitus</i> C.B.Cl. var <i>pseudo-vestitus</i>		T8	W		r
	<i>Mariscus psilostachys</i> C.B.Cl.	<i>Cyperus psilostachys</i> (C.B.Cl.) Kuk	T8	W,T		r
4653			T6	Dry River B Herb 20cm		
	<i>Mariscus squarrosus</i> (L.) C.B.Cl.	<i>Cyperus squarrosus</i> L.	T6,8	W,WG		c
4636			T6	Dry River B Herb 10cm		
	<i>Mariscus sumatrensis</i> (Retz.) J. Rayn.	<i>M. sieberianus</i> Steud. & <i>Cyperus cyperoides</i> ssp	T6,8	W,AW		o
	<i>Oxycaryum cubensis</i> (Poeppig & Kunth) K. Lye	<i>Scirpus cubensis</i>	T6	WH		r
	<i>Pycnus aribulbus</i> (Kuk.) Napper		T6	SEW		r
	<i>Pycnus intermedius</i> (Steud.) C.B.Cl.		T6	WH		r
	<i>Pycnus mundtii</i> Nees		T6,8	RBE		o
4646			T6	Dry River B Herb 20cm		
	<i>Pycnus pelophilus</i> (Ridl.) C.B.Cl.		T8	W,WG		r
	<i>Pycnus pelophilus</i> (Ridley) Ridley	<i>Cyperus pelophilus</i> Ridley				
	<i>Pycnus polystachyos</i> (Rottb.) Beauv. var <i>laxiflorus</i> (Benth.) C.B.Cl.		T6,8	SEW		r
	<i>Pycnus polystachyos</i> (Rottb.) Beauv. var <i>polystachyos</i>	<i>Cyperus polystachyos</i> Rottb. ssp	T6,8	RBE		r
4300		<i>Cyperus polystachyos</i> Rottb. ssp	T6			
		<i>Cyperus polystachyos</i> Rottb. ssp				
	<i>Pycnus pumilus</i> (L.) Domin	<i>Cyperus pumilus</i> L. var <i>patens</i> (Vahl) Kuk.	T8	W,WG,WH		c
4649			T6	Dry River B Herb 15cm		
	<i>Pycnus unioloides</i> (R.Br.) Urb.		T6,8	SEW		r
	<i>Rhynchospora corymbosa</i> (L.) Britt.		T6	SEW		r
	<i>Rhynchospora perrieri</i> Cherm.		T8	SEW		r
	<i>Rhynchospora subquadrata</i> Cherm.		T6	SEW		lc

No.	Species	Synonym	Area	Habitat	Description	Comment
4650	Rikliella rehmannii (Ridley)J.Rayn.		T6	Dry River B		New for Selous List (=MRC3634)
	Schoenoplectus articulatus (L.)Palla	Scirpus articulatus L.	T6	WH		r
	Schoenoplectus junceus (Willd.)Raynal	Scirpus aureiginis Hooper.	T6	WH		r
	Schoenoplectus senegalensis (Steud.)Raynal	Scirpus jacobii Fisch.	T6	WH		r
	Scleria bambariensis Cherm.		T6	SEW		r
	Scleria bulbifera A.Rich.		T6,8	W		o
	Scleria foliosa A.Rich.		T6,8	G,WH,SEW		o
	Scleria lagoensis Boeck.		T6	SEW		r
	Scleria lithosperma (L.)Swartz		T6,8	T,AW		o
	Scleria pergracilis (Nees)Kunth var brachystachys Nelmes		T6	SEW		r
4652	Sedge		T6	Dry River B		
FAMILY : 332 GRAM						
	Acroceras attenuatum Renv.		T6			r
	Alloteropsis cimicina (L.)Stapf		T6,8			o
	Alloteropsis paniculata (Benth.)Stapf		T6,8			r
	Alloteropsis papillosa W.D.Clayton		T6,8			o
	Alloteropsis semialata (R.Br.)Hitche.		T6,8			o
	Andropogon eucomis Nees		T8			r
	Andropogon fastigiatus Sw.	Diectomis fastigiata	T6			o
	Andropogon gayanus Kunth. var polycladus (Hack.)W.D.Clayton		T6,8			c
	Andropogon perligulatus Stapf		T6			r
	Andropogon pseudapricus Stapf		T6			lc
	Andropogon schirensis A.Rich.		T6,8			d
	Aristida adscensionis L.		T6,8			o
	Aristida barbicollis Trin. & Rupr.		T6,8			c
	Aristida diminuta Hubbard		T8			r
	Aristida funiculata Trin. & Rupr.		T8			o
	Aristida hordeacea Kunth		T6,8			c
	Aristida junciformis Trin. & Rupr.		T6,8			r
	Aristida scabrivalis Hack. var contracta de Winter		T8			r
	Arthraxon micans (Nees)Hochst.	A.quartianian us	T6			r
	Arundinella nepalensis Trin.		T6			r
	Axonopus flexuosus (Peter)Troupin		T6			r
	Bewisia biflora (Hack.)Goossens		T6,8			r
	Brachiaria brizantha (A.Rich.)Stapf		T6,8			o
	Brachiaria deflexa (Schumach.)Robyns		T6,8			c
	Brachiaria dictyonera (Fig. & De Not.)Stapf		T6,8			o
	Brachiaria eruciformis (J.E.Smith)Griseb.		T6			r
	Brachiaria jubata (Fig. & De Not.)Stapf		T6			r
	Brachiaria leersioides (Hochst.)Stapf		T6			r
	Brachiaria leucacrantha (K.Schum.)Stapf		T6,8			c
	Brachiaria reptans (L.)Gardner & Hubbard	Brochloa reptans	T8			o
	Brachiaria serrata (Thunb.)Stapf		T6,8			c
	Brachiaria squarrosa (Peter)W.D.Clayton	Polynura squarrosa	T8			r
	Brachiaria xantholeuca (Schinz)Stapf	B.pubifolia	T6,8			r
	Cenchrus ciliaris L.		T8			r
	Cenchrus echinatus L.		T6			r
	Chloris gayana Kunth		T6,8			c
	Chloris mossambicensis K.Schum.		T6,8			r
	Chloris pycnothrix Trin.		T6,8			o
	Chloris roxburghiana Schult.		T6			r
	Chloris virgata Sw.		T6,8			c
	Cleistachne sorghoides Benth.		T6,8			o
	Coelorachis lepidura Stapf		T6,8			r
	Cynopogon caesius (Hook. & Arn.)Stapf	C.excavatus	T8			r
	Cynopogon giganteus Chiov.		T6,8			d
	Cynodon dactylon (L.)Pers.		T6,8			c
	Cynodon nleniensis Vanderyst var		T8			o
	Dactyloctenium aegyptium (L.)Willd.		T6,8			o
	Dactyloctenium giganteum Fisher & Schweick.		T6,8			d
	Dichanthium papillosum (Forssk.)Stapf var papillosum (A.Rich.)De Wet & Harlan.	D.papillosum	T8			o
	Dichanthium aristatum (Poir.)Hubbard		T8			o

No.	Species	Synonym	Area	Habitat	Description	Comment
	<i>Dichanthium bladhii</i> (Retz.)W.D.Clayton	<i>Bothriochloa</i>	T6,8			C
	<i>Dichanthium condylotrichum</i> (Steud.)Roberty	<i>glabra</i> <i>Euclasta</i> <i>condylotrich</i> <i>a</i>	T6			r
	<i>Dichanthium foveolatum</i> (Del.)Roberty		T6			r
	<i>Dichanthium insculptum</i> (A.Rich.)W.D.Clayton	<i>Bothriochloa</i>	T6,8			C
	<i>Dichanthium radicans</i> (Lehm.)W.D.Clayton	<i>insculpta</i> <i>Bothriochloa</i> <i>radicans</i>	T6			r
	<i>Digitaria ciliaris</i> (Retz.)Koel. ssp		T6,8			r
	<i>chrysoblephara</i> (Fig. & De Not.)Blake					
	<i>Digitaria ciliaris</i> (Retz.)Koel. ssp <i>ciliaris</i>		T6			r
	<i>Digitaria comifera</i> Pilg.		T6,8			r
	<i>Digitaria compressa</i> Stapf		T6			r
	<i>Digitaria debilis</i> (Desf.)Willd.		T6			O
	<i>Digitaria diagonalis</i> (Nees)Stapf var <i>uniglumis</i> (A.Rich.)Pilg.		T6			r
	<i>Digitaria gayana</i> (Kunth)A.Chev.		T8			O
	<i>Digitaria gymnostachys</i> Pilg.		T8			O
	<i>Digitaria longiflora</i> (Retz.)Pers.		T6,8			O
	<i>Digitaria maitlandii</i> Stapf & Hubbard		T6,8			O
	<i>Digitaria milaniana</i> (Rendle)Stapf		T6,8			d
	<i>Digitaria nuda</i> Schumach.		T6,8			r
	<i>Digitaria perrottetii</i> (Kunth)Stapf		T6,8			O
	<i>Diheteropogon amplexans</i> (Nees)W.D.Clayton var <i>catangensis</i> (Chiòv.)W.D.Clayton		T6			r
	<i>Echinochloa colona</i> (L.)Link		T6,8			O
	<i>Echinochloa crus-gavonis</i> (Kunth)Schult.		T6,8			r
	<i>Echinochloa haploclada</i> (Stapf)Stapf		T6,8			d
	<i>Echinochloa pyramidalis</i> (Lam.)Hitchc. & Chase		T6			r
	<i>Echinochloa scabra</i> (Lam.)Roem. & Schult.	<i>E.stagnina</i>	T6			r
	<i>Eleusine coracana</i> (L.)Gaertn.		T8			r
	<i>Eleusine indica</i> (L.)Gaertn. ssp <i>africana</i> (Kennedy-O'Byrne)Phillips		T6,8			O
	<i>Elionurus trisacoides</i> Willd.	<i>E.trapnellii</i>	T6			r
	<i>Elymandra grallata</i> (Stapf)W.D.Clayton		T6,8			d
	<i>Elytrophorus spicatus</i> (Willd.)A.Camus		T8			r
	<i>Enteropogon macrostachyus</i> (A.Rich.)Benth.		T6,8			O
	<i>Enteropogon sechellensis</i> (Baker)Th.Dur. & Schinz		T8			r
	<i>Enteropogon</i> sp aff <i>rupestris</i> (J.A.Schmidt)A.Chev.		T8			r
	<i>Eragrostiella bifaria</i> (Vahl)Bor		T6,8			O
	<i>Eragrostis aethiopica</i> Chiòv.		T6,8			C
	<i>Eragrostis aspera</i> (Jacq.)Nees		T8			O
	<i>Eragrostis atrovirens</i> (Desf.)Steud.		T6,8			C
	<i>Eragrostis caespitosa</i> Chiòv.		T6			O
	<i>Eragrostis chapelieri</i> (Kunth)Nees		T6,8			C
	<i>Eragrostis ciliaris</i> (L.)R.Br.		T6,8			C
	<i>Eragrostis congesta</i> Oliv.		T6,8			r
	<i>Eragrostis gangetica</i> (Roxb.)Steud.		T6,8			O
	<i>Eragrostis japonica</i> (Thunb.)Trin.	<i>E.namaquensi</i>	T6,8			r
	<i>Eragrostis lappula</i> Nees		T6,8			O
	<i>Eragrostis paniciformis</i> (A.Br.)Steud.		T6			r
	<i>Eragrostis patens</i> Oliv.		T6			r
	<i>Eragrostis perbella</i> K.Schum.		T6			r
	<i>Eragrostis pilosa</i> (L.)P.Beauv.		T8			r
	<i>Eragrostis racemosa</i> (Thunb.)Steud.		T6,8			O
	<i>Eragrostis rotifer</i> Rendle		T6			r
	<i>Eragrostis setulifera</i> Pilg.		T6,8			d
	<i>Eragrostis superba</i> Peyr.		T6,8			C
	<i>Eragrostis tenella</i> (L.)Roem. & Schult. var		T8			r
	<i>Eragrostis tremula</i> (Lam.)Steud.		T6			O
	<i>Eriochloa fatmensis</i> (Hochst. & Steud.)W.D.Clayton		T6			r
	<i>Eriochloa meyerana</i> (Nees)Pilg.	<i>Panicum</i> <i>meyeranum</i>	T6,8			C
	<i>Eriochloa parvispiculata</i> C.E.Hubbard		T6,8			C
	<i>Eriochloa procera</i> (Retz.)Hubbard		T8			O
	<i>Eriochloa rovmensis</i> (Pilg.)W.D.Clayton		T6,8			r
	<i>Eriochloa stapfiana</i> W.D.Clayton		T8			r
	<i>Eriochloa aurea</i> (Bory)Kunth		T6,8			O
	<i>Eriochloa paspaloides</i> (Vahl)Lanza & Mattei		T6,8			C
	<i>Eriochloa bullockii</i> Hubbard		T6			r
	<i>Eriochloa granularis</i> (L.)Kuntze		T6			r
	<i>Emarthra pallidissima</i> (Poir.)Stapf & Hubbard		T6			r
	<i>Emarthra natans</i> Stapf		T6,8			O
	<i>Heteropogon contortus</i> (L.)Roem. & Schult.		T6,8			d

No.	Species	Synonym	Area	Habitat	Description	Comment
	<i>Heteropogon melanocarpus</i> (Ell.) Benth.		T6,8			O
	<i>Holcolemma inaequale</i> W.D. Clayton		T6			r
	<i>Hylebates cordatus</i> Chippendall		T6			r
	<i>Hyparrhenia exarata</i> (Stapf) Stapf		T6			r
	<i>Hyparrhenia figariana</i> (Chiov.) W.D. Clayton		T6,8			d
	<i>Hyparrhenia filipendula</i> (Hochst.) Stapf		T6,8			O
	<i>Hyparrhenia finitima</i> (Hochst.) Stapf		T8			r
	<i>Hyparrhenia madaropoda</i> W.D. Clayton		T6			r
	<i>Hyparrhenia rufa</i> (Nees) Stapf		T6,8			O
	<i>Hyparrhenia schimperii</i> (A. Rich.) Stapf		T6			r
	<i>Hyparrhenia variabilis</i> Stapf		T6			r
	<i>Hyparrhenia weilwitschii</i> (Rendle) Stapf		T6			r
	<i>Hyperthelia dissoluta</i> (Steud.) W.D. Clayton		T6,8			O
	<i>Imperata cylindrica</i> (L.) Raenschel		T6,8			O
	<i>Ischaemum afrum</i> (J.F. Gmel.) Dandy		T6,8			d
	<i>Leersia hexandra</i> Sw.		T6,8			r
	<i>Leptocarydion vulpiastrum</i> (De Not.) Stapf		T6,8			r
	<i>Leptochloa chinensis</i> (L.) Nees		T6,8			r
	<i>Leptochloa panicea</i> (Retz.) Ohwi		T6,8			C
	<i>Leptochloa squarrosa</i> Pilg.		T8			r
	<i>Leptochloa uniflora</i> A. Rich.		T6,8			C
	<i>Lepturus radicans</i> (Steud.) A. Camus		T6,8			O
	<i>Loudetia arundinacea</i> (A. Rich.) Steud.		T6,8			C
	<i>Loudetia flavida</i> (Stapf) Hubbard		T8			d
	<i>Loudetia phragmitoides</i> (Peter) Hubbard		T6			r
	<i>Loudetia simplex</i> (Nees) Hubbard		T6,8			O
	<i>Megastachya mucronata</i> (Poir.) P. Beauv.		T8			r
	<i>Microchloa indica</i> (L.f.) P. Beauv.		T6			r
	<i>Neyraudia arundinacea</i> (L.) Henr.		T6			r
	<i>Olyra latifolia</i> L.		T6			C
	<i>Oplismenus burmannii</i> (Retz.) P. Beauv.		T6			r
	<i>Oplismenus hirtellus</i> (L.) P. Beauv.		T6,8			O
	<i>Oryza eichingeri</i> Peter		T6			O
	<i>Oryza longistaminata</i> A. Chev. & Rochr.		T6,8			C
	<i>Oryza punctata</i> Steud.		T6,8			C
	<i>Oxytenanthera abyssinica</i> (A. Rich.) Munro		T6,8			O
	<i>Panicum atrosanguineum</i> A. Rich.		T6			r
	<i>Panicum brevifolium</i> L.		T6			O
	<i>Panicum coloratum</i> L. var		T6			r
	<i>Panicum comorense</i> Mez		T6			lc
	<i>Panicum deustum</i> Thunb.		T6,8			O
	<i>Panicum fluviicola</i> Steud.		T6,8			r
	<i>Panicum genuflexum</i> Stapf		T8			r
	<i>Panicum heterostachyum</i> Hack.		T6,8			C
	<i>Panicum infestum</i> Peters		T6,8			d
	<i>Panicum laticomum</i> Nees		T6,8			O
	<i>Panicum massiense</i> Mez		T6,8			O
	<i>Panicum maximum</i> Jacq.		T6,8			d
	<i>Panicum alahiense</i> Renvoize		T6			r
	<i>Panicum nudiflorum</i> Renvoize		T8			r
	<i>Panicum pansum</i> Rendle		T6			lc
	<i>Panicum phragmitoides</i> Stapf		T6,8			O
	<i>Panicum pleianthum</i> Peter		T6			r
	<i>Panicum porphyrrhizos</i> Steud.		T8			O
	<i>Panicum subalbidum</i> Kunth		T6			r
	<i>Panicum trichocladum</i> K. Schum.		T6,8			O
	<i>Panicum trichoides</i> Sw.		T6			r
	<i>Panicum vollesenii</i> Renvoize		T8			r
	<i>Panicum walense</i> Mez		T6			r
	<i>Paspalidium geminatum</i> (Forssk.) Stapf		T6			r
	<i>Paspalum glumaceum</i> W.D. Clayton		T6,8			O
	<i>Paspalum scrobiculatum</i> L.		T6,8			C
	<i>Pennisetum polystachion</i> (L.) Schult. ssp		T6,8			O
	<i>Pennisetum purpureum</i> Schumacher		T6			O
	<i>Pennisetum ramosum</i> (Hochst.) Schweinf.		T8			r
	<i>Pennisetum unisetum</i> (Nees) Benth.	Beckeropsis uniseta	T6			r
	<i>Perotis hildebrandtii</i> Mez		T6,8			C
	<i>Perotis indica</i> (L.) Kuntze		T6			r
	<i>Perotis leptopus</i> Pilg.		T6			r
	<i>Perotis patens</i> Gand.		T6,8			C
	<i>Phragmites mauritianus</i> Kunth		T6,8			O
	<i>Phyllochloa sagittata</i> Trimen		T6			r
	<i>Pogonarthria squarrosa</i> (Roem. & Schult.) Pilg.		T6,8			C/r
	<i>Rhynchoselytrum repens</i> (Willd.) C.E. Hubbard		T8			r
	<i>Rhynchoselytrum latifolia</i> W.D. Clayton		T8			lc
	<i>Rhynchoselytrum rotboelliioides</i> Desv.		T6			r
	<i>Rottboellia repens</i> L.f.		T6,8			O
	<i>Sacciolepis chevalieri</i> Stapf		T6			r

No.	Species	Synonym	Area	Habitat	Description	Comment
	<i>Sacciolepis curvata</i> (L.) Chase		T6,8			c
	<i>Sacciolepis huillensis</i> (Rendle) Stapf		T6			r
	<i>Schizachyrium brevifolium</i> (Sw.) Buse		T6,8			o
	<i>Schizachyrium exile</i> (Hochst.) Pilg.		T8			o
	<i>Schizachyrium sanguineum</i> (Retz.) A. St.		T6,8			o
	<i>Schoenefeldia transiens</i> (Pilg.) Chiov.		T6,8			o
	<i>Setaria homonyma</i> (Steud.) Chiov.		T6			r
	<i>Setaria incrassata</i> (Hochst.) Hack.	<i>S. holstii</i>	T6,8			d
		<i>S. phragmitoides</i>				
	<i>Setaria pumila</i> (Poir.) Roem. & Schult.	<i>S. pallidiflora</i>	T6,8			c
		ca				
	<i>Setaria sagittifolia</i> (A. Rich.) Walp.	<i>Cymbosetaria sagittifolia</i>	T6,8			c
4450			T6			Kew conf
	<i>Setaria sphacelata</i> (Schumach.) Moss var <i>spacelata</i>	<i>S. planifolia</i>	T6,8			c
	<i>Setaria sphacelata</i> (Schumach.) Moss var <i>splendida</i>		T6			r
	(Stapf) W.D. Clayton					
	<i>Sorghastrum bipennatum</i> (Hack.) Pilg.		T6			lc
	<i>Sorghastrum stipoides</i> (Kunth) Nash		T6			r
	<i>Sorghum arundinaceum</i> (Desv.) Stapf	<i>S. verticilli florum</i>	T6,8			o
	<i>Sorghum versicolor</i> Anderss.		T6,8			c
	<i>Sporobolus congoensis</i> Franch.		T6			r
	<i>Sporobolus festivus</i> A. Rich.		T6,8			c
	<i>Sporobolus fimbriatus</i> (Trin.) Nees		T6,8			d
	<i>Sporobolus helvolus</i> (Trin.) Th. Dur. & Schinz		T6			r
	<i>Sporobolus ioclados</i> (Trin.) Nees		T6,8			d
	<i>Sporobolus pyramidalis</i> P. Beauv.		T6,8			c
	<i>Sporobolus sanguineus</i> Rendle		T6			r
	<i>Sporobolus scitulus</i> W.D. Clayton		T6			r
	<i>Sporobolus spicatus</i> (Vahl) Kunth		T6			r
	<i>Sporobolus stoltzii</i> Mez		T8			o
	<i>Sporobolus subglobosus</i> A. Chev.		T8			r
	<i>Sporobolus tenuissimus</i> (Schränk) Kuntze		T8			r
	<i>Sporobolus tremulus</i> Kunth		T6			lc
	<i>Sporobolus virginicus</i> (L.) Kunth		T8			ld
	<i>Stenotaphrum micranthum</i> (Desv.) Hubbard		T8			r
	<i>Streptogyna crinita</i> P. Beauv.		T6			d
	<i>Tetrapogon tenellus</i> (Roxb.) Chiov.		T6,8			r
	<i>Thelepogon elegans</i> Roem. & Schult.		T6,8			o
	<i>Themeda triandra</i> Forssk.		T6,8			d
	<i>Tragus berteronianus</i> Schult.		T6,8			r
	<i>Tragus heptaneuron</i> W.D. Clayton		T6,8			c
	<i>Tristachya bequaertii</i> De Wild.		T6,8			o
	<i>Tristachya nodiglumis</i> K. Schum.		T6,8			o
	<i>Tristachya thollonii</i> Franch.		T6			r
	<i>Urochloa mosambicensis</i> (Hack.) Dandy		T8			c
	<i>Urochloa panicoides</i> P. Beauv.		T6			r
	<i>Urochloa setigera</i> (Retz.) Stapf		T6			o
	<i>Urochloa trichopus</i> (Hochst.) Stapf		T6,8			o
	<i>Vetiveria nigritana</i> (Benth.) Stapf		T6,8			d
	<i>Vossia cuspidata</i> (Roxb.) Griff.		T6,8			o
	<i>Zonotriche inamoena</i> (K. Schum.) W.D. Clayton		T6,8			o

TOTAL TAXA as at 17/11/97 — 2,148